10/523062 DT12 Rec'd PCT/PTO 0 2 FEB 2005

1

Method for amplification of nucleic acids of low complexity

5 The present invention relates to a method for the amplification of nucleic acids.

Description

- This invention relates to the fields of genetic engineering, molecular biology and computer science, and more specifically to the field of nucleic acid analysis based on specific nucleic acid amplification.
- The matter of the present invention is a method for amplifying nucleic acids, such as DNA by means of an enzymatic amplification step, such as a polymerase chain reaction, specified for template nucleic acids of low complexity, e.g. pre-treated DNA, like but not limited to
- DNA pre-treated with bisulfite. The invention is based on the use of specific oligo-nucleotide primer molecules to solely amplify specific pieces of DNA. It is disclosed how to optimize the primer design for a PCR if the template DNA is of unusually low complexity. Also, for the
- optimal primer design it was considered that the treated template DNA is single stranded.
- The amplification of nucleic acids relies mainly on a method called polymerase chain reaction (PCR). The PCR is based on the activity of the enzyme DNA polymerase, which is elongating primer molecules, which bind to the template DNA by adding dNTPs and hereby copying the template sequence (Saiki RK, Gelfand DH, Stoeffel S, Scharf SJ, Higuchi R, Horn T, Mullis KB and Erlich HA (1988).
- Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. Science 239 : 487-491). The

primer molecules are designed to specifically hybridize to those regions of the template DNA that define both ends of the amplificate. The forward primer binds to the 5' end of the sense strand of the amplificate, whereas the reverse primer binds to the 5' end of the reverse strand, hereby defining the starting points of the polymerase reaction and eventually determining the length of the amplificate.

10 Before the polymerase starts the template DNA gets denatured, this is usually done by a short cycle of heating the reaction mixture up to about 95°C, then cooling it down to the annealing temperature determined by the melting temperature of the primer molecules used and finally 15 allowing the polymerase to elongate the annealed primers at its ideal working temperature for some minutes. This cycle is repeated several times each starting with the denaturation step. The primer molecules hybridize to the single stranded DNA. The forward primer is the starting 20 molecule for a copy of the sense strand and the reverse primer is the starting molecule for a copy of the antisense strand.

These first copies will be of unspecific length, limited only by the polymerase's activity. However in the following cycle, the forward primer will also bind to the first copy of the anti-sense strand, the polymerase will take that copy as a template and will elongate the primer only as far as there is template DNA. Hereby the length of the second copy gets limited to the length defined by the first nucleotide of the second primer. In the following cycles more and more pieces of template DNA compete for the primer molecules and eventually the DNA amplificate of defined length will be the main product.

25

30

However, in the case of a bisulfite treated DNA the template DNA is single stranded. The bisulfite or similar treatment alters the original sequences on both strands such that these are not complementary to each other after the treatment. As a result no complementary strand to the target sequence exists. A first primer molecule binds to the one end of the single stranded target sequence. The polymerase elongates said primer and copies said target sequence. The second primer molecule cannot bind to the complementary, so called anti-sense strand, as it would in a standard PCR. Therefore the second primer molecule is designed to bind to the first copied sequence instead. More specifically it will bind to that part of the copied nucleic acid which is the complement to the other end of said target sequence.

The results of a PCR are highly depending on the choice of the ideal primer. The choice of a primer molecule must respect constraints permitting a correct amplification by PCR, fulfilling hybridization temperature conditions and auto- or hetero-hybridization prevention.

In other words, as any PCR requires two primer molecules to amplify a specific piece of DNA in one reaction the melting temperatures of both primers need to be very similar in order to allow proper binding of both at the same hybridization temperature. That is why most primer design programs require the user to define a preferred melting temperature or a permitted range of melting temperatures. This requirement becomes the limiting factor when designing primers for a so called multiplex PCR, as all primer pairs in use need to have the same or at least very similar melting temperatures. Additionally primers have to be very specific, in order to only amplify those pieces of DNA that are the target.

By providing the means for designing extremely accurate primer pairs for DNA hybridization procedures this invention relates to the so called PCR primer design. More specifically the body of this invention relates to the specific requirements of primers and therefore of primer design when using template DNA that consists of essentially only three different nucleotides and is single stranded. This is the case when using bisulfite treated DNA as a template, as it contains no cytosine other than the methylated cytosines in a CG dinucleotide and a rest of insufficiently treated and therefore untransformed non-methylated cytosines. The invention relates specifically to the primer design when using bisulfite treated DNA as template.

It would be obvious to an individual skilled in the art that the use of the primers as specified in this invention are not limited to nucleic acid amplification. Said primers can be used for several purposes, such as amplification, but also for nucleic acid sequencing or as blocking oligonucleotides during analysis of bisulfite treated DNA. Therefore the use of said primers is not limited to nucleic acid amplification but extends to all standard molecular biological methods.

Pairs of these primers are used to specifically amplify DNA from a small amount of sample DNA that consists of bisulfite treated DNA originating from a limited source of DNA like a bodily fluid or tissue sample.

DNA can occur methylated or non-methylated at certain positions and this information is relevant for the status of a genes transcription. The methyl group is attached to the cytosine bases in CpG positions. The identification of 5-methylcytosine in a DNA sequence as opposed to unmethylated cytosine is of greatest importance for example

when studying the role of DNA methylation in tumorigenesis. But, because the 5-Methylcytosine behaves just as a cytosine for what concerns its hybridization preference (a property relied upon for sequence analysis) its positions can not be identified by a normal sequencing reaction. Furthermore in a PCR amplification this relevant epigenetic information, methylated cytosine or unmethylated cytosine, will be lost completely.

- This problem is usually solved by treating the genomic DNA with a chemical leading to a conversion of the cytosine bases, which consequently allows to differentiate the bases afterwards.
- A tool most useful for analyzing DNA methylation is the bisulfite conversion of DNA that converts cytosine bases into bases showing a hybridization behavior as thymin bases. Hereby the DNAs complexity is reduced by a fourth.
- 20 Bisulfite conversion is the most frequently used method for analyzing DNA for 5-methylcytosine. It is based upon the specific reaction of bisulfite with cytosine which, upon subsequent alkaline hydrolysis, is converted to uracil, whereas 5-methylcytosine remains unmodified under 25 these conditions (Shapiro et al. (1970) Nature 227: 1047). However, in its base pairing behavior, uracil corresponds to thymine, that is, it hybridizes to adenine; whereas 5-methylcytosine doesn't change its chemical properties under this treatment and therefore still has 30 the base pairing behavior of a cytosine, that is hybridizing with guanine. Consequently, the original DNA is converted in such a manner that methyl-cytosine, which originally could not be distinguished from cytosine by its hybridization behavior, can now be detected as the 35 only remaining cytosine using "normal" molecular biological techniques, for example, by amplification and hy-

bridization or sequencing. All of these techniques are based on base pairing which can now be fully exploited. Comparing the sequences of the DNA prior to and after bisulfite treatment allows an easy identification of those bases that have been methylated.

In the scope of this invention when it says "a nucleotide (...) was converted by the treatment..." this conversion is meant to be able to differentiate between methylated and un-methylated cytosine bases within said sample, as for example the conversion of un-methylated cytosine bases to bases which hybridize to adenine by the treatment with bisulfite.

An alternative method is to use restriction enzymes that are capable of differentiating between methylated and unmethylated DNA, but this is restricted in its uses due to the selectivity of the restriction enzyme towards a specific sequence.

20

5

10

An overview of the further known methods of detecting 5-methylcytosine may be gathered from the following review article: Rein T, DePamphilis ML, Zorbas H, Nucleic Acids Res. 1998, 26, 2255.

25

30

35

In terms of sensitivity, the prior art is defined by a method, which encloses the DNA to be analyzed in an agarose matrix, thus preventing the diffusion and renaturation of the DNA (bisulfite reacts with single-stranded DNA only), and which replaces all precipitation and purification steps with fast dialysis (Olek A, Oswald J, Walter J (1996) A modified and improved method for bisulfite based cytosine methylation analysis. Nucleic Acids Res. 24: 5064-6). Using this method, it is possible to analyze individual cells, which illustrates the potential of the method.

To date, barring few exceptions (e.g., Zeschnigk M, Lich C, Buiting K, Doerfler W, Horsthemke B (1997) A singletube PCR test for the diagnosis of Angelman and Prader-Willi syndrome based on allelic methylation differences at the SNRPN locus. Eur J Hum Genet. 5: 94-8) the bisulfite technique is only used in research. Always, however, short, specific fragments of a known gene are amplified subsequent to a bisulfite treatment and either completely sequenced (Olek A, Walter J (1997) The pre-implantation ontogeny of the H19 methylation imprint. Nat Genet. 3: 275-6) or individual cytosine positions are detected by a primer extension reaction (Gonzalgo ML and Jones PA (1997) Rapid quantitation of methylation differences at specific sites using methylation-sensitive single nucleotide primer extension (Ms-SNuPE). Nucleic Acids Res. 25 :2529-31; WO 95/00669) or by enzymatic digestion (Xiong Z, Laird PW (1997) COBRA: a sensitive and quantitative DNA methylation assay. Nucleic Acids Res. 25: 2532-4).

20

25

30

35

5

10

15

Another technique to detect hypermethylation is the so called methylation specific PCR (MSP) (Herman JG, Graff JR, Myohanen S, Nelkin BD and Baylin SB (1996), Methylation-specific PCR: a novel PCR assay for methylation status of CpG islands. Proc Natl Acad Sci USA. 93: 9821-6). The technique is based on the use of primers that differentiate between a methylated and a non-methylated sequence if applied after bisulfite treatment of said DNA sequence. The primer either contains a quanine at the position corresponding to the cytosine in which case it will after bisulfite treatment only bind if the position was methylated. Or the primer contains an adenine at the corresponding cytosine position and therefore only binds to said DNA sequence after bisulfite treatment if the cytosine was unmethylated and has hence been altered by the bisulfite treatment so that it hybridizes to adenine.

10

With the use of these primers amplicons can be produced specifically depending on the methylation status of a certain cytosine and will as such indicate its methylation state. The present invention, however, does preferably not include CpGs in the primer sequence.

Another new technique is the detection of methylation via Taqman PCR, also known as MethylLight (WO 00/70090). With this technique it became feasible to determine the methylation state of single or of several positions directly during PCR, without having to analyze the PCR products in an additional step.

In addition, detection by hybridization has also been described (WO 99/28498).

Further publications dealing with the use of the bisulfite technique for methylation detection in individual genes are:

20 Grigg G, Clark S (1994) Sequencing 5-methylcytosine residues in genomic DNA. Bioassays 16: 431-6; Zeschnigk M, Schmitz B, Dittrich B, Buiting K, Horsthemke B, Doerfler W (1997) Imprinted segments in the human genome: different DNA methylation patterns in the Prader-Willi/Angelman 25 syndrome region as determined by the genomic sequencing method. Hum Mol Genet. 6: 387-95; Feil R, Charlton J, Bird AP, Walter J, Reik W (1994) Methylation analysis on individual chromosomes: improved protocol for bisulphite genomic sequencing. Nucleic Acids Res. 22: 695-6; Martin 30 V, Ribieras S, Song-Wang X, Rio MC, Dante R (1995) Genomic sequencing indicates a correlation between DNA hypomethylation in the 5' region of the pS2 gene and its

expression in human breast cancer cell lines. Gene 157 :

261-4; WO 97/46705; WO 95/15373; WO 97/45560

35

For all those methods mentioned above, which are based on PCR amplification of bisulfite treated DNA, the biggest challenge is to design primers that are specific.

5 THE PROBLEM AND ITS SOLUTION

There are a number of programs available on the market that offer to design primer pairs in order to amplify a piece of DNA in a PCR. Usually they require as input the template DNA sequence, the preferred melting temperature TM, the desired length of the amplificate and optionally the preferred length of the primer molecules.

However if a primer is required to bind specifically to bisulfite treated DNA, the design of the primer molecule is especially difficult and those tools known in the art are not competent to design primers that lead to specific products. The following problems occur when dealing with bisulfite treated DNA instead of standard DNA:

20

25

30

35

10

15

First, the sequence complexity of the bisulfite treated genome is reduced dramatically. Complexity in this context is meant to be a measure for the similarity of a given sequence to a random or stochastic sequence; the more complex a sequence is the more it is similar to a random sequence. A reduced complexity of the genome means there are less degrees of variation. Where there are essentially only three different nucleotides rather than four, the probability of a sequence to occur twice in a given length of sequence is much higher. For example, a primer molecule of 20 nucleotides in length is likely to be unique in the human genome, if it is not part of a repeat sequence: The human genome is known to consist of about 3 x 109 bases. There are $420 \approx 1012$ different ways to form sequences of a length of 20 nucleotides, assuming equidistribution of the bases, which makes multiple oc-

currences of a given 20-mer (oligonucleotide of 20 nucleotides) extremely unlikely. However since there are only $320 \approx 3 \times 109$ different 20-mers possible over a 3-letter alphabet, this multiple occurrence cannot be excluded. In addition a bisulfite treated sequence, enriched in thymine in the sense strand and enriched in adenine in the reverse complementary strand, will contain more repeats and regions of general low complexity.

10 Another way to enhance or guarantee uniqueness of primer and/or oligo molecules is to estimate their expected frequency in the genome based upon a Markov model of order n for the human genome or to check their uniqueness explicitly by counting their exact occurrence. The estimation 15 based upon the Markov model relies upon the determination of the probabilities of all 4n n-mers (oligo molecules of n nucleotides) in the human genome or in all amplificates which are used in the hybridization and the conditional probabilities of all four bases given these n-mers. The 20 primer pairs will be constructed from forward and reverse oligos which lie within an appropriate distance to each other and which have minimal individual expected occurrence elsewhere in the genome.

A second challenge in primer design for bisulfite treated DNA is that the melting temperature TM of a bisulfite DNA primer of a certain length is typically lower than the melting temperature TM of a standard primer containing cytosines. This is due to the fact that every cytosine in a bisulfite treated DNA is - after amplification by PCR - replaced by thymine. Cytosine binds its corresponding base guanine via three hydrogen bonds, whereas thymine binds its corresponding base adenine via two hydrogen bonds only, leading to a generally weaker binding, a lower TM.

A third problem arises from the fact that bisulfite treated sequences are not only lacking cytosines but are also thymine-rich. Thymine also hybridizes unspecifically with guanine. This makes mismatching (unspecific binding of a primer to a sequence not identical) of a primer designed for bisulfite treated DNA much more likely than mismatching of a standard primer consisting of four different nucleotides.

It is the aim of this invention to overcome these problems, which are specific for primer based amplification of bisulfite treated DNA.

For a so called "multiplex PCR" it becomes especially 15 difficult to design primer pairs. This expression is used to describe an experiment in which several different pieces of DNA are amplified simultaneously, in one reaction vessel and at the same time. Obviously this saves a lot of effort and time and is as such a basic requirement 20 for high throughput assays based on PCR amplification. An overview on the state of the art concerning multiplex PCR is given by Henegariu et al. (Henegariu O, Heerema NA, Dlouhy SR, Vance GH and Vogt PH (1997) Multiplex PCR: Critical Parameters and Step-by-Step Protocol. BioTechniques 23: 504-511), who offer a step-by-step protocol on 25 how to tackle multiplex PCR problems. However, the possibility of a special primer design is not mentioned in this article.

To ensure that the multiplex PCR works and the multiple products are amplified indeed usually a gel electrophoresis of the reaction mixture is performed. The products get separated due to their different sizes. Unfortunately, the ability of agarose gel electrophoresis to distinguish the products is slightly limited. However, it is possible to test for different product sizes with the

means of a fragment analyzer, which is much more accurate and able to distinguish product sizes of one base difference. Hence different product sizes are no longer a requirement to be considered in the primer design for a multiplex PCR.

In patent WO 01/94634 a method for a multiplex PCR using at least two primer pairs is described that consists of basically a two step amplification procedure wherein one step is referred to as pre-amplification. After pre-amplification (by means of PCR) with a number of primer pairs the sample gets divided into as many portions as there are primer pairs. At least one (and preferably only one) of the previously used primer pairs is added. This method doesn't relate in any way to the selection or design of primer molecules described herein.

In an article by Shuber et al. (Shuber AP, Grondin VJ and Klinger KW (1995) A simplified procedure for developing multiplex PCRs. Genome Res 5 (5): 488-493) regarding multiplex PCR, the authors suggest to use primers, which contain a 3' region complementary to sequence specific recognition sites and a 5' region of a defined length of 20 nucleotides each. The authors claim that they could establish identical reaction conditions, cycling times and annealing temperatures for any PCR primer pair following those requirements.

In several recent papers successful multiplex PCRs have been established. For example, Becker et al. have reported the development of a multiplex PCR reaction for the detection of multiple staphylococcal enterotoxin genes, which uses individual primer sets for each toxin gene (Becker K, Roth R and Peters G (1998) Rapid and specific detection of toxigenic Staphylococcus aureus: use of two multiplex PCR enzyme immunoassays for amplifica-

10

tion and hybridization of staphylococcal enterotoxin genes, exfoliative toxin genes, and toxic shock syndrome toxin 1 gene. J. Clin. Microbiol. 36: 2548-2553). This has been developed even further by Monday and Bohach, by increasing the number of primer pairs applied in one reaction up to about 10 in order to have one assay to amplify all of the characterized enterotoxin genes. This still required a unique established primer pair for the detection of every individual gene (Monday SR and Bohach GA (1999) Use of multiplex PCR to detect classical and newly described pyrogenic toxin genes in staphylococcal isolates. J. Clin. Microbiol. 37: 3411-3414).

In another paper by Sharma et al. a method for a one-15 vessel-multiplex PCR is described wherein each of six chosen primer pair consists of one identical universal forward primer, based on a highly conserved region of those genes of interest and one reverse primer, specific for each individual gene. As such the assay leads to a 20 rapid amplification of a family of genes, which all have a conserved region in common. It is designed to detect presence or absence of certain genes in an unknown mixture. No further information is given about the primer design, apart from saying that they were designed by 25 alignment of published DNA sequences. This is certainly not the only requirement though, as one big limitation of the method is the need of getting PCR products of different sizes in order to identify those in the end (Sharma NK, Rees CED and Dodd CER (2000) Development of a 30 single-reaction multiplex PCR toxin typing assay for Staphylococcus aureus strains. Applied and Environmental Microbiology 66 (4): 1347-1353).

In the patent application WO 01/36669 a method is described which uses a similar approach for the controllable amplification of a higher number of

10

15

20

sequences in selecting one randomly chosen reverse primer that hybridizes unspecifically and a number of specific forward primers to amplify a group of sequences. As the reverse primer is labeled all products formed will be labeled as well. By hybridizing said amplicons towards immobilized detection oligos, which are able to differentiate the products, it will be easy to see which products have been amplified and herein the presence or absence of said sequences in the mixture can be determined.

The big disadvantage in all these methods is that every primer pair needs to be established individually first to ensure that a PCR product of the expected size was produced and that no additional or nonspecific products are generated. Once the specificity of the primer pairs had been determined, PCR conditions, buffers, and primer concentrations need to be optimized to establish conditions under which the primer molecules can be combined into one single PCR reaction without affecting the ability of the primer pairs to generate a gene specific amplicon.

A more recently published approach by Nicodeme and Steyaert describes the conditions required for multiplex 25 PCR and suggests an algorithm to automatically select for primer pairs (Nicodeme P and Steyaert JM (1997) Selecting optimal oligonucleotide primers for multiplex PCR. Proc. Int. Conf. Intell Syst Mol Biol; 5: 210-213). In this approach the conditions for pre-selecting primer pairs 30 for a successful one locus amplification (singleplex PCR conditions) are rather broad. The three basic requirements are the pairing distance between a forward and a reverse primer, the condition of non-palindromicity of a primer, and the condition that the 3' end of a primer 35 must not be reverse complementary to any of the other primers sequence. This selection is done with the help of

35

a typical primer design program called PRIMER. However, PRIMER is a two step program, and in this approach the new method to design primers for a multiplex PCR takes the output from step 1 as input, which is a list of possible forward and a list of possible reverse primers for every amplificate.

The only further selection criteria for the multiplex PCR primers are the absence of the reverse complementarity of 10 their 3' end towards the other primer sequences in the experiment. A second critical factor considered here is the GC versus AT ratio. To some extent it is this ratio that determines the melting temperature of a primer pair. The authors suggest to limit the GC/AT ratio to be inside 15 a given range which would enable the simultaneous hybridization of several primer pairs at one reaction temperature. The final requirement is the electrophoresis distance, determined by the tool that is used to differentiate the PCR products in, for example, a gel electro-20 phoresis. This most common method requires the products to be of different sizes. The whole concept of this method also requires to have a pool of possible primer pairs for each amplicon.

The design of suitable primers for a multiplex PCR on bisulfite treated DNA is an even greater challenge. The low complexity of the DNA, being reduced to essentially three different bases rather than four different bases, requires an extra careful selection of primers to avoid mismatching and unwanted amplification.

In the scope of this invention the word "mismatching" corresponds to the situation when the alignment of two sequences which are essentially complementary reveals positions in one of the sequences where the nucleotide base does not align with its corresponding base but a differ-

10

15

20

25

ent one. The corresponding or complementary base pairs are adenine and thymine, cytosine and guanine, uracil and adenine. For example, a cytosine that aligns with a thymine in its otherwise complementary sequence creates a mismatch of one base or nucleotide.

Accordingly "base mismatches" refers to the situation of a base mismatching with another as explained above, respectively "one or more base mismatches" refers to one or more bases (in a given sequence) that cannot be aligned with their corresponding bases.

Also, when the alignment reveals single nucleotide gaps in one of the aligned sequences this is understood under the term "mismatch" in the scope of this invention.

A 'gap' is to be understood as follows: If an alignment reveals that, in order to get the highest number of corresponding base pairs aligned, some bases are lacking a corresponding base in its otherwise complementary sequence, this is called a gap. Such a gap can have a length of one or more nucleotides.

To solve the problems mentioned above we invented a method consisting of several steps that is applicable for the amplification of nucleic acids in singleplex as well as in multiplex PCR experiments.

SUMMARY OF THE INVENTION

30

35

The method is comprised of the following steps: Firstly, the nucleic acid sample containing the region of interest, which is to be amplified, is isolated. Secondly, this nucleic acid sample is treated in a manner that differentiates between methylated and un-methylated cytosine bases within said sample. Thirdly, a reaction

mixture is set up containing a) the treated template nucleic acids, carrying the region of interest (also called: target nucleic acid) that is to be amplified, b) specified oligo-nucleotide primers, c) an enzyme capable of amplifying said nucleic acids in a defined manner, d) the necessary nucleotides required for the nucleic acid synthesis and e) a suitable buffer.

in that
their sequences each reach a predefined measure of complexity (as described in detail below)
every possible combination of two primer molecules in said reaction mixture has a melting temperature below a specified threshold temperature none of the possible combinations of two primer molecules in said reaction mixture leads to the amplification of an additional unwanted product as determined by virtual testing for amplification.

20

35

5

In the last step of the method said amplified target nucleic acid is detected by means commonly used by one skilled in the art.

The invention is composed of a method for the amplification of nucleic acids comprising the following steps of isolating a nucleic acid sample, treating said sample in a manner that differentiates between methylated and unmethylated cytosine bases within said sample, amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of primer molecules, wherein said primer molecules are characterized in that

a) each primer molecule sequence reaches a predefined measure of complexity, b) every combination of any two primer molecules in the set has a melting temperature be-

low a specified threshold temperature and c) every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template and the last step of detecting said amplified target nucleic acid.

More detailed description of the method:

10

15

25

30

35

5

The method is comprised of the following steps:
In the first step of the method, the nucleic acid sample, which contains the region of interest that is to be amplified, must be isolated from tissue or cellular sources. Such sources may include at least one cell, but usually several cells, cell lines, histological slides, bodily fluids, or tissue embedded in paraffin.

In a preferred embodiment of this invention the nucleic acid sample is isolated from a bodily fluid, a cell culture, a tissue sample or a combination thereof.

For example a certain kind of organ sample from a patient or an animal can be used to extract genomic DNA by the usually applied methods. Preferably, in this invention DNA is extracted from a tissue sample or a biological fluid like blood, serum, urine or other fluids. 'Bodily fluid' herein refers to a mixture of macromolecules obtained from an organism. This includes, but is not limited to, blood, blood plasma, blood serum, urine, sputum, ejaculate, semen, tears, sweat, saliva, lymph fluid, bronchial lavage, pleural effusion, peritoneal fluid, meningal fluid, amniotic fluid, glandular fluid, fine needle aspirates, nipple aspirate fluid, spinal fluid, conjunctival fluid, vaginal fluid, duodenal juice, pancreatic juice, bile and cerebrospinal fluid. This also

includes experimentally separated fractions of all of the preceding. 'Bodily fluid' also includes solutions or mixtures containing homogenized solid material, such as feces.

5

10

- The nucleic acids may include DNA or RNA. Isolation may be by means that are standard to one skilled in the art, this includes for example extraction of DNA with the use of detergent lysates, sonification and vortexing with glass beads. An example is the extraction of DNA from a piece of a plant, like a leave or fruit. Once the nucleic acids, like genomic double stranded DNA, have been extracted they are used in the analysis.
- In a preferred embodiment of this invention the nucleic acid sample is comprised of plasmid DNA, BACs (bacterial artificial chromosomes), YACs (yeast artificial chromosomes) or genomic DNA.
- In another especially preferred embodiment of this invention the nucleic acid sample is comprised of human genomic DNA. It is preferred that the nucleic acids are of human origin.
- In the second step, this nucleic acid sample is treated in a manner that differentiates between methylated and un-methylated cytosine bases within said sample. Cytosine bases which are unmethylated at the 5'-position are converted to uracil, thymine, or another base which is dissimilar to cytosine in terms of hybridization behavior. This will be understood as 'treatment' hereinafter. The method most commonly used so far is the so called bisulfite treatment.
- This step is of essential meaning to the process as it translates the methylation pattern of said nucleic acids

into a pattern that is something like an imprint of the methylation status itself. It contains essentially the same information but the pre-treated nucleic acids are no longer sensitive to amplification via PCR. Amplification via PCR does not differentiate between methylated and unmethylated cytosines and therefore leads to the loss of this level of information. The original methylation status however can be deducted whenever the described pre-treatment had been performed prior to the amplification step. Hence any means suitable to differentiate between a methylated and an un-methylated cytosine base are applicable, as long as the modified bases are still capable of being amplified by enzymatic means after treatment.

15

20

10

5

It is a preferred embodiment of this invention that said sample is treated by means of a solution of a bisulfite, hydrogen sulfite or disulfite. A treatment of genomic DNA as described above is carried out with bisulfite (hydrogen sulfite, disulfite) and subsequent alkaline hydrolysis which results in a conversion of non-methylated cytosine nucleobases to uracil or to another base which is dissimilar to cytosine in terms of base pairing behavior.

In the third step of this method, a reaction mixture is set up containing a) the treated template nucleic acids, comprising the region of interest (also called target nucleic acid) that is to be amplified, b) specified oligonucleotide primers, c) an enzyme capable of amplifying said nucleic acids in a defined manner, for example a polymerase, d) the necessary nucleotides required for the nucleic acid synthesis and e) a suitable buffer. The template nucleic acid contains at least one target nucleic acid, which is amplified in the reaction. One primer molecule of the at least one primer pair in the reaction mixture is capable of binding to the 3' end of one speci-

fied target nucleic acid. The first primer binds to the 3' end of the target sequence, this primer is elongated and a complementary sequence to the target sequence is made. The polymerase stops to elongate unspecifically. The next cycle starts by thermally denaturing the now double stranded template nucleic acid into single stranded template nucleic acids. This is followed by the next phase of annealing when both primer molecules specifically bind to the target nucleic acid and its complementary strand. The second primer is identical to the 5' end of the target molecule. It doesn't bind to the target sequence itself but to said complementary nucleic acid to the target sequence, as soon as this is denatured from the template.

The process is finished by the actual amplification phase at a slightly lower reaction temperature, during which the enzyme, for example the polymerase elongates the primer as a complementary sequence to the target nucleic acid. The polymerase elongates this second primer by using the first copy as template until the end of said copied nucleic acid is reached. That way an identical copy to the original single stranded target nucleic acid is created. Hence, the length of the amplificate is determined by choosing the two primers.

The elongation products, being complementary to each other and hereby building a double stranded version of the target nucleic acid, serve as additional targets for the primer molecules binding in the next cycle of amplification.

Essentially step 3 of the method is comprised of amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of primer molecules.

10

15

20

25

30

35

Said primer molecules used in said method are characterized in that they, in addition to fulfilling all the usual requirements towards a PCR primer as will be specified in more detail later, also fulfill the following requirements:

Firstly, the sequence of each primer molecule used in step 3 of this method reaches a predefined measure of complexity.

In a preferred embodiment of this method the primer molecules are reaching a certain value of linguistic complexity. A notion and a measure of linguistic complexity has been introduced by Trifonov in 1990 and has been used for analysis of nucleotide sequences before (Trifonov, EN (1990) Making sense of the human genome. In Structure & Methods. Vol 1 pp 69-77 (eds. Sarma, RH and Sarma MH, Adenine Press, Albany, US). The linguistic complexity technique allows a calculation to be made of the structural complexity of any linear sequence of characters irrespective of whether the text is cognized or presently undeciphered. The sequences are compared exclusively from the point of view of their structural complexity with no reference to the meaning of the texts. In 1997 Trifonov published how the linguistic complexity of nucleosomal sequences is defined (Bolshoy, A; Shapiro, K; Trifonov, E and Ioshikhes I. (1997) Enhancement of the nucleosomal pattern in sequences of lower complexity. NAR 25 (16): 3248-3254). Quote: "The linguistic complexity measure exploits the major distinguishing feature between natural nucleotide sequences and uniformly random ones: the repetitiveness of the natural sequences, i.e. the frequent repetition, not necessarily a tandem one, of some oligonucleotides ("words"), while others are avoided. (...) Complexity can be directly calculated as the extent to

which the maximal possible vocabulary (all word sizes considered) is utilized in a given strength of sequence (...)."

5 In another preferred embodiment of this method said measure of complexity is set by the so called Shannon entropy (Shannon, C E, (1948) A Mathematical Theory of Communication, University of Illinois Press, Urbana). This is the most common measure to assess the information content (in 10 a technical, non-semantic meaning) of linear information carriers. It attributes the maximal value (which can be chosen to be 1 without restrictions) to sequences where all symbols (characters) occur at equal probability and a value of 0 to sequences consisting of just one repeated 15 symbol (character, letter). A derived and more general measure is the higher order Shannon entropy which attributes maximal value to sequences where all its subsequences occur at equal probability and a value of 0 or close to 0 to sequences consisting of periodic repeti-20 tions of short subsequences. The practical determination of the (higher order) Shannon entropy however is limited by the finite lengths of sequences which often does not permit a precise estimation of the probability distribution of their constitutive symbols.

25

30

Further possible measures are for example the Lempel-Ziv complexity (Lempel, LB and Ziv, J (1976) On the complexity of finite sequences. IEEE Trans. Inf. Theory IT-22, 75-81), the grammar complexity (Ebeling, W; Jimenez-Montano, MA (1980) On Grammars, Complexity and Information Measures of Biologoical Macromolecules. Mathematical Bioscience 52, 53-71), the algorithmic complexity (Chaitin, 1990) and the conditial entropy.

Secondly, said primer molecules are also characterized in that every possible combination of any two primer mole-

15

20

25

30

35

cules, in the set, has a melting temperature below a specified threshold temperature. That way the accumulation of dimers caused by the binding of two primer molecules to each other in said reaction mixture is excluded. The number of primer pairs used in that step can be any between one and n, leading to one or n amplificates respectively (n being a natural number).

As mentioned in the text the word "dimer" refers to a secondary structure formed by the hybridization of two primer molecules to each other.

As referred to in the text 'melting temperature' refers to the temperature at which 50% of the nucleic acid molecules are in duplex and 50% are denatured under standard reaction solution conditions.

Some primer design tools disqualify a primer if, besides the target sequence, a second identical sequence can be found in the template. However, due to the higher probability of a bisulfite primer to mismatch with nonidentical bisulfite treated DNA, it is an embodiment of this invention that only those primers are allowed to be used in said amplification method, for which no sequence homology can be found, to the extent that even those sequences that are different and/or mismatching in several nucleotides are excluded. However, this would exclude primer molecules unnecessarily. Therefore they are only excluded if two primer molecules match to the template in a distance allowing for the amplification of an unwanted product. This test is performed by means as, for example, the Electronic PCR. Electronic PCR (e-PCR) is an in silico virtual PCR carried out in order to assess the suitability of primer molecules prior to in vitro PCR. In the scope of this invention this testing will be called

10

15

20

25

30

35

'virtual testing' and it will be referred to as "virtually tested" or "virtually testing".

Thirdly, the primers used in step 3 of this invention are characterized, in that every possible combination of two primer molecules, in said reaction mixture, does not lead to the amplification of an additional unwanted product, when virtually testing for amplification using the treated and the untreated nucleic acid sample as template, even under conditions allowing for at least one base but not more than 20% of the total number of bases per sequence mismatching per primer. In the scope of this invention it is to be understood that those primer molecules are considered to bind to the template for which a template sequence exists that is in at least 80% of its nucleotide sequence identical to the target sequence the primer originally has been designed for. For example, a primer molecule of 50 nucleotides length is considered to still hybridize to a template sequence that differs in less than 11 nucleotides (= is identical in at least 80% of its nucleotide sequence) from the according target sequence. If a match is considered to be possible it has to be tested whether this match would lead to the amplification of an unwanted product. This can be done with the use of a program similar to e-PCR (see below).

Especially preferred is an embodiment of said method wherein the ability of said primer molecules to amplify an unwanted product is tested by means of in silico PCR, taking as template nucleic acid the coding strand of the treated sample, the non-coding strand of the treated sample and both of the strands of the untreated sample. It is especially preferred to perform the virtual testing with a tool like electronic PCR on the pretreated, preferably bisulfite treated, template sequence consisting of

10

15

20

25

30

the treated sense and the treated anti-sense strand, and on the unconverted template.

Furthermore it is preferred that this treatment is bisulfite treatment and hence the nucleic acid template is the
bisulfite converted coding strand of the human genome,
the bisulfite converted non-coding strand of the human
genome and both of the strands of the untreated human genome. Preferred is an embodiment of said method wherein
the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR,
hereby taking as template nucleic acid the bisulfite converted coding strand of the human genome, the bisulfite
converted non-coding strand of the human genome and both
of the strands of the untreated human genome.

It is preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 20% of the number of nucleotides of the primer.

It is also preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 10% of the number of nucleotides of the primer.

It is especially preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 5% of the number of nucleotides of the primer.

It is a preferred embodiment of this invention that the number of mismatches allowed for when virtually testing

15

the amplification of unwanted products according to step 3 c) of the invention is less than seven.

It is especially preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than five.

It is another preferred embodiment of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than three.

It is especially preferred in the scope of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is one.

It is also included in the scope of this invention to 20 consider such primer molecules as being sufficiently similar to facilitate their binding to the template sequence, for which a template sequence can be found that differs in the number of nucleotides but is otherwise identical to the target sequence. When the alignment of 25 the primer and the template sequence leads to a gap of up to 20% of the nucleotides of one sequence, preferably of the primer sequence, this shall still be considered to be sufficient for binding and hence potentially leading to the amplification of an unwanted product. Therefore these 30 primers also need to be tested with the means of virtual PCR (for example with a program like e-PCR). Only if this test reveals the virtual amplification of an unwanted product caused by the combination of two primers, the according primer pairs are excluded from the set of se-35 lected pairs.

It is preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 20% of the number of nucleotides of the primer molecule.

It is also preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the
primer molecule sequence with the template sequence, allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention
is less than 10% of the number of nucleotides of the primer molecule.

It is preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 5% of the number of nucleotides of the primer molecule.

Both of these situations, mismatching due to an alternative nucleotide or no-matching due to a missing nucleotide, are meant to be covered in the expression describing those primer molecules that will eventually be selected: "said primer molecules are characterized in that every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template".

20

30

35

It is also preferred that the primer molecules that exceed a pre-specified melting temperature when binding to the template have to be virtually tested for amplification of unwanted products using the treated and the untreated sample nucleic acids as template according to step 3 c) of the method.

The basic problem of finding a primer specific enough to give only one product on the little complex bisulfite 10 DNA, is finally solved by testing each potential primer pair for hybridization across the whole bisulfite converted human genome. This requires translating the whole human genome sequence information virtually into its bisulfite treated version before performing a similarity 15 search against the primer pairs, which is based on a method like the so called e-PCR (Schuler G.D. (1997) Sequence Mapping by electronic PCR. Genome Research 7(5): 541-550). However, as the bisulfite conversion results in two no longer complementary strands this virtual hybridi-20 zation test needs to be done against both bisulfite converted strands. In addition in most cases the template DNA is contaminated with unconverted genomic DNA. To also exclude unwanted amplification on the unconverted DNA as template, the same hybridization test has to be performed 25 a third time using the whole human genome sequence as a template.

Therefore it is a preferred embodiment of this invention that the ability of said primer molecules to amplify an unwanted product is tested by means such as electronic PCR.

In the last step of the method said amplified target nucleic acid gets detected by any means standard to one skilled in the art.

10

30

35

In a preferred embodiment of this method the set of primer molecules is comprised of at least two primer molecules but not more than 64 primer molecules, given the number is a multiple of 2; in other words, the set is comprised of 1-32 primer pairs.

In another preferred embodiment of this method the set of primer molecules is comprised of between 2 and 32 primer molecules, given the number is a multiple of 2; in other words the set is comprised of 1-16 primer pairs.

In a preferred embodiment of this method, said primer molecule comprises at least one nucleotide within the last three nucleotides from the 3' end of the molecule, wherein said nucleotide is complementary to a nucleotide of the target sequence that, as a result of the treatment performed in step 2) of the invention, changed its hybridization behavior.

It is a preferred embodiment of this method, that said primer molecule comprises at least one nucleotide within the last three nucleotides from its 3' end that is complementary to a nucleotide of the target sequence that was converted by the treatment performed in step 2 of the method to another base exhibiting an alternative base pairing behavior.

In an especially preferred embodiment said nucleotide is a cytosine prior to the treatment that converts unmethylated cytosines. In a preferred embodiment said treatment is bisulfite treatment. Said primer molecule comprises at least one nucleotide within the last three nucleotides from the 3' end of the molecule, wherein said nucleotide is complementary to a cytosine, that was converted by bisulfite treatment to another base exhibiting the base pairing behavior of thymine.

This is to exclude binding of said primer molecules to the remaining untreated or un-sufficiently treated nucleic acids, which might still serve as template nucleic acid in the PCR.

Furthermore it is a preferred embodiment of this invention that said primer molecules do not form loops or hairpins on their own or with each other.

10

15

5

In another preferred embodiment of the method said primer molecules do not form dimers with each other.

In the text the word 'hairpin' is taken to mean a secondary structure formed by a primer molecule when the 3' terminal region of said nucleic acid hybridizes to the 5' terminal region of said nucleic acid forming a double stranded stem structure and wherein only the central region of the primer is single stranded.

20

25

As described in the text the word 'loop' refers to a secondary structure formed by a primer molecule when two or more nucleotides of said molecule hybridize thereby forming a secondary structure comprising a double stranded structure one or more base pairs in length and further comprising a single stranded region between said double stranded region.

The binding of a primer molecules 3' end to any part of a second primer molecule in the set needs to be avoided. Otherwise the polymerase would extend the first primer using the second primer as template, which would lead to a new unwanted product, an extended primer, or rather a primer-hybrid, which would serve as the preferred tem-

35 plate for the next round of the polymerase chain reaction

5'-CG-3' site.

5

and thereby prevent a sufficient amplification of the wanted product.

Therefore it is another preferred embodiment of this method that each of said primer molecules is characterized in that the last at least 5 bases at the 3' end of said primer molecule are not complementary to the sequence of any other primer molecule in the set.

10 It is also preferred that said primer molecules do not bind to nucleic acids which prior to treatment of step 2 contained a 5'-CG-3' site. This would lead to a binding of the primers to bisulfite treated nucleic acids, specifically depending on their cytosines methylation

15 status. A CG corresponding primer would bind to the treated methylated version only, whereas a primer corresponding to TG would bind to the treated unmethylated version of these nucleic acids only. It is therefore preferred that said primer molecules do not contain nucleic acid sequences complementary or identical to nucleic acid sequences which prior to treatment of step 2 contained a

In a preferred embodiment of this method said primer molecules are of a specified size range.

It is especially preferred that these primers are comprised of 16-50 nucleotides.

In a preferred embodiment of this method said primer molecules do not comprise sequences that are complementary to regions of the target nucleic acids that contained specified restriction enzyme recognition sites prior to the treatment that altered the unmethylated cytosines base pairing behavior. It is preferred that said primers are complementary to target sequences which prior

to the treatment performed in step 2 of the invention did not contain specified restriction enzyme recognition sites.

By selecting for the right primer molecules also the amplificates sequence is determined. That is why it has to be taken into account to only use those primer molecules that lead to amplification of nucleic acids containing a reasonable high number of CpG sites to be analyzed. Due to the treatment of step 2 of this invention these CpG sites, depending on the methylation status of the cytosine, are converted and will therefore either appear as CG dinucleotides or as TG dinucleotides in the amplificate.

15

It is preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than eight 5'-CG-3' sites also referred to as CG dinucleotides.

20

It is also preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than six 5'-CG-3' sites also referred to as CG dinucleotides.

25

30

It is also preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than four 5'-CG-3' sites also referred to as CG dinucleotides and finally it is especially preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than two 5'-CG-3' sites also referred to as CG dinucleotides.

35 Said primer molecules lead to amplificates within a specified size range.

It is a preferred embodiment of this sequence that said primer molecules lead to amplificates which are comprised of at least 50 bp but not more than 2000 bp.

5

Especially preferred are primer molecules that lead to amplificates which are comprised of at least 80 bp but not more than 1000 bp.

Furthermore a method is preferred wherein said primer molecules lead to amplificates of treated nucleic acids which prior to the treatment which altered the unmethy-lated cytosines base pairing behavior did not contain restriction enzyme recognition sites. Said primer molecules lead to amplificates that are amplified regions of the treated nucleic acids which prior to the treatment performed in step 2) of the method did not contain specified

restriction enzyme recognition sites.

20 A further subject of this invention is a method on how to produce said primer molecules. The main step of producing a primer molecule is determining its sequence. In the following the phrase "primer design" will be used instead of primer production, whenever it is referred to the step 25 of determining said specific primer sequences. Designing primer molecules is a process which as such is well known to scientists skilled in the art. The programs usually used for this purpose are such as PRIMER3 or OSP (Rozen S and Skaletsky H (2000) PRIMER3 on the WWW for general us-30 ers and for biologist programmers. Methods Mol Biol 132: 365-386; Hillier L and Green P (1991) OSP: A computer program for choosing PCR and DNA sequencing primers. PCR Methods and Applications 1: 124-128). Other primer design systems (like described in EP-A 1136932) are often based 35 on those commonly known programs.

5.

10

25

An embodiment of this invention takes advantage of using a program like PRIMER3 first, to then add a number of steps that finally result in an advanced method of designing primers that are specifically useful for amplifying sequences of low complexity.

In the first step of this method for designing specific primer molecules for nucleic acids of low complexity, primer pairs that amplify single products are selected by applying standard tools of primer design known in the art, like for example the program PRIMER3 (Rozen, S and Skaletsky, H (2000) Methods Mol Biol 132: 365-386).

In the second step of the method said primer pairs are tested whether or not one of its primer molecules when hybridizing to any other primer molecule in the set exceeds a specified threshold melting temperature TM. If this is the case the primer pair that comprises of said primer is excluded from the set of potentially combined pairs.

In the third step of the method the number of previously selected primer pairs, is reduced to a smaller number by implementing as new criteria a measure for the primer sequence's complexity. Primer pairs that consist of a primer molecule which does not meet said criteria are excluded.

The basic problem of finding a primer specific enough to

give only one product on the little complex bisulfite

DNA, is finally solved by testing each potential primer

pair for hybridization across the whole bisulfite con
verted human genome. This requires translating the whole

human genome sequence information virtually (as in "in

silico") into its treated, for example bisulfite treated,

version before performing a similarity search against the

10

15

20

25

30

35

primer pairs, which is based on a method like the so called e-PCR (Schuler G.D. (1997) Sequence Mapping by electronic PCR. Genome Research 7(5): 541-550). However, as the bisulfite conversion results in two different versions of the double helix whose sense and anti-sense strands are no longer mutually complementary, this in silico amplification needs to be performed on both bisulfite converted versions of the genome. In addition in most cases the template DNA is contaminated with unconverted genomic DNA. It cannot be excluded that single cytosines or longer runs of DNA remain unconverted or are only converted incompletely by the bisulfite treatment. To also exclude unwanted amplification of the unconverted DNA as template, the same hybridization test has to be performed a third time using the whole human genome sequence as a template.

As this is quite some effort and requires time (CPU time) this is the fourth and last step of this design method, that is absolved prior to the final testing in a "wet", lab based, experiment.

In addition to improve the specificity of said primer molecules the stringency of the selection criteria is increased: Some standard primer design tools disqualify a primer if in the template sequence, a second identical sequence, besides the target sequence, can be found. That way mispriming at rather stringent hybridization conditions is avoided. This mispriming would not necessarily lead to an additional unwanted product, but would lead to the dilution of the primer molecules available for amplification. This selection has been performed in step one already (for example by PRIMER3). However, due to the higher probability of a bisulfite primer molecule to mismatch with non-identical bisulfite treated DNA, there is still a chance for said primer

10

molecules to misprime even when up to 20% of the nucleotides of the primer sequence differ. Therefore it is claimed in this invention to only use primer molecules for which not even a weak sequence homology can be found. However, this would exclude primer molecules unnecessarily. Therefore they are only excluded if two primer molecules match to the template and amplify an unwanted product. This test is performed by means as, for example, the Electronic PCR. Electronic PCR (e-PCR) is an in silico virtual PCR carried out in order to asses the suitability of primers prior to in vitro PCR.

In the fourth step of the method on how to design these primers it is therefore tested whether there are any regions of the template nucleic acid, said template being comprised of the sense and the anti-sense strand of the treated and the untreated nucleic acids, that are identical in sequence with the primer molecule to more than 80% and if those primer molecules are able to amplify an unwanted product. If this is the case, the primer pair comprising said primer molecule is excluded from the selection.

The template nucleic acid is comprised of the treated 25 template nucleic acid and the untreated template nucleic acid. The treated nucleic acid in itself is comprised of a two strands which after treatment are not complementary to each other anymore. This virtual testing for example can be performed as described by Gregory Schuler in his 30 article (cited above) about sequence mapping by "Electronic PCR". The primer pairs remaining can be used to specifically amplify regions of nucleic acids of low complexity, which is the aim of this invention. Hence step 4 of the design method is the virtual testing of 35 each possible primer pair combination, under prespecified conditions at a stringency allowing for one or

10

15

20

25

30

more base pair mismatches, as to whether no unwanted nucleic acids are amplified. Said virtual testing is carried out upon both untreated and treated nucleic acids. The wording "possible combinations" refers to all combinations that are possible within a set of primer pairs to be used in one amplification reaction vessel.

In a preferred embodiment an additional step is added following the virtual testing, which is testing in a lab based single PCR assay all those pairs that remained, whether the desired amplificate can be obtained or not. If that is the case, the chosen pairs can be used to specifically amplify those regions of nucleic acids of low complexity according to the method as described before.

In a specially preferred embodiment the first step of the design method is characterized as selecting a pool of possible primer pairs per amplificate by means of a standard PCR primer design program using said nucleic acids as template that have been masked for repeats and SNPs considering the following factors: length of amplificate, length of primer, melting temperature of the primer molecule, dimer formation parameters, loop formation parameters, exclusion of unidentified or ambiguous nucleotides in the primer sequence, exclusion of restriction enzyme recognition sites.

In a preferred embodiment of this invention this measure of complexity is a measure of linguistic complexity as defined by Bolshoy et al. (see above). Those primer pairs are excluded from the previously selected ones, which comprise of one primer that doesn't reach a set level of this linguistic complexity.

In another preferred embodiment of this invention this measure of complexity is a measure of Shannon entropy (as described before).

In an especially preferred embodiment of this design method, prior to performing step d) the additional step of excluding primer pairs from the remaining primer pairs which consist of a primer molecule that comprises of at least one CpG site, is carried out.

10

15

In an especially preferred embodiment of this method according to the design of said primers, prior to performing step d) the additional step of excluding primer pairs from the remaining pairs when one of its primer molecules does not contain at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by bisulfite treatment, is carried out.

20

25

30

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step, of excluding primer pairs from the remaining primer pairs which amplify a nucleic acid that did not prior to treatment with bisulfite contain a minimum of two CpG sites, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding primer pairs from the remaining primer pairs when one of its primer molecules contains more than 5 bases at its 3' end that are complementary to any other primer molecules sequence in the set, is carried out.

10

15

2.0

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for a number of mismatching nucleotides of 20% of the number of nucleotides of the primer molecule, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for a number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, of up to 20% of the number of nucleotides of the primer molecule, is carried out.

- In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for four or less mismatching base pairs, is carried out.
- In an especially preferred embodiment of this method according to the production of said primers, prior to per-

forming step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for two or less mismatching base pairs, is carried out.

The following example is intended to illustrate the invention:

Example

Here we present experimental data that shows that multiplex PCRs designed with a tool according to this invention are more successful compared to multiplex PCRs not designed in this manner.

It is the aim of the experiment to amplify 40 different nucleic acids. The genomic regions of interest are given in the sequence protocol (SEQ ID 41-80). These genomic sequences were translated into their bisulfite converted versions and served as templates for amplification of specific regions with the primer sequences described as follows.

Primer molecule pairs used for single PCRs were originally designed with the use of the standard primer design program PRIMER3 (as mentioned in the description). The criteria used in that step will not be discussed in detail. This selection however provides several possible primer pairs per amplificate. Following the present invention these primer pairs were selected further, according to the following criteria:

• The restriction enzyme recognition site to be excluded from the genomic nucleic acid (which subsequent to bisulfite conversion becomes the template for the PCR amplification step) is : GTTTAAAC.

5

The minimum length of the primer molecule is 18 nucleotides. The maximum length is 27 nucleotides.
 Ideally the primer consists of 22 nucleotides.

10

• The minimum required measure of linguistic complexity is 0.2.

15

- The minimum melting temperature of a primer molecule is 54°C and the maximum melting temperature is 57°C. The ideal melting temperature however is 55°C.
- The minimum length of an amplificate is 100 bp and the maximum length is 500 bp.

20

 The minimum number of CpG sites, that were present in the region of the nucleic acid, prior to bisulfite treatment, that was amplified is 4.

25

The number of mismatch bases allowed for when virtually testing the primer pairs according to the invention for amplification of an unwanted product with the help of e-PCR (Electronic PCR) is 2.

30

The use of this invention, that is the use of either the design method, being the subject of the invention, and/or performing the steps of said method as described above (assuming a set size of 1) leads to the selection of the following 40 optimized primer molecule pairs:

35

TABLE 1:

			number indicating	starting position of primer in the bisul-
	amplificate		primer	fite converted se-
primer sequence	identifier	ID	direction	quence of the ROI
AATCCTCCAAATTCTAAAAACA	2025	81	0	1816
AGGAAAGGGAGTGAGAAAAT	2025	82	1	2138
GGATAGGAGTTGGGATTAAGAT	2044	83	0	2070
AAATCTTTTCAACACCAAAAT	2044	84	1	2483
AACCCTTTCTTCAAATTACAAA	2045	85	0	1340
TGATTGGGTTTTAGGGAAATA	2045	86	1	1687
TTGAAAATAAGAAAGGTTGAGG	2106	87	0	1481
CTTCTACCCCAAATCCCTA	2106	88	1	1764
TGTTTGGGATTGGGTAGG	2166	89	0	2226
CATAACCTTTACCTATCTCCTCA	2166	90	1	2437
TTTTAGATTGAGGTTTTAGGGT	2188	91	0	101
ATCCATTCTACCTCCTTTTTCT	2188	92	1	598
GGAGGGAGAGGGTTATG	2191	93	0	133
TACTATACACACCCCAAAACAA	2191	94	1	506
TTTTGGGAATGGGTTGTAT	2194	95	0	1628
CTACCCTTAACCTCCATCCTA	2194	96	1	1996
TTGTTGGGAGTTTTTAAGTTTT	2212	97	0	1711
CAAATTCTCCTTCCAAATAAAT	2212	98	1	2063
GTAATTTGAAGAAAGTTGAGGG	2267	99	0	1709
CCAACAACTAAACAAAACCTCT	2267	100	1	2004
GGAGTTGTATTGTTGGGAGA	2317	101	0	1110
TAAAACCCCAATTTTCACTAA	2317	102	1	1388
TTTGTATTAGGTTGGAAGTGGT	2383	103	0	1
CCCAAATAAATCAACAACAACA	2383	104	1	285
GATTTTGGAGAGGAAGTTAAG	2387	105	0	789
AAAACTAAAAACCAAACCCATA	2387	106	1	1169
TGGGGTTAGTTTAGGATAGG	2391	107	0	1353
СТТАААААСАСТААААСТТСТСААА	2391	108	1	1750
TTTTTGTATTGGGGTAGGTTT	2395	109	0	547
CCCAACTATCTCTCTCTCTATAA	2395	110	1	1094

			number	starting position of
			indicating	primer in the bisul-
	amplificate	SEQ	primer	fite converted se-
primer sequence	identifier	ID	direction	quence of the ROI
ATTAGAAGTGAAAGTAATGGAATTT	2401	111	0	381
TCAATTTCCAAAAACCAAC	2401	112	1	795
GGGATGGGTTATTAGTTGTAAA	2453	113	0	1867
CCTTCACACAAAACTACAAAAA	2453	114	1	2139
TAATTGAAGGGGTTAATAGTGG	2484	115	0	1861
AAAACCAAAACCAAAACTAAAA	2484	116	1	2252
AGTGGATTTGGAGTTTAGATGT	2512	117	0	1016
AACAAAATAAAAACTTCTCCCA	2512	118	1	1446
TAGGGGAAAAGTTAGAGTTGAG	2741	119	0	1413
CCCATTAACCCACAAAAA	2741	120	1	1888
ATTTTAGTTTGTGAAATGGGAT	2745	121	0	1685
TCTTAACCAATAACCCCTCAC	2745	122	1	2097
GTGGGTTTTGGGTAGTTATAGA	2746	123	0	1679
TAACCTCCTCTCCTTACCAA	2746	124	1	2163
TAGGATGGGGAGAGTAATGTTT	2747	125	0	972
ACAACTTATCCAACTTCCATTC	2747	126	1	1448
TCCCACAAAACTAAACAATTA	2749	127	0	1370
AGGTTTTAGATGAAGGGGTTT	2749	128	1	1789
TTTGGAGGGTTTAGTAGAAGTTA	2751	129	0	88
CCCAATAATCACAAAATAAACA	2751	130	1	567
ATACAACCTCAAATCCTATCCA	2752	131	0	228
AGGGAGAAGGAAGTTATTTGTT	2752	132	1	712
GGAAGATGAGGAAGTTGATTAG	2755	133	0	1000
CCTACAACCCTATCCTCTAAAA	2755	134	1	1371
TTAGTAGGGGTGTGAGTGTTTT	2831	135	0	1313
CAAACAAAACTTCTATCTCAACC	2831	136	1	1499
TTATAGGGTTGAGTTTGGGAT	2850	137	0	2100
TAAACAAACAACAAATCTTCCA	2850	138	1	2400
TGAAAATGAAGGTATGGAGTTT	2852	139	0	1262
TTAAAACCATATAATCCCTCCA	2852	140	1	1583

number starting position of

			Humber	starting position of
			indicating	primer in the bisul-
	amplificate	SEQ	primer	fite converted se-
primer sequence	identifier	ID	direction	quence of the ROI
TATGTTTGGTTTTGAGA	2859	141	0	1093
AACCCCATCACTTTTATTTCTT	2859	142	1	1491
GGGTGTAGAAGTGTTTAGGTTT	2861	143	0	2385
TTTCTCCCCTTACAACAATAAC	2861	144	1	2732
TCCCCTTCCAACTATATCTCTC	2864	145	0	884
TGAGAGTGTTTTAGGGAAGTTT	2864	146	1	1175
AAAACCAAAACATAAACCAAAA	2867	147	0	1312
GATTAGGAGGGTTTGTTGAGAT	2867	148	1	1701
AATGGTTGATGATTTTGGTTT	2961	149	0	2039
ACTCTCTCCCTATACCCCTAA	2961	150	1	2311
AGTTAGAAGAGGAGTTAGGATGG	3511	151	0	1340
TAATTTTCCAATACCCATTTTC	3511	152	1	1711
TGTTAGTAGAGTTTTAGGGAGGTT	3532	153	0	1135
ACACTACCTATCCTTACCCCAC	3532	154	1	1592
TTTTTGTTTTTATGGGGTGTAT	3534	155	0	1909
TTAAATATCCCTTCCTTAACCA	3534	156	1	2385
TGGGTAGTATTTTTGTTGGTTT	3538	157	0	956
CCTAAAAACTCTCTCATCCTCA	3538	158	1	1414
AGTGGTTTAGGAGTATTTGGTTA	3540	159	0	659
AACTCCCTCCATCTACAATATC	3540	160	1	1064

These primer pairs lead to the amplification of specific regions (amplificates Seq IDs 1- 40) of the bisulfite converted sequences of the genomic ROIs (Seq IDs 41- 80) of interest. The ROIs can be identified by the four digit number that specifies the ROI and the corresponding amplificate - as indicated in the following table.

10 TABLE 2:

				\neg				<u> </u>
SEQ ID	Class	Identifier	Kind of DNA	ı	SEQ ID	Class	Identifier	Kind of DNA

SEQ ID	Class	Identifier	Kind of DNA	SEQ	ID	Class	Identifier	Kind of DNA
			bisulfite se-					genomic se-
1	amplificate	2025	quence	41		ROI	2025	quence
			bisulfite se-					genomic se-
2	amplificate	2044	quence	42	2	ROI	2044	quence
			bisulfite se-					genomic se-
3	amplificate	2045	quence	43	3	ROI	2045	quence
			bisulfite se-					genomic se-
4	amplificate	2106	quence	44	1	ROI	2106	quence
			bisulfite se-		Ĭ			genomic se-
5	amplificate	2166	quence	45	5	ROI	2166	quence
			bisulfite se-					genomic se-
6	amplificate	2188	quence	46	3	ROI	2188	quence
			bisulfite se-					genomic se-
7	amplificate	2191	quence	47	7	ROI	2191	quence
!			bisulfite se-					genomic se-
8	amplificate	2194	quence	48	3	ROI	2194	quence
			bisulfite se-					genomic se-
9	amplificate	2212	quence	49	9	ROI	2212	quence
			bisulfite se-					genomic se-
10	amplificate	2267	quence	50)	ROI	2267	quence
			bisulfite se-					genomic se-
11	amplificate	2317	quence	51	1	ROI	2317	quence
			bisulfite se-					genomic se-
12	amplificate	2383	quence	52	2	ROI	2383	quence
			bisulfite se-					genomic se-
13	amplificate	2387	quence	53	3	ROI	2387	quence
			bisulfite se-					genomic se-
14	amplificate	2391	quence	54	4	ROI	2391	quence
			bisulfite se-					genomic se-
15	amplificate	2395	quence	55	5	ROI	2395	quence
			bisulfite se-					genomic se-
16	amplificate	2401	quence	56	3	ROI	2401	quence
17	amplificate	2453	bisulfite se-	57	7	ROI	2453	genomic se-

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
			quence				quence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	identifier	Kind of DNA
			bisulfite se-			,	genomic se-
18	amplificate	2484	quence	58	ROI	2484	quence
			bisulfite se-		- "		genomic se-
19	amplificate	2512	quence	59	ROI_	2512	quence
			bisulfite se-				genomic se-
20	amplificate	2741	quence	60	ROI	2741	quence
			bisulfite se-				genomic se-
21	amplificate	2745_	quence	61	ROI	2745	quence
			bisulfite se-				genomic se-
22	amplificate	2746	quence	62	ROI	2746	quence
			bisulfite se-				genomic se-
23	amplificate	2747	quence	63	ROI	2747	quence
			bisulfite se-				genomic se-
24	amplificate	2749	quence	64	ROI	2749	quence
			bisulfite se-				genomic se-
25	amplificate	2751	quence	65	ROI	2751	quence
			bisulfite se-				genomic se-
26	amplificate	2752	quence	66	ROI	2752	quence
			bisulfite se-				genomic se-
27	amplificate	2755	quence	67	ROI	2755	quence
			bisulfite se-				genomic se-
28	amplificate	2831	quence	 68	ROI	2831	quence
			bisulfite se-				genomic se-
29	amplificate	2850	quence	69	ROI	2850	quence
			bisulfite se-				genomic se-
30	amplificate	2852	quence	70	ROI	2852	quence
			bisulfite se-				genomic se-
31	amplificate	2859	quence	71	ROI	2859	quence
			bisulfite se-	·			genomic se-
32	amplificate	2861	quence	72	ROI	2861	quence
			bisulfite se-				genomic se-
33	amplificate	2864	quence	73	ROI	2864	quence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
			bisulfite se-				genomic se-
34	amplificate	2867	quence	74	ROI	2867	quence
			bisulfite se-				genomic se-
35	amplificate	2961	quence	75	ROI	2961	quence
			bisulfite se-				genomic se-
36	amplificate	3511	quence	76	ROI	3511	quence
			bisulfite se-		: :		genomic se-
37	amplificate	3532	quence	77	ROI	3532	quence
			bisulfite se-				genomic se-
38	amplificate	3534	quence	78	ROI	3534	quence
			bisulfite se-	ļ			genomic se-
39	amplificate	3538	quence	79	ROI	3538	quence
			bisulfite se-				genomic se-
40	amplificate	3540	quence	80	ROI	3540	quence

The second task in this example is to select from these 40 primer pairs those pairs which can be combined in five multiplex PCRs to amplify eight targets simultaneously.

The following steps, as disclosed in the invention, are performed for selection of those subsets:

10

5

 The melting temperature of any combination of two of those primer molecules hybridizing to each other taking part in one multiplex experiment must be below 20°C.

15

• The last seven nucleotides from the 3' end of every primer molecule in a subset is used to check if those are complementary and/or binding to any other primer molecules' sequence used in the set.

- The number of mismatch bases allowed for when virtually testing the primer pairs for amplification of an unwanted product is 2. For this step every possible combination of 16 primer molecules in one subset is checked for its ability to amplify an unwanted product. This is done by means of e-PCR (electronic PCR).
- Having performed all these steps results in the selection of three different optimized sets of primer molecule pairs that can be used in multiplex PCRs. These sets are in the following described as a set of numbers. Each number refers to a specific amplificate and therefore also to a single primer pair (out of the list given above) which proved to be able to specifically amplify said nucleic acid in a single PCR experiment.

TABLE 3:

TABLE 3:								
optimized	set 1							-
8plex1	2194	2191	2391	2025	2961	3540	2861	2188
8plex2	2484	2106	2401	2850	3532	2044	2512	2852
8plex3	2453	2741	2867	2755	2267	2387	2864	2317
8plex4	2859	2383	2752	2747	2751	3511	2212	2746
8plex5	3534	2395	2745	3538	2749	2166	2831	2045
optimized	set 2	······································						
8plex1	2166	2212	3511	2383	2745	2859	3534	2861
8plex2	2749	2191	2751	2395	2961	2512	2831	3538
8plex3	2850	2025	2188	2317	2391	2852	3540	2194
8plex4	2106	2387	2867	2864	2401	2747	2746	2453
8plex5	2044	2484	2267	2755	2752	2741	2045	3532
optimized	set 3	 ,						
8plex1	2194	2391	2191	2749	2745	3538	2861	2961
8plex2	2166	2188	2859	2212	2864	2746	2383	2752
8plex3	2484	2401	2850	2852	2512	2755	2106	2044
8plex4	2867	2453	3532	2025	2741	2267	2317	2387
8plex5	3511	3534	2751	2747	2395	3540	2831	2045

Without the use of said invention, the selection would have been performed randomly and tested for successful application later. Three randomly chosen subsets are shown here.

TABLE 4:

							_	
random set	1							
8plex1	2191	2194	2267	2741	3534	3511	2749	2747
8plex2	2391	2484	2867	2852	2453	2512	2025	3538
8plex3	2746	2212	2755	2045	2044	2188	2961	2864
8plex4	2831	2383	3540	2859	2861	2395	2401	2317
8plex5	2106	2751	2387	2745	2752	3532	2850	2166
								"
random set	2							
8plex1	2045	2106	2212	2745	2044	2749	2752	2391
8plex2	2025	2831	2401	3540	2395	2484	2453	2961
8plex3	2194	2859	2746	2512	2267	2864	2861	2751
8plex4	2383	2166	2747	2387	3532	2741	2867	2852
8plex5	3534	2755	2850	2317	2191	3538	3511	2188
random set	3							
8plex1	2484	2850	2741	2747	2755	2745	2025	2746
8plex2	2383	3534	2861	2751	2749	2391	2188	2191
8plex3	2194	3538	2512	2961	2864	2867	2831	3532
8plex4	3511	2045	2387	2212	2166	2267	3540	2401
8plex5	2395	2317	2859	2453	2852	2106	2752	2044

The sequences of all of those amplificates and the according primers are given in the sequence protocol (primers SEQ IDs 81-160; amplificates SEQ IDs 1-40). SEQ IDs refer to the internal numbers used in these tables as is shown in TABLES 1 and 2.

To show if the use of the design method described herein was superior to the common method of selecting primers for simultaneous amplification randomly said multiplex PCRs were performed. This example hereby demonstrates the advantage of the method which is subject of the inven-

15 tion:

15

20

25

30

35

A total of 40 amplificates (with lengths ranging from 187 - 499 bp) were partitioned into five 8-plex PCRs using either of two strategies.

First: the grouping was based on the invention using said "optimised sets" ("designed group").

Second: the grouping was done without using the selection criteria established by this invention using the "random sets" ("control group").

Whether such grouping can improve the success rate of mPCRs was subsequently tested experimentally by comparing the number of true and false positives and false negatives for each of the two classes.

Each of the five mPCRs (multiplex PCRs) contained 8 primer pairs specific for 8 amplificates with one primer of each pair being labeled with a Cy-5 fluorescent tag. Only fragments that performed successfully in sPCR (singleplex PCR) using bisulfite-modified human DNA from whole blood were included in this study. Isomolar primer concentrations were used in a 20µl PCR reaction volume and cycling was done for 42 cycles using a 96-well microtiter plate thermocycler.

Group assignments for the "optimized" and "random" groups were done in triplicate and all mPCRs were run at the same time such as to minimize experimental variation in PCR performance.

A mixture of the amplificates that were expected to be generated in a specific mPCR reaction but were generated in eight corresponding sPCR reactions was called sPCR-pool. Electrophoresis of sPCR-pool amplificates and mPCR amplificates was done simultaneously using the ALFexpress

system (Amersham Pharmacia). In order to obtain the best comparability for mPCRs with their respective sPCR standard, these products were electrophoresed next to each other on the gels.

5

Figures 1 and 2 show examples of these results as electropherograms, given as ALFexpress output files.

Success or failure scoring for each mPCR was based on assessing the number of generated or absent fragments compared to their respective pool of sPCR fragments. Only fragments with peak areas equal or larger than 8% of the largest peak within one electropherogram were included into the analysis.

15

20

25

30

35

Figure 1 illustrates a result of an 8-plex PCR based on a primer combination from the "optimized set". The top graph in the figure shows peaks of size standards only. The second graph in the figure shows the electrophoresed mixture of the products from 8 singleplex PCRs. The third graph shows the products resulting from a multiplex PCR employing one of the optimized sets of primer combinations. By comparing these graphs it becomes visible that, in this specific example, there is only one false negative (FN) and three false positives (FP), whereas there are eight true positives (TP).

Figure 2, however, illustrates a result of an 8-plex PCR based on a primer combination from the "control set". The top graph in the figure shows peaks of size standards only. The second graph in the figure shows the electrophoresed mixture of the products from 8 singleplex PCRs. The third graph shows the products resulting from a multiplex PCR employing one of the randomly chosen sets, as is the state of the art. This graph clearly shows that, there are eight false negative and six false positive

peaks, whereas there is only one true positive. Hence, for this specific example we have demonstrated the superiority of the design method.

A more comprehensive view on the results is given in **Figures 3 and 4**.

By applying the Wilcoxon rank sum test for the determination of false positives or false negatives as follows, it becomes evident that the optimized set resulted in a more reliable amplification experiment:

data: False negatives (FN)
p-value = 0.02602 rejection of null hypothesis

null hypothesis (H0): true if median of designed set
equal or greater than of control set alternative hypothesis (H1): true if median of designed set less than of
control set

20 data: False positives (FP)
 p-value = 0.06711 rejection of null hypothesis
 null hypothesis (H0): true if median of designed set
 equal or less than of control set
 alternative hypothesis (H1): true if median of designed
25 set greater than of control set

data: True positives (TP)
 p-value = 0.02146 rejection null hypothesis
 null hypothesis (H0): true if median of designed set
 equal or less than of control set
 alternative hypothesis (H1): true if median of designed
 set greater than of control set

Figure 3 illustrates a summary of several such comparisons (as described in detail above). Six diagrams are shown, that illustrate the numbers of false positives

10

(FP), false negatives (FN) and true positives (TP) for a number of 18 experiments. In the top row of figure 3 the results for experiments that employed the design method are shown whereas in the lower row results from experiments are shown, that did use the conventional method of random selection.

At the x-axis the occurrence of an event (like a false positive) per 8plex is given whereas the values of the y-axis indicate the frequency of an event like this occurring within the number of experiments performed.

For example, in the diagram title FN, a y-value of 0 indicates that the event did not occur in a single experiment, a y-value of four indicates that the according number of occurrences given as the x-value was found in four experiments (out of the 18 experiments considered for these analyses). The x-value indicates what kind of occurrence is counted; a x-value of three in this diagram indicates the occurrence of three false negatives. A data point with an x-value of 0 and an y-value of 9 means, that in the set of mPCR results considered, nine experiments showed 0 false negatives.

- 25 Figure 4 gives all of the data from the 18 multiplex PCR experiments of this example in one table. The letter A, heading the four columns presented on the left side, is indicating the results from multiplex PCRs of the designed group using the five optimized sets of primer pairs that have been designed and selected according to the invention. The letter C is indicating the results from multiplex PCRs of the control group using the five randomized sets of primer pairs.
- The first column lists the identifying numbers of the experiments, the second column gives the numbers of true

20

25

30

35

positives (TP) within this experiment, the third column gives the numbers of false positives (FP) and the last column gives the numbers of false negatives (FN).

The average false negative rate (Ø FN) of the optimized group is significantly lower than in the control group. Complementary the average true positive rate (Ø TP) is significantly higher. The average false positive rates (Ø FP) of the two sets do not differ from each other significantly.

This is due to the high deviation of false positives observed between individual ALFexpress analysis runs. Those 36 sets of amplificates have been analyzed on two separate gel runs These runs were not designed to simply duplicate the results, but could be used to analyze whether the average TP, FP and FN rates are similar, independent of the run, and the sets chosen. Only three of those sets have been duplicated, as indicated by the letters a and b for sets 11, 21 and 23. It turned out that the rate of true positives as well as the rate of false negatives averaged over 18 sets per run were highly reproducible, 6.83 versus 7.33 and 1,44 versus 1.39 respectively. However, the rate of false positives was determined as 4.11 in the first run and 7.61 in the second run.

Taken together, it could be concluded that the overall success rate of amplifying 40 fragments within 5 groups of 8plex PCRs was significantly increased when the primer grouping was based on the method being subject of this invention compared to an arbitrary primer grouping. The improved success rate of only 11% failures versus 24% in the random control group clearly becomes relevant when much larger numbers of mPCRs have to be established as is the case in a high throughput laboratory.

Sequence listing

	<110> Epigenomics AG	
5	<120> Method for amplification of nucleic acids of low complexity	
	<160> 160	
	<210> 1	
10	<211> 322	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
15	<223> 2025	
	<400> 1	
	aatootocaa attotaaaaa cataaaaata acgcaacoca aaaacaaaaa acccotoogo	6
20	ccattaatta ctatacacta acgaaacttt cccgacccac aacgacgaaa ataaaaacaa	12
	tegetaaege taaaaaacat caaaaacact acccaaceca aatategeeg eegetteeae	18
	aaaactctac taaacgccgc cgccgccgct accaccgcct ctaatccaaa ccacctcccg	24
	ccaaataaac cccgaaatce taactcaaat atatatetet ccctccctct ccctccatte	30
2.5	gtcattttct cactcccttt cc	32
25		
	<210> 2	
	<211> 413	
	<212> DNA	
30	<213> Artificial Sequence	
30	<220>	
	<223> 2044	
	<400> 2	
35	74007 4	
J J	GGATAGGAGT IGGGATTAAG ATTITICAGTT AGTITICAGTAT TITITICAGTAT TITITICAGTAT	61

	cgillegial	ttttcgtatt	ttttttcggg	ttattacgtt	ttttatgtga	ttcgtttggg	120
	taacgtcgaa	tttagtcgcg	tagcgttgta	gtgaattttt	tttttaaatt	gtaataagtc	180
	gttttttaag	gtaattacgt	tttttttgtt	tttttttaa	aaaataaaaa	taaaaaattt	240
	atagaaaaaa	attcgcgagt	ttagaaaaaa	gaagtaattg	gtagaaggtt	ttaattaagg	300
5	taaagagttg	taaggcgaag	ttaagaaaat	gtaggtattt	aaaaaatgta	ggtaattttt	360
	ataagggttt	ttggggagag	gtatatagag	ggattttggt	gttgaaaaag	att	413
	<210> 3						
	<211> 347						
10	<212> DNA						
	<213> Arti	ficial Seque	ence				
	<220>						
	<223> 2045						
15							
	<400> 3						
	aaccctttct	tcaaattaca	aaccttctta	ccttcaaacc	tcgactccaa	caccaatccg	60
	acaaaaaaac	ccaatctaat	aaaatacgct	cccttcctac	cattctctat	tccattaacc	120
20	tatttcgtaa	taaacgtaaa	actaatcctc	caaaattacc	ttattaatta	acttacatat	180
	ttattatcta	tctatcccac	caaaatacaa	atttccgaaa	aacaaaaatt	taaaaaaatc	240
	tattttattc	tatataattt	tcccatacca	aacaccgtac	ccgacacaaa	ctaaaatccc	300
	aatacacatc	tcgaaacgaa	aaaaccgtat	ttccctaaaa	cccaatc		347
. -							
25	<210> 4						
	<211> 283						
	<212> DNA						
	<213> Artii	ficial Seque	ence				
2.0							
30	<220>						
	<223> 2106						
	-100- 1						
	<400> 4						
35	ttmaaaataa	nanagette.	aat sasse=	0400454			
		gaaaggttga				ttttagtat	120

	aggtcgcgtt	ttttttgtgg	tggtttttag	ggattcgttt	tagtttttt	ttcgttttta	180
	gttttatata	ttgggattat	taggtattta	agattttatt	ttttaggtgg	tatttttagc	240
	gtaggttgtt	atttagtttt	tttttaggga	tttggggtag	aag		283
5	<210> 5						
	<211> 211						
	<212> DNA						
	<213> Artii	ficial Seque	ence				
10	<220>						
	<223> 2166						
	<400> 5						
15	tgtttgggat	tgggtagggt	tatcggggtt	gggggggcgg	ggtttgtggg	taaggcgggc	60
	ggaggcgtgg	atttttcgtt	cgatgatagg	gttggaggag	gaaggggcgg	gttgaagaag	120
	gggaaggtgg	gaagagttta	gtcggggtta	taaattgggt	gaagcgttga	ggttttagta	180
	ttttcgtttg	aggagatagg	taaaggttat	g			211
•							
20	<210> 6						
	<211> 497						
	<212> DNA						
	<213> Artif	icial Seque	ence				
25	<220>						
25							
	<223> 2188						
	<400> 6						
	7400> 0						
30	ttttagattg	aggttttagg	attaaaaaat	tatttttt	tttagggttg	attoraraaa	60
		gggcgggagc					120
		tttatttcgc					180
		tttgcgtttt					240
		gttagcgggt					300
35		acggttatcg					360
		tacgtcgtag					420

	tttttttt	tttttttgtt	gttgttgttt	tgtatttagt	tcgggggagg	atagaagaaa	480
	aaggaggtag	aatggat					497
	<210> 7						
5	<211> 373						
	<212> DNA						
	<213> Artif	ficial Seque	ence				
	<220>						
10	<223> 2191						
	<400> 7						
1 =					cggggaggtt	_	60
15					ttttaggtag		120
					agcgttttta		180
					taggtcgcgt		240
					agtttagcgt		300
20			gttttagttt	tttagtttta	tttttttteg	ttttgttttg	360
20	gggtgtgtat	agt					373
	<210> 8						
	<211> 368						
	<212> DNA						
25	<213> Artif	ficial Seque	ence				
		_					
	<220>						
	<223> 2194						
30	<400> 8						
	ttttgggaat	gggttgtatc	gagaggttcg	attagtttta	gggttttagt	gagggggtag	60
	tggaatttag	cgagggattg	agagttttat	agtatgtacg	agtttgatgt	tagagaaaaa	120
	gtcgggagat	aaaggagtcg	cgtgttatta	aattgtcgtc	gtagtcgtag	ttatttaagt	180
35	gtcggatttg	tgagtatttt	gcgtttttag	ttttcggata	gaagttggag	aatttttttg	240
	gagaatttt	cgagttagga	gacgagattt	tttaataatt	attattttt	tttgcgtttt	300

	ttatttgtcg	ttcgttggga	taaacgatag	ttatagtttt	tttgacgata	ggatggaggt	360
	taagggta						368
	<210> 9						
5	<211> 352						
	<212> DNA						
	<213> Artif	icial Seque	ence				
	<220>						
10	<223> 2212						
	<400> 9						
	ttgttgggag	tttttaagtt	ttgtgagaat	tttgggagtt	ggtgatgtta	gattagttgg	, 60
15	gttatttgaa	ggttagtagt	tcgggtaggg	tttatcgaaa	gtttattcgt	atatattagg	120
	taatttaatt	ttttattttg	tgtgatagaa	gtagtaggaa	gtgagttgtt	tagaggtagg	180
	agggtttatt	ttttgttaaa	ggggggatta	gaatttttt	atgcgagttg	tttgaggatt	240
	gggatgtcga	gaacgcgagc	gattcgagta	gggtttgttt	gggtatcgtc	ggggtaggat	300
	tcggaacgta	ttcggaaggt	tttttgtaag	tatttatttg	gaaggagaat	tt	352
20							
	<210> 10						
	<211> 295						
	<212> DNA						
	<213> Artif	icial Seque	ence				
25							
	<220>						
	<223> 2267						
	<400> 10						
30							
	gtaatttgaa	gaaagttgag	gggaggcggt	agatgttttg	atttattagg	gaaaacgtgg	60
	acgttttttg	ttgttatttt	gtgaattgtg	tgtatttagt	tatttttgag	taaatatttg	120
	gagcgaggaa	tttttgagtg	gtgtgggagg	gcggtgaggg	gtagttgaaa	gtcggttaaa	180
	gttttcggag	gggttggttt	aggaaatatg	attggtagtt	acgagagagt	taggggttgg	240
35	acgtcgagga	gagggagaag	gttttcgggc	ggagagaggt	tttgtttagt	tgttg	295

```
<210> 11
        <211> 278
        <212> DNA
        <213> Artificial Sequence
 5
        <220>
        <223> 2317
        <400> 11
10
        ggagttgtat tgttgggaga tttgggtgta gatgatgggg atgttaggat tattcgaatt
                                                                               60
        taaagttgaa cgtttaggta gaggagtgga gttttgggga attttgagtc ggtttaaagc
                                                                              120
        gtatttttt gtatatttat tcggtgttgg gcgtagggaa tttttgaaat aaaagatgta
                                                                              180
        taaagtattg aggtttgaga ttttttggatt tcgaaatatt gagaatttat agttgtatat
                                                                              240
15
        tttagagttt atggtatttt agtgaaaatt ggggtttt
                                                                              278
        <210> 12
        <211> 285
        <212> DNA
20
        <213> Artificial Sequence
        <220>
        <223> 2383
25
        <400> 12
        tttgtattag gttggaagtg gtcgttagtt tttcgtgtaa ttttattttt tggaaaagtg
                                                                               60
        gaattagttg gtattgttta gcgtgatttg tgaggttgag ttttaatagt ttaaagaagt
                                                                              120
        aaatgggatg ttattttcgc ggggttcgtt tttcgcgagg tgtttatttc gtatttgtta
                                                                              180
30
        tgtaaaacga gggagcgtta ggaaggaatt cgttttgtaa agttattggt tttggttatt
                                                                              240
        agtttttatt taatgttttc gtgatgttgt tgttgattta tttgg
                                                                              285
        <210> 13
        <211> 380
35
        <212> DNA
        <213> Artificial Sequence
```

	<220>						
	<223> 2387						
5	<400> 13						
	gatttttgga	gaggaagtta	agtgttttt	tgttttttt	cggtatttta	tttaaggcga	60
	ttagtttaga	attggttttc	ggaagcgttc	gggtaaagat	tgcgaagaag	aaaagatatt	120
	tggcggaaat	ttgtgcgttt	ggggcggtgg	aattcgggga	ggagagggag	ggattagata	180
10	ggagagtggg	gattatttt	tttgttttta	aattggggta	gttttttggg	ttttcgattt	240
	ttttattttc	gtgggtaaaa	aattttgttt	ttatcgggtt	tacgtaattt	ttttaagggg	300
	agaggaggga	aaaatttgtg	gggggtacga	aaaggcggaa	agaaatagtt	atttcgttat	360
	atgggtttgg	tttttagttt					380
15	<210> 14						
	<211> 397						
	<212> DNA						
	<213> Artif	ficial Seque	ence				
20	<220>						
	<223> 2391						
	<400> 14						
25	tggggttagt	ttaggatagg	cgttcggggg	acgcgtgttt	ttattttacg	gggacggtgg	60
	aggagagtta	gcgagggttc	gaggggtagg	tattttaacg	aatggttttt	ttggtgtttt	120
	ttgcgtttcg	tcggtttatt	tttttttta	taaaacgggt	ttagttttta	gtatttattt	180
	ttcgttatta	attaggtatt	tcgggagatt	agttcgttcg	aaagtttttg	cgttatttcg	240
	cgggttttt	taggtggttt	ttttagtttc	gtttttttc	gggatgtttg	ttgattattt	300
30	cgagttcgcg	tggcgtaaga	gtacgagcgt	cgagttcgtg	cgcgttaagg	ttgcgtgggc	360
	gggtatcgat	ttttttgaga	agttttagtg	tttttaa			397
	<210> 15						
	<211> 547						
35	<212> DNA						
	<213> Artif	ficial Seque	ence				

	<220>						
	<223> 2395						
5	<400> 15						
	tttttgtatt	ggggtaggtt	tcggtaggtg	tatgggagga	agtacggaga	atttataagt	60
	ttttcgattt	tttagtttag	acgttgttgg	gtttttttcg	ttggagatcg	cgttttttt	120
	aaatttttgt	gagcgttgcg	gaagtacgcg	gggttcgggt	cgttgagcgt	tgtaagatag	180
10	gggagggagt	cgggcgggag	agggagggc	ggcgtcgggg	cgggttttga	tatagagtag	240
	gcgtcgcggg	tcgtagtata	gtcggagatc	gtagttcgga	gttcgggtta	gggtttattt	300
	gttttcgtag	cgtcggttcg	cgtttttttg	tcgtagttat	cggtgagtgt	cgcggttttg	360
	agattttcgg	gtcggatgcg	cggcggtttt	agttttcgag	cgtttgtttg	tttcgttttg	420
	ggttgttcgg	gttttttggg	tttttcggcg	gttgtacgga	gttaaggcgt	ttcgtttcgg	480
15	gcgtttttcg	cgggtgtcga	tttaggttgt	tcggagttcg	gagtttatag	aggagagaga	540
	tagttgg						547
	<210> 16						
	<211> 414						
20	<212> DNA						
	<213> Artii	ficial Seque	ence				
	<220>						
	<223> 2401						
25							
	<400> 16						
	attagaagtg	aaagtaatgg	aatttcgatg	taaatataat	attattttt	tgtagagtta	60
		aataaatttg					120
30		gtagtttttt					180
		cgtttgcgtt					240
	,	ttttttttc					300
		gttttgaaag					360
		tgaaattgtt					414

<210> 17

	<211> 272	
	<212> DNA	
	<213> Artificial Sequence	
5	<220>	
	<223> 2453	
	<400> 17	
10	gggatgggtt attagttgta aatcgtggaa ttttttttga tataatgaaa agatgagggt	60
	gtataagttt tttagtaggg tgatgatata aaaagttatc ggagtatttt ataaggtata	120
	aatttttaga gatagtagag tatataagtt tttaggataa gagttaggaa gaaattatcg	180
	gaaggaatta ttttattgtg tgtaaatatg atttttaagt tggtcgtggt ttttttggta	240
	gtttttttga tttttgtagt tttgtgtgaa gg	272
15		
	<210> 18	
	<211> 391	
	<212> DNA	
0.0	<213> Artificial Sequence	
20		
	<220>	
	<223> 2484	
	.400 . 40	
25	<400> 18	
23	**************************************	60
	taattgaagg ggttaatagt ggaatttggt tgggtgtttg ttaaattttt ttttttggtt	60
	ttgttttggg tttttttttg aagggatttt ttttcgtttt tgtaataaga ttttttataa	120
	agtatagatt ttttattta tttcgcggta tttgtatcgg gttttattgg ttttaggagt	180
30	tgaatatttt tttaggtata tataggtggg atataaataa	300
	atatattttg gataatgttt gtagtttgta agttattttt ttttatttgt tttaaatgtt	360
	agtatttaat tttagttttg gttttqqttt t	391
	agonomia conducting genergy of the	331
	<210> 19	
35	<211> 430	
	<212> DNA	

<213> Artificial Sequence <220> <223> 2512 5 <400> 19 60 120 10 atttgttttt atttattatg tatttatgtt tttattttgt atgttaggag ttaagtattt 180 tgtatgtatt aatttatttt gtttttataa taatttttat atgtaggaat tattatagtt 240 attttatgaa tgagtcgagg aaggtattga gacgttaagt aatttgttta aggttacgta 300 gttagtaagt ggtagagtaa gaattattat ggttttataa gtttaggaaa aagtttgaaa 360 gaattaaaat gttaatagcg gggattttaa ggaagtattg aagaggttat gggagaagtt 420 15 tttattttgt 430 <210> 20 <211> 475 <212> DNA 20 <213> Artificial Sequence <220> <223> 2741 25 <400> 20 taggggaaaa gttagagttg agaggttggg gcgcgacgag tttggatatc gggcggggat 60 ttaagttttt ttcgtttagt taataattgt gtttttttta ggaaggcgtg aggaaatgtt 120 ttaattaatt tttgtatttt ttttttggaa tttgggttgt attttttat ttattgtaaa 180 30 240 attagtgttg ttttttttt ttcgtaagat tgcgttttag ttttagtttt tttttcgcg 300 ggtgtttttt aaatcgtttt attattttcg ggtttaggga ggcggaatcg tgtttgtttt 360 tcggtttttt taagaggcgt cggttttatt ttttttagag tcgcggtttg acgcgagatg 420 atagtaacga gttcggtatg tttatgtaaa taagcgtttt tttgtgggtt aatgg 475

<210> 21

	<211> 412						
	<212> DNA						
	<213> Artifi	icial Seque	ence				
5	<220>						
	<223> 2745						
÷							
	<400> 21						
10	attttagttt g	gtgaaatggg	atttaggatt	taggtagagg	tgcgttttcg	gtttggggat	60
	cgagtatttt g	gtgcgtttcg	gtaacgtagg	aagatagcgt	tattgatatt	ttagagatta	120
	gcgggtatcg t	ttggaggcg	tttttattat	ttggcggttt	cgggttcgcg	ttttatcgcg	180
	ttataagatt t	acgttcgaa	ttacgtgatt	agggtcgtgg	tttcgtttcg	ttttcgcgtc	240
	gcgcgtcgtt t	tcggtaggg	gcggaaagcg	gaagtgtggg	agggtttgcg	gggcgggttt	300
15	aggaggttcg c	cgggaggatg	gagtagtgag	cgggtttggg	cggttgttgg	tagcgttatg	360
	gagacggtat a	agttgaggaa	ttcgtcgcgt	cggtgagggg	ttattggtta	ag	412
	<210> 22						
	<211> 484						
20	<212> DNA						
	<213> Artifi	icial Seque	ence				
	<220>						
	<223> 2746						
25							
	<400> 22						
	gtgggttttg g						60
30	tttatgtttc g						120
30	gagaggcgcg t						180
	tttcgttcgg c						240
	ggcgggttag g						300
	gttaaggaag t						360
35	cggcggttgg a						420
J J	tggcgtaggt a	iggtgtggtc	gcgttttta	ttcggtcggg	attttttggt	aaggagagga	480
	ggtt				•		484

<210> 23

	<211> 476						
	<212> DNA						
5	<213> Artif	icial Seque	ence				
	<220>						
	<223> 2747						
10	<400> 23						
	taggatgggg	agagtaatgt	tttcgagtag	aatagggtgg	ggtttttaga	ttatttttt	60
	tttttatag			_			120
	gaagagttac						180
15	cgtttcgtac	gtcgggttta	aagtatgttt	agtgaaggag	taggtattta	ttgttagatg	240
	gagttatttt	tttagatttg	gggtttttt	ataacgatgg	ttatgtttgg	tatggaagtt	300
	tttttagaag	ttaatagtag	gaaataaggg	ttaatagtat	ttaattgtgg	agtaaggttt	360
	aaattttagt	tttgttattt	aatcgtttcg	aatttgtttt	tttattgtag	aggcgaaaag	420
	gttaatatta	ttttatttcg	gagggttatc	gtggagaatg	gaagttggat	aagttg	476
20							
	<210> 24						
	<211> 419						
	<212> DNA						
	<213> Artif	icial Seque	ence				
25							
	<220>						
	<223> 2749						
	<400> 24						
30							
	tcccacaaaa	actaaacaat	tattacaaat	tcaaaaaacc	ccgaccaatt	tttcaaaaat	60
	ttctcctcct	cttttccccc	taaaactcgt	aatactttta	ctctactttc	aaaatacatt	120
	aaatctccta	ctttataact	actttaaaac	caacaaatac	tctaatatat	ataattcaaa	180
	ttatacaaat	ttcacgaata	aatttaatct	tattttttaa	attaattaaa	aaacaaataa	240
35	tatttaaaaa	aatattaact	tataattatt	tcaccctttt	tactttaaac	atttttatta	300
	cttctcgacc	ttttaactaa	aatcaaatat	atactttaaa	cattttttaa	aataaaaata	360

	tccttttaat	ttaataaaaa	aacaaaattc	tacataaaaa	aaccccttca	tctaaaacc	419
	<210> 25						
	<211> 479						
5	<212> DNA						
	<213> Artii	ficial Seque	ence				
	<220>						
	<223> 2751						
10							
	<400> 25						
	tttggagggt	ttagtagaag	ttattttagg	ggagggttcg	ataggaagga	aggtaggttt	60
	gtcggagggg	tatataggag	tttttttt	cgttatagtg	tttagggtta	attgttttag	120
15	tttttaggtt	gggttaatag	gatgggatag	tttaggcgga	aggaaatttg	tggggaggga	180
	tatttcgtag	atagaagtag	ggatatgggg	tggggagagg	taggaagagt	tgtcgggttg	240
	ttgagttggc	gtttttttag	tagatttagg	aggggcggtg	ataggaggtt	atttttttt	300
	tattttcgta	gttttgggtt	tttttggttt	tggttaatag	tattattatt	attattattg	360
	ttgttgttcg	ttagtttggg	ttttagatat	attagaaaaa	aattatcgga	agatacgtat	420
20	agtattggta	gtttttaaaa	gaattaattt	ttttttgtg	tttattttgt	gattattgg	479
	<210> 26						
	<211> 484						
	<212> DNA						
25	<213> Artii	ficial Seque	ence				
;							
	<220>						
	<223> 2752						
30	<400> 26						
	14007 20						
	atacaacctc	aaatcctatc	caaaccccca	aaacatcaca	ctcgaaactt	attctacata	60
		tacctcccac			_		120
		ttttttctca					180
35		aaataaaaaa			_		240
		catcaccgta					300

	aatccatttc attctt	ttaa atctaatcga	caattacctc	caacaacttc	atcacaaatc	360
	actcacaaaa ataacc	ttaa tootaaaatt	tatttacgaa	aaacacactt	actaaatata	420
	taacaaatat acaaaa	aaca caaaataaaa	caacaaatct	aaaaacaaat	aacttccttc	480
	tccc					484
5						
	<210> 27					
	<211> 371					
	<212> DNA					
	<213> Artificial	Sequence				
10						
	<220>					
	<223> 2755					
	<400> 27					
15						
	ggaagatgag gaagtt	gatt agatattaag	gatgagcgga	tgatttaata	ggttttttg	60
	ttaagatttg gttggg	tagg tgaaagataa	agtcgaggag	tggttatggt	gtggtataga	120
	agaagggtta gaggac	ggtt tttgttattt	ttttatgttt	gagtttttt	ttttgtgaaa	180
	tggggataat aagagto	ogtt atatagggaa	ttgttgttag	gattaaatga	gataatgtat	240
20	gtgaaacgtt ttggtt	gtag gttttttagt	aaatgggtac	gatttgcgga	gtggggattt	300
	gaatttacgt ttggcgg	ggat gtttaagttg	ttattttgat	cgttagggag	ttttagagga	360
	tagggttgta g					371
	<210> 28					
25	<211> 186					
	<212> DNA					
	<213> Artificial :	Sequence				
	<220>					
30	<223> 2831					
	<400> 28					
35	ttagtagggg tgtgagt					60
35	tcgaatgttt ttattt					120
	tatgggggtg gttatat	ttt gtatttagga	aataggtacg	gtagggttga	gatagaagtt	180

	ttgttt		186
	<210> 29		
	<211> 300		
5	<212> DNA		
	<213> Artificial Sequence		
	<220>		
	<223> 2850		
10			
	<400> 29		
	ttatagggtt gagtttggga tcgaggtgag agtcgtcggg	ttgggagtga gggagatggg	60
	aataaggtcg tcggtgggcg aggggagtcg agggaattcg	ggggattggg aggtttgggg	120
15	cggcgcggtt tggtcgggtt gggatcggtt tttcggttta	gacgttcgcg atgttggtat	180
	tttttgttat tttttatttg ggttttaggg gttcgtttt	gggtagtttg gagtttttcg	240
	aggtgggagg atcgggcgga ggtggaggaa gtttttttt	ggaagatttg ttgtttgttt	300
	<210> 30		
20	<211> 321		
	<212> DNA		
	<213> Artificial Sequence		
	<220>		
25	<223> 2852		
	<400> 30		
	tgaaaatgaa ggtatggagt ttggtgttaa aagaaatttt	ttttaaaaat taaataataa	60
30	tattagagta aagtttttag ggcgagataa ggagttgtaa	taaaataagc ggaaattcga	120
	gaagcgttaa tgttttaaag ggttaatgat tatatataat	ttacgtagtt aacgtgttaa	180
	aatatattaa cgtattttt ttttttaaat aaagtaggaa	agcggatttt gtatgagggg	240
	cgggttgtcg atttagtagt ttttttcgga tagttcgttt	tgattttttt tggttggtcg	300
	tggagggatt atatggtttt a		321
35			

<210> 31

	<211> 398		
	<212> DNA		
	<213> Artificial Sequence		
5	<220>		
	<223> 2859		
	<400> 31		
10	tatgtttggt tttgttttga gatagagttt cgttttgtc	g tttaggttgg ttaaaagata	60
	gggttttagt cgggtgcggt ggtttacgtt tgtaatttt	a gtattttggg aggtcgaggc	120
	gggcggatta tttgaggttc ggagttcgag attagtttg	g gttaatatgg cgaaacgttg	180
	tttttattaa aaataataaa aattatttag gcgtggtgg	gcgtatttgt aattttagtt	240
	attcgggagg ttgaggtagg agaattattt gaatttagg	a ggtagacgtt gtagtgagtc	300
15	gagatcgcgt tattgtattt tagtttgggc gatagaggg	a gatttcgttt taaaaaaagg	360
	aaaaaaaaa aaaagaaaag aaataaaagt gatggggt		398
	<210> 32		
	<211> 347		
20	<212> DNA		
	<213> Artificial Sequence		
	<220>		
	<223> 2861		
25			
	<400> 32		
		•	
	gggtgtagaa gtgtttaggt tttttttcgt tggggttgg		60
2.0	atttttttta agttcgtttt tggttttcgg gtttagttt		120
30	ttatttttgt gggttttagt tgtttggatt tgtggaggg		180
	gataggttaa ggtaatacgg ttgttggtat tttcggttt		240
	gcgggtttgt agtggattta ttttaataga tggggaggg		300
	agaaatgatt ggagaatgta ttttttgtta ttgttgtaa	g gggagaa	347
2 5	212		
35	<210> 33		
	<211> 291		

	<212> DNA	
	<213> Artificial Sequence	
	<220>	
5		
5	<223> 2864	
	<400> 33	
	tccccttcca actatatctc tcacccaaaa ataacttcta actctcgtat tcatctaaaa	60
10	ctcctccttc catataccaa caattaacta taacccctcc aaaaacgctc catctccaaa	120
	tatactccca catccaaacc acgaacccct cacccgatca catacttcat acacctataa	180
	ctccgcactc cccaaatata cctctaacgt acaactatta ccccttcccc cgattataac	240
	cctataactc gccacataca actataacta aaacttccct aaaacactct c	291
15	<210> 34	
10	<211> 389	
	<212> DNA	
	<213> Artificial Sequence	
20	<220>	
	<223> 2867	
	<400> 34	
25	aaaaccaaaa cataaaccaa aaaccaaact cgaaccgaaa acaataaccg caacgcccga	60
	aaactaaacc cacgacgcgc taacaacgcg aaccgaacta cgaaaacgat cacgtcaacg	120
	tccgttccaa accgactaac aatctccgtt ctacattaac gtcaacactc ccgttaaaaa	180
	taatacatct ctcccatacc aaaaaaactt aaatactact aaaaaccaac cctccgaata	240
	ctaccaaacc gacgeteace egecacette atetteeett eteetttace ecaaaacaac	300
30	cgaaaatata taattaaatt ccccctaccc ataaaaaaac caaaaataaa aaactaacga	360
	cctactcgat ctcaacaaac cctcctaat	389
	<210> 35	
	<211> 272	
35	<212> DNA	
	<213> Artificial Sequence	

<220>

	<220>	
	<223> 2961	
5	<400> 35	
	aatggttgat gattttggtt ttttttcgtc gtcggagagc ggtgtttcgg aggcggcgga	60
	ggaggattcg gcggtcgttt ttttggttta gtaggagagc gagattgtag gtatagagaa	120
	cgacgagggt ttcggggtat ttgtcggtag ttatgcggtt ttcgcgtagt cgggtttac	180
10	gagtgggggt gagttagcgc ggggtttgga gaggggttta gggcgcgtat tcgggggatt	240
	tcggtcgggg tttaggggta tagggaagag ag	272
	<210> 36	
	<211> 371	
15	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> 3511	
20		
	<400> 36	
	agttagaaga ggagttagga tgggtttcgg gtagtttaat agtatagttg aagttttaat	60
	tattatgtta atagtttttt ggttttatat attttatggg aagaggaaaa taaaaaggta	120
25	tttatttgta tatttttta tttttgatat aagaagtaga attttttta tatgatttat	180
	gtttatttaa tacgttattt tgaaatttat taataaaatt ttttaagcgt tagaaaattg	240
	ttagtggttt tttttatttt tttttatttt tttttgtgtt attaattttg tttttttt	300
	ttagaaggtt gtcggaatag taaatattta ttgatatgtt ataattattg gaaaatgggt	360
	attggaaaat t	371
30		
	<210> 37	
	<211> 457	
	<212> DNA	
	<213> Artificial Sequence	
35		

<223> 3532

<400> 37

	<400> 37						
5	tgttagtaga	gttttaggga	ggttttattt	tttattttta	tttaaagttt	tatttgttgg	60
	ggtgggggtt	ttgtttggaa	ggggaaggtt	taaggttgtt	tttagcgtgt	ttttttattt	120
	tgattgtttt	tggcggggcg	ggggtgtttt	tgttatttag	ttgtataacg	gttaggaagg	180
	gtttaaatta	tttttagggt	taatttaagg	tcgttttttg	ggtttgtata	tttttgtgtt	240
	gagtgcggat	cgggagaggt	tgttgaagat	aggaggggat	aaatggggga	cgaaggggtt	300
10	cgagggaggg	gattgaagga	tttgggttaa	gtcgggagtt	ttcgagggcg	gagttaaaac	360
	gtatttggat	tttgttagtt	ttaaattttg	tttttattgt	tgtaagtttt	ttagatcgag	420
	gattttcggg	ttgagggtgg	ggtaaggata	ggtagtg			457
						,	
	<210> 38						
15	<211> 476						
	<212> DNA					•	
	<213> Artif	icial Seque	ence				
	<220>		•				
20	<223> 3534						
	<400> 38						
	tttttgtttt	tatggggtgt	atatttaagt	agttgaaata	gatagtgaat	aaataaaaaa	60
25	ggataataat	tttaaataat	aatgatgtta	tcggttaggt	gtggtggttt	atgtttataa	120
	ttttagtatt	ttgggaagtt	aagttaagcg	gattatttga	ggttaggagt	ttaagaatag	180
	tttggttagt	atggtgaaat	tttattttta	ttaaaaatat	aaaaattagt	tagatatggt	240
	ggtatatatt	tgtaatttta	gttatttggg	aggttgacgt	aggagaattg	tttgagttcg	300
	ggaggtggag	gttgtagtga	gttaagattt	gataggtttt	tagtattatt	gtattttaga	360
30	ttggttgata	gagcgagatt	ttgttaaaaa	aaaaaagtt	ataaatagat	tttaataggg	420
	taatatgata	gggagggagg	gataggggag	tagggtggtt	aaggaaggga	tattta	476
	040 00						

<210> 39

<211> 458

35 <212> DNA

<213> Artificial Sequence

<220> <223> 3538 5 <400> 39 tgggtagtat ttttgttggt tttttttat attataaggt tacgtagagt tggcggaggg 60 ttatggtttt atttatgtta ggtgttttta atttggtaag gaaatgtaat ttacgtgaat 120 tttaataggt agtgaagtat cgtttttttt tgattttagg tagggtgaag aaaatgggat 180 10 agtagtacgg ggtgcgggta taaacgtata attttgtttt tttagacgta gagttgtggg 240 gttgtgagaa tgttaggagg aggtaagaaa gggcggtttt atggggggtt tgtagggtgg 300 gataagttta agaggttttt atatttaggt ttggtggggg aggtgagttt ttggtttatc 360 gagggggttt ttttttgttt tcggaaatat tgtagttttt atttttatcg ttttttcgtt 420 gcggggattt aggggcgtga ggatgagaga gtttttag 458 15 <210> 40 <211> 405 <212> DNA <213> Artificial Sequence 20 <220> <223> 3540 <400> 40 25 agtggtttag gagtatttgg ttattttcgg gaaaaatcgg tttggtaaag gtttttcga 60 gggtacgcgt ttttcggata gtgaggtagg atttaaattt tttcgttaat attatatttt 120 togtattttt gtagtgtttg tatttttagg ttttattatt ttttcgtatt ttttagggag 180 aagttttcga cgttttattt tttttggaag ggtgttgttt ttagagattt ttaggttaat 240 30 ggtttaattt tagtgttttt aggggagagg ggggtgtaga aaaatagttt gggttataaa 300 agaggtgcga gggttgtgag atttcggagg tatcgacggg aagcgagacg gagaatagga 360 gggtaggacg ggttggaggt gggggatatt gtagatggag ggagt 405 <210> 41 35 <211> 2501 <212> DNA

<213> Homo Sapiens

<400> 41

5	ccagttccag	tcccgggtcc	tgtggccgcc	ctgccggcga	ccctgcggag	agcgagtctt	60
	agatacccag	tccccagccc	cgagttgtta	ttccctcgct	gtagttaaga	aggaggagat	120
	caattaaggg	catcttagaa	gttaggcgtt	cccgctgcct	cctttgagca	cggaggccac	180
	caacccccta	gggggaagag	atgtagcgcg	aggcaggggt	gtcgtgctaa	gaaatttcga	240
	cgcttctggg	gactgaggac	aaaggtgcgg	acacgacccc	ggggtacctg	gagttccgtg	300
10	actcgcgcca	cggacggcac	acctaggggc	taatttctgc	tctgcctcaa	agaacctcaa	360
	gctagagtcc	ttgcctccgc	ccacagecee	gggatgccgc	tgctgcgctc	accgcacagg	420
	cagcgcccgg	accggctgca	gcagatcgcg	cgctgcgcgt	tccaccggga	gatggtggag	480
	acgctgaaaa	gcttctttct	tgccactctg	gacgctgtgg	gcggcaagcg	ccttagtccc	540
	tacctctgct	gagctgaacg	ctcaggcaca	gtggaactga	aacccggttc	tgcgggatgt	600
15	gagagctgtt	gaggtcacgc	gtaattgggt	gtgatggagg	gcgcctgttc	gtgatgtgtg	660
	caggtttgat	gcaagcaggt	catcgtcgtg	cgagtgtgtg	gatgcgaccg	cccgagagac	720
	tcggaggcag	gcttgggaca	cgtttgagtg	aacacctcag	gatactcttc	tggccagtat	780
	ctgtttttta	gtgtctgtga	ttcagagtgg	gcacatgttg	ggagacagta	atgggtttgg	840
	gtgtgtgtaa	atgagtgtga	ccggaagcga	gtgtgagctt	gatctaggca	gggaccacac	900
20	agcactgtca	cacctgcctg	ctctttagta	gaggactgaa	gtgcgggggt	gggggtacgg	960
	ggccggaata	gaatgtctct	gggacatctt	ggcaaacagc	agccggaagc	aaaggggcag	1020
	ctgtgcaaac	ggctcaggca	ggtgatggat	ggcagggtag	gaagggggag	gtccagaggt	1080
	ctggatggag	gcttccgcat	ctgtaccttg	caactcaccc	ctcaggccca	gcaggtcatc	1140
	ggccccctcc	tcacacatgt	aatggatctg	aagagtaccc	cgggacagtc	cggggagatg	1200
25	gagattcgga	aagtatccat	ggagatctta	cagaatcccc	tgtgcggacc	aggaaactct	1260
	tgtagatccc	tgcctatctg	aggcccaggc	gctgggctgt	ttctcacaat	attccttcaa	1320
	gatgagattg	tggtccccat	ttcaaagatg	agtacactga	gcctctgtga	agttacttgc	1380
	ccatgatcac	acaaccagga	attgggccaa	ctgtaattga	actcctgtct	aacaaagttc	1440
	ttgctcccag	ctccgtctct	tgtttcccac	gagccctggc	cctctgtggg	taataccagc	1500
30	tactggagtc	agatttcttg	ggcccagaac	ccacccttag	gggcattaac	ctttaaaatc	1560
	tcacttgggc	aggggtctgg	gatcagagtt	ggaagagtcc	ctacaatcct	ggaccctttc	1620
	cgccaaatcg	tgaaaccagg	ggtggagtgg	ggcgagggtt	caaaaccagg	ccggactgag	1680
	aggtgaaatt	caccatgacg	tcaaactgcc	ctcaaattcc	cgctcacttt	aagggcgtta	1740
	cttgttggtg	ccccaccat	ccccaccat	ttccatcaat	gacctcaatg	caaatacaag	1800
35	tgggacggtc	ctgctggatc	ctccaggttc	tggaagcatg	agggtgacgc	aacccagggg	1860
	caaaggaccc	ctccgcccat	tggttgctgt	gcactggcgg	aactttcccg	acccacagcg	1920

	gcgggaataa	gagcagtcgc	tggcgctggg	aggcatcaga	gacactgccc	agcccaagtg	1980
	tcgccgccgc	ttccacaggg	ctctgctgga	cgccgccgcc	gccgctgcca	ccgcctctga	2040
	tccaagccac	ctcccgccag	gtgagccccg	agatcctggc	tcaggtatat	gtctctccct	2100
	ccctctccct	ccattcgtca	ttttctcact	ccctttcctc	ctctccctct	ctctccgtta	2160
5	gtctcttcat	cagatagtct	ctgttagtcc	gcgatttata	ccaggctcgt	gccctaggtt	2220
	ggatcggaca	gtctcaatcc	cccggctcgc	tcttcctgct	cggctgcgga	ctccagtctt	2280
	actctctcgc	actgcacaca	ggcttaggcc	agtctcggga	cactcaggct	ccccagggac	2340
	cgcgcacaga	gcctgaggca	agagaaactt	tccgcagacg	gtgcgatcag	ggacggcgtc	2400
	tggagcccag	cagtcccagg	gaaattggtt	cagaacctgg	aacagagcgg	atgggtggca	2460
10	aataggcacg	acgactgagg	gacaagcagc	cctaaactgc	a		2501
	<210> 42						
	<211> 2501						
	<212> DNA						
15	<213> Homo	Sapiens					
	<400> 42						
2.0		aaatttaaga				_	60
20		aatgtctgga					120
		atcaagcaat					180
		aattgtgtga					240
		aaggttgaag					300
25		tcagtgtttg			_		360
45		acattgattt					420
		aaaagaaatg					480
		tttatcactt			_		540
		tcttataaat					600
30		accaaactaa					660
30		ttgaggtcct					720
		gatactttca					780
		atactgatgt					840
		aagaaaagga					900 960
35		gtttgaccct					
J J		tcttccatgt	yrryatgetg	ccacacagt	ggggtgggcc	tyactgaaga	1020

aaaaaaatcg catatacgca tgaaagatta tggtcttatt tccggaaagc atgaaaggtg

	attgatactt	ccaagaagtc	cctgttactc	aggaaaatta	tcaaatattc	tactcagaga	1140
	tacttggaaa	gactgaagga	aaggaagaac	gaagaaagca	gaatctagac	ttatgtgggg	1200
	agagatttgt	ggcagaggaa	aagtattctc	tttgaatccg	acaagggatt	tgcctggggg	1260
	aatttcctgt	ccagcctttt	attaccaggg	tcttttgaag	ccgggctccc	cattgggcag	1320
5	ttccctggga	gtgcagtggg	gaattcttac	actttccctc	taggtccccg	aaggatctcg	1380
	ttttctcagt	gtctctttca	ggttggcagg	agccttgagc	ctgacacttc	cctttgatgg	1440
	gacaggcaag	ctctgtgggc	gcgtaaacac	gctgtaacca	agttctttgc	tgattttaca	1500
	gttttgtgtg	ctcccgagaa	gaagtgatcg	tactcaattg	tctattgctg	gcctgccccc	1560
	taagagcctg	ggggctcctt	tcccctaacc	cagaactagc	tgcacggggg	gcggggaaat	1620
10	gggggtgggg	aaggagtggg	agggcagtgg	tttccgcgag	cagagcgatg	ttactgagtg	1680
	agtccctgaa	tggggagcgc	tgctgtcccc	aagccgattg	gtacttcttg	tcaggaagaa	1740
	acgccaagag	gtgggagtgc	ctggggaggg	aggcaggcgg	tccctaccgc	aggcgcgggg	1800
	agctgccttt	ccgcccctcc	gcctgctttc	caagcctgga	ctcttaggag	tggctgaagc	1860
	tgcggagcgc	ttttggagcc	tgtgaatgaa	ccctcctcct	ctccctcctc	cttcttctcg	1920
15	ctgagtctcc	tcctcggctc	tgacggtaca	gtgatataat	gatgatgggt	gtcacaaccc	1980
	gcatttgaac	ttgcaggcga	gctgccccga	gcctttctgg	ggaagaactc	caggcgtgcg	2040
	gacgcaacag	ccgagaacat	taggtgttgt	ggacaggagc	tgggaccaag	atcttcggcc	2100
	agccccgcat	cctcccgcat	cttccagcac	cgtcccgcac	cctccgcatc	cttccccggg	2160
	ccaccacgct	tcctatgtga	cccgcctggg	caacgccgaa	cccagtcgcg	cagcgctgca	2220
20	gtgaattttc	ccccaaact	gcaataagcc	gccttccaag	gtaatcacgt	ttcttttgtt	2280
	cccccttaa	aaaacaaaaa	caaaaaactt	atagaaaaaa	acccgcgagc	ttagaaaaaa	2340
	gaagcaattg	gtagaaggct	ttaattaagg	caaagagctg	taaggcgaag	ttaagaaaat	2400
	gtaggcactt	aaaaaatgca	ggtaactttc	ataagggctt	ttggggagag	gcatacagag	2460
	ggaccttggt	gttgaaaaag	attcagacaa	aagaaaccca	g		2501
25							
	<210> 43						
	<211> 2501						
	<212> DNA						
	<213> Homo	Sapiens					
30							
	<400> 43						
	tgtgggtcat	taatgcaatg	ttatttaaga	ctaggatttg	gctgggcgca	gtggctcacg	60
	cctgtaatcc	cagcactgtg	ggaggccgag	ccgggaggat	cacctgaggt	caggagttca	120
35	agaccagcct	gaccaacatg	gtgaaaccac	gtctctacta	aaaatacaaa	attagccggg	180
	catagtcaca	tgcctgtaat	cccagctact	gggtagcctg	aggcaggaga	atcgcttgaa	240

	cccgggaggc	ggaggcggag	tttgcagtga	gccaagattt	cacaactgca	ctccagtctg	300
	ggccacaaga	gcgaaaaccc	gtctcaaaaa	aaaaaaaag	actaggattt	gacataaggc	360
	ctgaggggta	ttcttttgtt	ttgttttgcc	ttgttttcaa	gaggccaaaa	tcttcacagt	420
	tgaaaatttc	tgttgaacca	cagagatttg	aaccaactca	gtttagaaag	cctggggatt	480
5	tgaacaacgg	tatggatcgg	aaatctcttc	atctgtcagt	tttcatcatt	ctaggcagta	540
	aaatagattt	ccctttagga	gcttttcacc	gtttggggtt	ctccagcagt	gggatgtggg	600
	gaatcaaccc	ttcttcgtct	ccacccaaac	attaggtggg	agcaaggggt	gggaagtaga	660
	gaaagtggat	agaggtctcc	agtggatatg	ggatctttgt	gtagaccagc	acagtcctca	720
	gaaatctcat	gcaagcaaca	taggtactgt	tatattttct	agtggccacc	ttttaaaaag	780
10	taaacaggtg	aggccgggcg	cggtcgtcac	gcctgtaatc	ccagcacttt	gggaggccca	840
	ggcgggcgga	tcacgaggtc	aagagatgga	gaccatcctg	gtcgacacgg	tgaaaccccg	900
	tctctactaa	aaatacaaaa	attagctggg	catggtgacg	cgcgactgta	gtcctagcta	960
	ctggggaggc	cgaggcagga	gaatcacttg	aaccctggag	gtggaggttg	ccacgctcca	1020
	ctacactcca	gcctggcgac	agagtgagac	tccgtctcaa	aaaaaagaaa	gtaaacaggt	1080
15	gaaattaatt	ttaataatat	attttgttta	acccaacgta	tccaaaatac	tatcatttga	1140
	aagtgtaatg	aatataaaaa	tattcatgag	atatttttca	ttctcatatc	catactgtct	1200
	tggactctaa	tgtgtatttt	acacttacag	cacaattaat	ttgggactag	ctacatttca	1260
	gctcaacaat	agccaatagc	atatgggata	gcgcaaataa	actctgcgtc	tctgttgctt	1320
	ctttgggtct	cggagacctc	aaccctttct	tcagattgca	aaccttcttg	ccttcaagcc	1380
20	tcggctccaa	caccagtccg	gcagaggaac	ccagtctaat	gaggtacgct	cccttcctgc	1440
	cattctctat	tccattaacc	tgtttcgtgg	taaacgtagg	actgatcctc	caaaattacc	1500
	ttattaatta	gcttacatat	ttattatcta	tctgtcccac	cagaatgcag	gtttccggaa	1560
	ggcagggatt	taaaaaaatc	tgttttgttc	tatgtgattt	tcccatacca	agcaccgtgc	1620
	ccggcacaag	ctgggatccc	agtacacatc	tcgggacgga	agaaccgtgt	ttccctagaa	1680
25	cccagtcaga	gggcagctta	gcaatgtgtc	acaggtgggg	cgcccgcgtt	ccgggcggac	1740
	gcactggctc	cccggccggc	gtgggtgtgg	ggcgagtggg	tgtgtgcggg	gtgtgcgcgg	1800
	tagagcgcgc	cagcgagccc	ggagcgcgga	gctgggagga	gcagcgagcg	ccgcgcagaa	1860
	cccgcagcgc	cggcctggca	gggcagctcg	gaggtgggtg	ggccgcgccg	ccagcccgct	1920
	tgcagggtcc	ccattggccg	cctgccggcc	gccctccgcc	caaaaggcgg	caaggagccg	1980
30	agaggctgct	tcggagtgtg	aggaggacag	ccggaccgag	ccaacgccgg	ggactttgtt	2040
	ccctccgcgg	aggggactcg	gcaactcgca	gcggcagggt	ctggggccgg	cgcctgggag	2100
	ggatctgcgc	ccccactca	ctccctagct	gtgttcccgc	cgcgccccgg	ctagtctccg	2160
	gcgctggcgc	ctatggtcgg	cctccgacag	cgctccggag	ggaccggggg	agctcccagg	2220
	cgcccgggtg	agtagccagg	cgcggctccc	cggtccccc	gacccccggc	gccagctttt	2280
35	gctttcccag	ccagggcgcg	gtggggtttg	tccgggcagt	gcctcgagca	actgggaagg	2340
	ccaaggcgga	gggaaacttg	gcttcgggga	gaagtgcgat	cgcagccggg	aggcttcccc	2400

	agccccgcgg	gccgggtgag	aacaggtggc	gccggcccga	ccaggcgctt	tgtgtcgggg	2460
	cgcgaggatc	tggagcgaac	tgctgcgcct	cggtgggccg	С		2501
	<210> 44						
5	<211> 2501						
	<212> DNA						
	<213> Homo	Sapiens					
	·						
	<400> 44						
10							
	gatgtgaaaa	gagaaataat	tgaaaaagac	tggagtacat	atactatcta	cagtgtctgt	60
	tttaaagaaa	caacattcta	gcacaccttt	ctacccttga	ctaagattac	tgtaatgaga	120
	gcaccagtac	ccctgagtaa	ccgaaagggc	attttggaaa	ctgagctttt	ggtgtttata	180
	tgaacattct	gtcttccagg	acctgccttg	atttattcaa	gactcatact	gctgtatatg	240
15	gtgttgtata	cattaggggt	agttgggtag	cagtaactga	tatagaaaat	tttaaatgta	300
	aaaaacactg	gggagtgaac	ctttccatta	tatatata	tatatata	tatatatata	360
	tatatatata	tatatatata	tataaattca	catcaggatg	agtttctgtt	taggcaatgt	420
	tggaaaacgc	tatttccatt	tttttttt	aacaaatatt	taacaaacat	ttataaggca	480
	cttaaatcca	tgctggctct	tacaaatgtt	gactcatttc	tcataaccac	cttggggtag	540
20	aaacggagag	gctaaacaat	ctgcaggcga	tgcttcacta	ctaaatgcag	gtggcagcct	600
•	tgcctgtgtt	ctctgcttgg	ctaggaacac	aggtcttacc	tattgagctg	ggctgtgtag	660
	aactctgttg	tggagacatc	tgcccctggg	gcagaagcct	ctgctttttc	cccctcctcc	720
	catcttactc	catgtctcag	agagctctga	atcccacttg	gagaatcaca	cttaaaccct	780
	ctaaaaacct	aatgatgaat	aaaaataagt	tctctagaac	ttctggagaa	aaaagtaata	840
25	aagctaccag	gttaaatgac	tgaaattcct	gagagaaaac	aacatgtgtg	tgtttctcta	900
	gaaagggggc	ccaatactga	ataccaggaa	gtcctatagt	aaatggaatg	tgactctatg	960
	tgggatccgg	cgttcctatt	tcatccgaat	gcatgtctgc	tgcttcagtg	ggaagggtgc	1020
	ttgcacacca	ggtacccact	ccctggtgtc	atgtgctatg	cagtccaaag	acagaaccag	1080
	gaatggtgag	cccatgagcc	tgctggaccc	agcccctccg	aggtccggag	tgacaaccag	1140
30	tgccgtattt	ctagatcaaa	cctgaacccc	tcctacaggg	aaaagatttc	caggggattt	1200
	tgaaagttcc	aacattttac	agggaagaag	gaagataagc	aggatatgaa	agaagagttc	1260
	atgttataca	gccctggctt	ccactgacgc	taacactgga	ttcagctttt	gacactgata	1320
	atctgttgcc	accaaatgga	aaacgtaaac	aagatattct	aagtgtggtt	agagaatatg	1380
	caacacaagg	aacaagcaga	acattcttct	ctggaatctg	acataatgga	ctgtactttc	1440
35	acagacagca	ctgatgttag	atgtacgtga	aataggctaa	actgaaaata	agaaaggctg	1500
	aggcagagag	gataatatag	ctccagccta	tctcccagca	ccttgttaat	ttctctcaac	1560

83

	ctccagccac	aaatccgaga	cacaacgctc	ttcctccaaa	gaggtcgcgc	cttctctgtg	1620
	gtggttctca	gggatccgcc	ccagctcctt	ctccgttccc	agccccacac	actgggatca	1680
	ccaggcaccc	aagatcccac	ctctcaggtg	gtatcttcag	cgcaggctgc	cactcagccc	1740
	ccctccaggg	atctggggca	gaaggcgaat	atcccagagt	ctcagagtcc	acaggagtta	1800
5	ctctgaaggg	cgaggcgcgg	gctgcatcag	tggaccccca	caccccaccc	gcaccccaag	1860
	cgctccaccc	tgggggcggg	gccgtcgcct	tccttccgga	ctcgggatcg	atctggaact	1920
	ccgggaattt	ccctggcccg	ggggctccgg	gctttccagc	cccaaccatg	cataaaaggg	1980
	gttcgcggat	ctcggagagc	cacagagccc	gggccgcagg	cacctcctcg	ccagctcttc	2040
	cgctcctctc	acagccgcca	gacccgcctg	ctgagcccca	tggcccgcgc	tgctctctcc	2100
10	gccgccccca	gcaatccccg	gctcctgcga	gtggcgctgc	tgctcctgct	cctggtagcc	2160
	gctggccggc	gcgcagcagg	tgggtaccgg	cgccctgggg	tccccgggcc	ggacgcggct	2220
	ggggtaggca	cccagcgccg	acagcctcgc	tcagtcagtg	agtctcttct	tccctaggag	2280
	cgtccgtggc	cactgaactg	cgctgccagt	gcttgcagac	ccţgcaggga	attcacccca	2340
	agaacatcca	aagtgtgaac	gtgaagtccc	ccggacccca	ctgcgcccaa	accgaagtca	2400
15	tgtaagtccc	gccccgcgct	gcctctgcca	ccgccggggt	cccagaccct	cctgctgccc	2460
	caaccctgtc	cccagcccga	cctcctgcct	cacgagattc	С		2501
	<210> 45						
	<211> 2501						
20	<212> DNA						
	<213> Homo	Sapiens					
	<400> 45						
25	ggcgacagag	caagactccc	tcttaaaaaa	aaaaaaaaa	aaagattctg	agtcaaagtg	60
	ctcaagttga	atgcattttg	tcatccacaa	gacaaatcgt	gttaacccct	tgtggtttac	120
	tttatctata	aaatagagat	aacaatagtt	cctgcttcta	gggttgttgt	gggaattaaa	180
	gacttagaat	aatgttcagc	ctctaatcag	tgctgtcaca	actgtctgat	acaattgtat	240
	tatatttgtg	tactttgtag	attgatatta	aatcatactt	ttaaaaatag	gtgcttaatg	300
30	ttccactcaa	ttaccttaaa	acatgtttaa	ttatgtctct	atcctactct	tataacactt	360
	ctataaaaac	tttttacata	tagcgtccac	ttttggttca	gtttcttagg	aaaataactt	420
	tgagagtcag	ctatctgaac	caaagaaaca	ttaacattac	cagactatat	tgggattttt	480

gagactggct tttatcaatt ctttagctac gggctcttgt catcatctct accagtgacc

taagtgtcaa acccaaatgc cttgtatctg tcccattaaa gagatgcagc atctgctcct

ttcttactgt ttccatttcc tctgccatgc ctcctcttac aaccataaat atccaggtct

cttaggtttt aaacggggca tctctcaacc cccacattct tttccttggt tattcccttc

540

600

660

	cctccaacag	ttcaattcac	ctagatcccc	acgcctgaaa	ttatcctaga	tgtcctagag	780
	gcgcctcatc	attacaatgg	tacattattc	tccactcctt	tacatgtcac	gccagctttc	840
	aaactgaaaa	tctgagcgtt	catccctggt	gcatcacctt	taaattccag	atctccaaaa	900
	tccagggtca	tgtaacctta	aaaaattttt	accctctctt	ctccactgcc	cttgttcagg	960
5	ccttatctct	tccagcagct	gttccaaagg	cctactctgt	tttcctttcg	gagtgctaac	1020
	ctccaccgaa	gcctccaccc	agttgccaat	tctgccccat	gcctgataat	ttgctcgtgc	1080
	gttgacatac	ataaaatttc	taagacaaaa	attttttaat	aatggtaaat	gaaccttggg	1140
	aactgcatac	agatcataca	gatccataat	aagagaaaag	gtcccagatt	aacacggaaa	1200
	actttccatt	taactaacat	ttgcactggt	aaacttcatc	aagcaagacc	ctacttaatc	1260
10	ccacattacc	ttctactgaa	gaggttgtgg	tcattctctg	gaaatatctg	aattcattcc	1320
	tacaagttag	agaaacagcg	ttactcgaaa	cattatccct	tgggctcgag	ctctaaggca	1380
	cctgacaaac	ggagcgctgt	gggtaggggt	gaggtgtttt	ctccagggct	gggactttgc	1440
	cctgggcgag	ggcgccgcag	ggcaaagacc	tcaccgggca	gcagaatccg	ggcagaaatc	1500
	agcaactggg	cctcccgcgc	agcagaaaag	gggaatccag	tcggggccca	cccttcctgc	1560
15	cagcgcagac	cgcaagtctg	gccccatcct	ctcgccggga	gtcggcctgg	cgcgtcccgc	1620
	ccaggtaccc	cgaccgtggg	cagcctgcgc	ccgtttgggt	cccatcgccc	cggcccggca	1680
	gatacctgag	cggtggccag	ggcaggtccc	cgttcttgcc	gatgcccatg	ttctgggaca	1740
	cagcgacgat	gcagtttagc	gaaccaacca	tgacagcagc	gggaggacct	ccgagcccgc	1800
	tcgttacagc	agaacgcgcg	gtcaagtttg	gcgcgaaatt	gtggccgccc	cgcccctcg	1860
20	tccctatttg	tgcaggcgag	gcccgcccc	cccgccccgg	cgcacgcagg	gtcgcggcgt	1920
	gctcgcgccc	gcagacgcct	gggaactgcg	gccgcgggtt	cgcgctcctc	gccgggccct	1980
	gccgccgggc	tgccatcctt	gccctgccat	gtctcgccgg	aagcctgcgt	cgggcggcct	2040
	cgctgcctcc	agctcagccc	ctgcgaggca	agcggttttg	agccgattct	tccagtctac	2100
	gggaagcctg	aaatccacct	cctcctccac	aggtgcagcc	gaccaggtgg	accctggcgc	2160
25	tgcagcggcc	gcagcgcccc	cagcgcccgc	cttcccgccc	cagctgccgc	cgcacgtagt	2220
	aggttctgtc	tgggactggg	cagggccatc	ggggctgggg	gggcggggct	tgtgggtaag	2280
	gcgggcggag	gcgtggaccc	tccgcccgat	gatagggctg	gaggaggaag	gggcgggctg	2340
	aagaagggga	aggtgggaag	agcccagccg	gggctacaaa	ttgggtgaag	cgctgaggtt	2400
	ttagtacttc	cgtttgagga	gataggcaaa	ggttatgcag	gtttttaatg	gcaggcctga	2460
30	gacaggaact	caggtctcct	gactcccatt	ctgatgaggg	g		2501

<210> 46

<211> 1092

<212> DNA

35 <213> Homo Sapiens

<400> 46

	aagcttcccc	ttcatcatcc	aagaaggcat	tcaggtcttt	ctgtgctagg	ccccaggtaa	60
	agtgctggac	tacccagtaa	ttgggttcag	tagcaggatg	gcctcagatt	gaggtcccag	120
5	ggccaaagga	ccactcctct	cctcagcgct	ggtccgggaa	aggcaagctc	cgggcgggag	180
	cgcacgccgc	gcccccgaag	cctggctccc	tcgccacgcc	cacttcctgc	ccccatcccg	240
	cgcctttcca	ggtcttctcc	cggtgaaccg	gatgctctgt	cagtctccta	ctctgcgtcc	300
	tcggccgcgg	cccgggtccc	tcgcaaagcc	gctgccatcc	cggagggccc	agccagcggg	360
	ctcccggagg	ctggccgggc	aggcgtggtg	cgcggtagga	gctgggcgcg	cacggctacc	420
10	gcgcgtggag	gagacactgc	cctgccgcga	tgggggcccg	gggcgctcct	tcacgccgta	480
	ggcaagcggg	gcggcggctg	cggtacctgc	ccaccgggag	ctttcccttc	cttctcctgc	540
	tgctgctgct	ctgcatccag	ctcgggggag	gacagaagaa	aaaggaggta	gaatggatcc	600
	ccttggcctt	cccctgtggt	cgggggcggg	ccagggtggg	ccgcgttgcc	caggcagccc	660
	tgccgtgttg	ctaggcagcc	tggtcgccgg	cgtgggcgat	gccggcgctg	gggcgggagc	720
15	cgcgagggtg	ggaggccctg	gggcgtttcc	gggacgtgga	gttagcaggg	ttctgacttg	780
	aaaaacgacg	gcaaagcgtg	ttcttgactg	cttctgagca	cctcacacct	ttcagaccca	840
	gggcgccttt	attcccagct	ggaagcccag	cttagagcaa	tggtgccact	aaaaggggtg	900
	tgttggatgt	gaaaataccc	tttggaagta	tttataagcc	tgcaggaaat	atgttttcct	960
	tattttctta	ctctgctccc	ttcattaccc	atttcaagaa	gcaacagaac	ctgtgcagag	1020
20	tgtgttttaa	gttacactgt	atgtttattt	ttgtttatgt	tgaactcggt	gtatacttgt	1080
	gagaataagc	tt					1092
	<210> 47						
	<211> 2501						
25	<212> DNA						
	<213> Homo	Sapiens					
	<400> 47						
2.0							
30		cctcgcccag					60
	tctgacccag	gtttcctccc	ggcgctgcga	gctcccgggg	aagggttaga	gccggcagcc	120
		cggggagggg					180
		cccgggagcc					240
2.5		agggtgaggc					300
35	tcactgtccc	ggctgccagg	ggctgcggcg	acgcggccag	tcagcagcga	gttcaggtcg	360

cgcagatttt attgatgagc tctgactttc agcactttcc ctaagtcaag aagagtctag

	cgtacccttc	ggctgcttca	tttcagcctc	cctgcctcag	ctcttcagcc	ctattccccc	480
	tcgccctgtc	ctggggtgtg	tacagcagcc	caggccttcc	ttctccttcc	cggctccgtg	540
	gcccgaagcc	gccgagagag	ctcgggacag	cgcaggacca	ggcagccgct	cgctctcctg	600
	tcaccttaac	tgcaggctcc	gaggggcgcc	tttggagtgt	actgaggtgt	gtcctaatcg	660
5	tgcggcattc	aacaaatgga	cttctggtgt	gtggtcagaa	gagaaaagcc	atttacttac	720
	tttcctcccc	ggttttctgg	caacagctga	aggggagctg	cctccgtgga	ctgagcagac	780
	ccaggagagg	gagtcgtggt	gcggagacac	acgcaccaca	cacagatgac	cggtggcaca	840
	cacgacacac	gctgacatac	cgacatcgcc	agtgggacac	acacacacac	acacacacac	900
	acacacacac	acacagagag	agagagagaa	tccctcccag	cattggtcat	ccgcccccc	960
10	acccaggctt	ccactccccc	tcccctctta	tctcccctgg	cttcccctcc	tctcgggcgc	1020
	tgcgaaaagc	agccgcactt	agtcaacaaa	tggcacgtgg	gagaagttgg	tgagtgtttg	1080
	gtgaggactc	ttcagggctt	ttcacaagaa	ccctctgtac	acaaagtaag	tggcgtgttt	1140
	actcgggcct	ctccagccag	agctgtgcct	ctgctccgct	gcgcaccgcg	gcttccgaaa	1200
	ggagaaagga	gagaagaaag	ggcggggaga	gcggggtgga	ggatttggac	aggccctgga	1260
15	ggcttgggct	ggggaggcct	ctggcctcgt	ttagttctcg	gcccggcaac	ctcctctcgg	1320
	cctaggcttc	gccgcggcct	ccgcagctgg	aatggagctg	ccaggaccca	gtgacgctcc	1380
	cgcccctttc	ctcttcttcc	aaggggccag	gtgggctggg	gtgcggccgc	cgctgtgctc	1440
	tgtgtcttgg	ggccccggct	gggatggggt	gggggcgggc	gggggcgggg	cggcaggcca	1500
	cgctgtcctg	gagttggcaa	gaaaggacag	cacagaaact	tgcaccctcc	gaggactggg	1560
20	agtcccgagt	ccagcttagg	gggagtgggg	gcgcgacccc	caacccagaa	accttcactt	1620
	gaccgctcaa	gttcgcggca	gcagggcggg	ccgcgccgaa	tctcggcgtg	cgcggagcgg	1680
	ggagatgcag	gcgagcgcca	gagcccgggc	tcgggggccc	tgcgccgggg	agaggagccg	1740
	ggacccaccg	gcggagccga	aaacaagtgt	attcatattc	aaacaaacgg	accaattgca	1800
	ccaggcgggg	agagggagca	tccaatcggc	tggcgcgagg	ccccggcgct	gctttgcata	1860
25	aagcaatatt	ttgtgtgaga	gcgagcggtg	catttgcatg	ttgcggagtg	attagtgggt	1920
	ttgaaaaggg	aaccgtggct	cggcctcatt	tcccgctctg	gttcaggcgc	aggaggaagt	1980
	gttttgctgg	aggatgatga	cagaggtcag	gcttcgctaa	tgggccagtg	aggagcggtg	2040
	gaggcgaggc	cgggcgccgg	cacacacaca	ttaacacact	tgagccatca	ccaatcagca	2100
	taggtgtgct	ggctgcagcc	acttccctca	cccacactct	ttatctctca	ctctccagcc	2160
30	gctgacagcc	cattttattg	tcaatctctg	tctccttccc	aggaatctga	gaattgctct	2220
	cacacaccaa	cccagcaaca	tccgtggaga	aaactctcac	cagcaactcc	tttaaaacac	2280
	cgtcatttca	aaccattgtg	gtcttcaagc	aacaacagca	gcacaaaaaa	ccccaaccaa	2340
	acaaaactct	tgacagaagc	tgtgacaacc	agaaaggatg	cctcataaag	gtgagtccgc	2400
	ttctttcttc	tcgctttatt	tttattgcaa	tattcagaca	ggtctccccc	ttcctccccc	2460
35	cttccttcct	cccctctcgc	cggtcccctc	ccccactgct	a		2501

<210> 48
<211> 2501
<212> DNA
<213> Homo Sapiens
5

<400> 48

tgatggttgc acaactctga gtacatgaaa aatcaatgaa ctgatacttt gagtgagctg 60 tatgatactg gaattacacc tcaataaagc atggtaactg ttttaagata ggctggaaag 120 10 agaaagcctg aaaacaacaa taatgatatt aataaattag tttacttctc tagtctcata 180 tacttetgtg cccacacttg ctcctgttct attcataatg gtccccttgc agttgccata 240 ttatatcctg ccatttgatg cccggtgaac attctatacc tgcttcccag aattctcttt 300 acctttcctc tatctgccta acttccacat atctaaaatt aatcagagta aactatttac 360 tagaacaacc aactccaaat cctagtaacc taacatgata aaggtttgtt tctcactcat 420 15 atagcccctc cccagatgat cgaggggtcc aggctcctta cctctagtgg ctccccacc 480 ttctggagtc ttctgcattc tttatacatg gttgagataa actatgagtc attagcacag 540 ctagaccttg aggtcctaca agaaaatttg caaatcattc actctgtttt gaacaaggta 600 tatttaagat gatgttaaaa tacccaatgg tcttgggtca aatacagttt atgactgtgt 660 atctaaaata tatattgcaa tattcttccc tttttctact gacttcatga atttagcggg 720 20 gatccatttt ataagctcaa agataattac ttttcagact aagaatattt agggtaaaaa 780 gtactgttca acatctctac tgaggatgtt atgatgtagc acactgtata agctggagct 840 aaaggaaact ttccttaaag tgctatttac taaaaattgg aacacattcc ttaagacaaa 900 tcgaagtgtg gcacacaaca tccaaacttc catcatagat acagaggtgt taccatctcc 960 cactcccaaa tttctttgtc acgctgagga tactcaagag gagcaggaca tgttggtcgc 1020 25 agcaggagaa acttgaaagc attcactttt atggaactca taagggagag aatttcttat 1080 tttagtatcg tccttgatac atttattatt ttaaaagata atgtagccaa atgtcttcct 1140 ctgtgttaaa tctttacaaa actgaaatct taaaatggtg acaaaaattc tacttctgat 1200 agaatctatt catttttcca attagatagg gcataattct taatttgcaa aacaaaacgt 1260 aatatgctta tgaggttcca tcccaaagaa cctgctattg agagtagcat tcagaataac 1320 30 gggtggaaat gccaactcca gagtttcaga tcctaccggt aattggggta gggaggggct 1380 ttgggcgggg cctccctaga ggaggaggcg ttgttagaaa gctgtctggc cagtccacag 1440 ctgtcactaa tcggggtaag ccttgttgta tttgtgcgtg tgggtggcat tctcaatgag 1500 aactagette acttgteatt tgagtgaaat etacaaceeg aggeggetag tgeteeegea 1560 ctactgggat ctgagatctt cggagatgac tgtcgcccgc agtacggagc cagcagaagt 1620 35 ccgacccttc ctgggaatgg gctgtaccga gaggtccgac tagccccagg gttttagtga 1680 gggggcagtg gaactcagcg agggactgag agcttcacag catgcacgag tttgatgcca 1740

	gagaaaaagt	cgggagataa	aggagccgcg	tgtcactaaa	ttgccgtcgc	agccgcagcc	1800
	actcaagtgc	cggacttgtg	agtactctgc	gtctccagtc	ctcggacaga	agttggagaa	1860
	ctctcttgga	gaactccccg	agttaggaga	cgagatctcc	taacaattac	tactttttct	1920
	tgcgctcccc	acttgccgct	cgctgggaca	aacgacagcc	acagttcccc	tgacgacagg	1980
5	atggaggcca	agggcaggag	ctgaccagcg	ccgccctccc	ccgcccccga	cccaggaggt	2040
	ggagatccct	ccggtccagc	cacattcaac	acccactttc	tectecetet	gcccctatat	2100
	tcccgaaacc	ccctcctcct	tcccttttcc	ctcctccctg	gagacggggg	aggagaaaag	2160
	gggagtccag	tcgtcatgac	tgagctgaag	gcaaagggtc	cccgggctcc	ccacgtggcg	2220
	ggcggcccgc	cctcccccga	ggtcggatcc	ccactgctgt	gtcgcccagc	cgcaggtccg	2280
10	ttcccgggga	gccagacctc	ggacaccttg	cctgaagttt	cggccatacc	tatctccctg	2340
	gacgggctac	tcttccctcg	gccctgccag	ggacaggacc	cctccgacga	aaagacgcag	2400
	gaccagcagt	cgctgtcgga	cgtggagggc	gcatattcca	gagctgaagc	tacaaggggt	2460
	gctggaggca	gcagttctag	tcccccagaa	aaggacagcg	g		2501
15	<210> 49						
	<211> 2501						
	<212> DNA						
	<213> Homo	Sapiens					
20	<400> 49						
	taccttcata	aaaggatctt	tgacttggta	agtgtgtgcg	atgcatactt	ttcatgttac	60
	accacaagtg	ccacttagca	actccactag	acagggcagt	gtttcagcat	ggggtggggt	120
	gccccctgac	aggcttttaa	aaggcccgga	tgccaatgca	cattccaaca	ctatccacaa	180
25	aaaggagact	ggagcagtgc	tcttccctgc	attgggcaag	gagactctcc	ctccctgcct	240
	aaccacttgc	ctgccctgtt	ttgtgggaga	attacaagta	aatgctacag	aggcagtgga	300
	gaaaaaaggg	tgttttaatt	cctctccaga	gtttccttta	tttgatgtat	gttgcatcct	360
	ttaaacaagt	tgtgcaaaat	ggctgcaggg	tagattggct	ctccctttta	aagctctcca	420
	tccggctggg	tttatttgta	aatactgcat	ctatccttct	tagtgtttta	ggactggctg	480
30	gaaagactct	tcttcctgta	ggttgggtca	gtgtgagaga	tctaaaaaat	cattttccct	540
	taaaattact	gtattttaat	aaaaggattg	ggcaggggct	ggaatgagag	aaaactggtc	600
	cttcaaaatg	taaaactgtc	atacttaaac	cagtttacaa	aatatgcgtt	taattatgtg	660
	gtgggatgtg	tgtaggtgta	tgatgagaga	ggcaaccaac	atggctattt	ggggtgcaag	720
	gatgtgggaa	caggcaagta	attttcacat	tggactttca	tcctagggag	ctgggttcta	780
35	gtcacagctc	tgagctgtgt	gaccttgggt	aggtctcatc	tccccggggt	tttgtttcac	840
	cagttgaaca	gtatgaggat	gagtcacage	taacatttgt	tccatgatat	ttacccagca	900

	ccatacaagt	gttatttctg	tcctcccagt	taacactgac	gtgggtagta	ttatatgccc	960
	attttacaga	tgaggaaact	gaagcctgaa	gaagttaaat	acttatccca	gaacacacag	1020
	ctggtaagtg	gcagacctgg	aattggaatc	tagttcagtt	tgattcccca	acccatgctc	1080
	ttgaccacta	tactgttttt	tcaagtccag	atctgaaatc	tcattttctg	tgtggctgtg	1140
5	tgtttgggac	aggggtaacc	aattcctgac	tactctatat	gctgcataga	acctggagag	1200
	gatttttcaa	agtaaatgaa	tctcgaaagc	tggattgcag	agcaaacgag	tgcagtcaat	1260
	tcagccaggg	gcttgcaaga	gggagaaaga	gaaaaagact	gtggaatgga	aagtttccca	1320
	acccaagcct	ttcccaaggg	gtagccattc	tctgttctac	agtttagggc	ttgcatgtgc	1380
	tttttctgga	gtggaaaaat	acataagtta	taaggaattt	aacagacaga	aaggcgcaca	1440
10	gaggaattta	aagtgtgggc	tggggggcga	ggcggtgggc	gggaggcgag	cgggcgcagg	1500
	cggaacaccg	ttttccaagc	taagccgccg	caaataaaaa	ggcgtaaagg	gagagaagtt	1560
	ggtgctcaac	gtgagccagg	agcagcgtcc	cggctcctcc	cctgctcatt	ttaaaagcac	1620
	ttcttgtatt	gtttttaagg	tgagaaatag	gaaagaaaac	gccggcttgt	gcgctcgctg	1680
	cctgcctctc	tggctgtctg	cttttgcagg	gctgctggga	gtttttaagc	tctgtgagaa	1740
15	tcctgggagt	tggtgatgtc	agactagttg	ggtcatttga	aggttagcag	cccgggtagg	1800
	gttcaccgaa	agttcactcg	catatattag	gcaattcaat	ctttcattct	gtgtgacaga	1860
	agtagtagga	agtgagctgt	tcagaggcag	gagggtctat	tctttgccaa	aggggggacc	1920
	agaattcccc	catgcgagct	gtttgaggac	tgggatgccg	agaacgcgag	cgatccgagc	1980
	agggtttgtc	tgggcaccgt	cggggtagga	tccggaacgc	attcggaagg	ctttttgcaa	2040
20	gcatttactt	ggaaggagaa	cttgggatct	ttctgggaac	ccccgcccc	ggctggattg	2100
	gccgagcaag	cctggaaaat	ggtaaatgat	catttggatc	aattacaggc	ttttagctgg	2160
	cttgtctgtc	ataattcatg	attcggggct	gggaaaaaga	ccaacagcct	acgtgccaaa	2220
	aaaggggcag	agtttgatgg	agttgggtgg	acttttctat	gccatttgcc	tccacaccta	2280
	gaggataagc	acttttgcag	acattcagtg	caagggagat	catgtttgac	tgtatggatg	2340
25	ttctgtcagt	gagtcctggg	caaatcctgg	atttctacac	tgcgagtccg	tcttcctgca	2400
	tgctccagga	gaaagctctc	aaagcatgct	tcagtggatt	gacccaaacc	gaatggcagc	2460
	atcggcacac	tgctcaatgt	aggtttattt	ttttcccttc	t		2501
	<210> 50						
30	<211> 2501						
	<212> DNA						
	<213> Homo	Sapiens					
	<400> 50		•				

	agaaaagcat	atggtgccaa	gagaacgtgt	aatacaagat	ctactcatgg	aggtgaggga	120
	aagcttgccc	atcaaagaag	ttatgattca	atccacgaag	accaggagtt	ggctgggtga	180
	agaaaaaaag	gtcagaggaa	ggaagtccac	actggggaag	gctctaagca	taaagggtag	240
	gaggattaca	gaggcatatt	cacgaaattt	ggagaaggct	ttcagtaagc	aaggagaagc	300
5	caaatgaaag	tttacgggag	agttggaggc	ttgaagacac	gttcaaggat	ctggttttta	360
	tcttctcttt	atctcaagag	cagtgggaag	ccattaaatg	attttaatca	gagggttggt	420
	ataactagtt	ttgtattttg	aaaagctgaa	ttcagctctc	gtttgagaaa	ctgagtgaaa	480
	gagcccagaa	cggccgtggc	tgagggtgac	tcgtgggaga	ctcctacaca	agccatggca	540
	gtggcatggg	ctggtggcag	aagagggaat	agggagaaga	tttggaactc	aatcttcctc	600
10	cattgacaaa	gtcactccag	ctttggcaag	gcaattaatt	ggtgggaaag	aagatgccta	660
	gccctcctga	tttcactgca	ctttctgcat	cttcaacatg	agtactggga	agtggcaaaa	720
	catccagagg	cagcttgggt	gctaggtgga	gcatgagtta	aaattccagg	atgaagcaaa	780
	tgaacactta	gaatgacagg	aaagatttgg	gagttgggtt	tgggggaggg	ctatttacct	840
	ttattccctg	gagaccctgg	cacaaaccct	tgcctctgca	atcttcctct	caggtaaagg	900
15	aattcattaa	atgaattgct	agaagatcta	ctgaccagag	ggctgtacag	aatcatatct	960
	ttgagagtgg	gaagtaggtt	gatcacatag	tttattatcc	aatcaggaca	tatctgaaag	1020
	agaaaggggg	ttctattaat	atttaaacta	caaaacatgt	acaccaggaa	tgtcttgggc	1080
	aaatctggtt	gccctagcaa	gaaaggaaat	ttgaaagttt	atactgttct	gctcccatgt	1140
	taccccgttt	gcacatgaga	gggtaagtat	tctctttctt	cacctgcatt	aagggaataa	1200
20	aagcacaagc	attcaggtga	ctcccaaccc	acttttaatt	ttacagtttc	tgctatactc	1260
	tatacattct	gaaaattaca	tttcccacca	ctatcacttc	gtgataggtg	atcatttaca	1320
	attactcact	gactcagtcc	cgggaagagg	cggtgcaaaa	tgggacgctc	tatccaggtg	1380
	ctcattagaa	atgcagaatc	tctgcctgcc	tcctagacct	actgaattag	aatctgcatt	1440
	tttaaataag	atttccaggt	gatcaatatg	tacattaaaa	cttgagaaaa	acctctagac	1500
25	ttcgacctaa	agaaaaacat	tttacaactt	gacagtgtat	gcacatacat	acatgcatat	1560
	agacacaact	gaagcacaaa	tttaatgaag	tagaatttac	cgttactatt	ttatttggga	1620
	aagaaatgtg	ctcgcgactc	aatagattgg	agtattcact	cctggatctc	aacttgcaat	1680
	ttgaaaacgc	atctctaaag	cacctaggag	caatctgaag	aaagctgagg	ggaggcggca	1740
	gatgttctga	tctactaggg	aaaacgtgga	cgttttctgt	tgttactttg	tgaactgtgt	1800
30	gcacttagtc	attcttgagt	aaatacttgg	agcgaggaac	tcctgagtgg	tgtgggaggg	1860
	cggtgagggg	cagctgaaag	tcggccaaag	ctctcggagg	ggctggtcta	ggaaacatga	1920
	ttggcagcta	cgagagagct	aggggctgga	cgtcgaggag	agggagaagg	ctctcgggcg	1980
	gagagaggtc	ctgcccagct	gttggçgagg	agtttcctgt	ttcccccgca	gcgctgagtt	2040
	gaagttgagt	gagtcactcg	cgcgcacgga	gcgacgacac	ccccgcgcgt	gcacccgctc	2100
35	gggacaggag	ccggactcct	gtgcagcttc	cctcggccgc	cgggggcctc	cccgcgcctc	2160
	gccggcctcc	aggccccctc	ctggctggcg	agcgggcgcc	acatctggcc	cgcacatctg	2220

	cgctgccggc	ccggcgcggg	gtccggagag	ggcgcggcgc	ggaggcgcag	ccaggggtcc	2280
	gggaaggcgc	cgtccgctgc	gctgggggct	cggtctatga	cgagcagcgg	ggtctgccat	2340
	gggtcggggg	ctgctcaggg	gcctgtggcc	gctgcacatc	gtcctgtgga	cgcgtatcgc	2400
	cagcacgatc	ccaccgcacg	ttcagaagtc	gggtgagtgg	tccccagccc	gggctcggcg	2460
5	gggcgccggg	ggtcttcctg	gggtccccgc	ctctccgctg	С		2501
	<210> 51						
	<211> 2500						
	<212> DNA						
10	<213> Homo	Sapiens					
	<400> 51						
. -	ttcccatcaa	gccctagggc	tcctcgtggc	tgctgggagt	tgtagtctga	acgcttctat	60
15	cttggcgaga	agcgcctacg	ctccccctac	cgagtcccgc	ggtaattctt	aaagcacctg	120
	caccgccccc	ccgccgcctg	cagagggcgc	agcaggtctt	gcacctcttc	tgcatctcat	180
	tctccaggct	tcagacctgt	ctccctcatt	caaaaaatat	ttattatcga	gctcttactt	240
	gctacccagc	actgatatag	gcactcagga	atacaacaat	gaataagata	gtagaaaaat	300
	tctatatcct	cataaggctt	acgtttccat	gtactgaaag	caatgaacaa	ataaatctta	360
20	tcagagtgat	aagggttgtg	aaggagatta	aataagatgg	tgtgatataa	agtatctggg	420
	agaaaacgtt	agggtgtgat	attacggaaa	gccttcctaa	aaaatgacat	tttaactgat	480
	gagaagaaag	gatccagctg	agagcaaacg	caaaagcttt	cttccttcca	cccttcatat	540
	ttgacacaat	gcaggattcc	tccaaaatga	tttccaccaa	ttctgccctc	acagctctgg	600
	cttgcagaat	tttccacccc	aaaatgttag	tatctacggc	accaggtcgg	cgagaatcct	660
25	gactctgcac	cctcctcccc	aactccattt	cctttgcttc	ctccggcagg	cggattactt	720
	gcccttactt	gtcatggcga	ctgtccagct	ttgtgccagg	agcctcgcag	gggttgatgg	780
	gattggggtt	ttcccctccc	atgtgctcaa	gactggcgct	aaaagttttg	agcttctcaa	840
	aagtctagag	ccaccgtcca	gggagcaggt	agctgctggg	ctccggggac	actttgcgtt	900
	cgggctggga	gcgtgctttc	cacgacggtg	acacgcttcc	ctggattggg	taagctcctg	960
30	actgaacttg	atgagtcctc	tctgagtcac	gggctctcgg	ctccgtgtat	tttcagctcg	1020
	ggaaaatcgc	tggggctggg	ggtggggcag	tggggactta	gcgagtttgg	gggtgagtgg	1080
	gatggaagct	tggctagagg	gatcatcata	ggagttgcat	tgttgggaga	cctgggtgta	1140
	gatgatgggg	atgttaggac	catccgaact	caaagttgaa	cgcctaggca	gaggagtgga	1200
	gctttgggga	accttgagcc	ggcctaaagc	gtacttcttt	gcacatccac	ccggtgctgg	1260
35	gcgtagggaa	tccctgaaat	aaaagatgca	caaagcattg	aggtctgaga	cttttggatc	1320
	tcgaaacatt	gagaactcat	agctgtatat	tttagagccc	atggcatcct	agtgaaaact	1380

	ggggctccat	tccgaaatga	tcatttgggg	gtgatccggg	gagcccaagc	tgctaaggtc	1440
	ccacaacttc	cggacctttg	tccttcctgg	agcgatcttt	ccaggcagcc	cccggctccg	1500
	ctagatggag	aaaatccaat	tgaaggctgt	cagtcgtgga	agtgagaagt	gctaaaccag	1560
	gggtttgccc	gccaggccga	ggaggaccgt	cgcaatctga	gaggcccggc	agccctgtta	1620
5	ttgtttggct	ccacatttac	atttctgcct	cttgcagcag	catttccggt	ttctttttgc	1680
	cggagcagct	cactattcac	ccgatgagag	gggaggagag	agagagaaaa	tgtcctttag	1740
	gccggttcct	cttacttggc	agagggaggc	tgctattctc	cgcctgcatt	tctttttctg	1800
	gattacttag	ttatggcctt	tgcaaaggca	ggggtatttg	ttttgatgca	aacctcaatc	1860
	cctccccttc	tttgaatggt	gtgccccacc	ccccgggtcg	cctgcaacct	aggcggacgc	1920
10	taccatggcg	tagacaggga	gggaaagaag	tgtgcagaag	gcaagcccgg	aggcactttc	1980
	aagaatgagc	atatctcatc	ttcccggaga	aaaaaaaaa	agaatggtac	gtctgagaat	2040
	gaaattttga	aagagtgcaa	tgatgggtcg	tttgataatt	tgtcgggaaa	aacaatctac	2100
	ctgttatcta	gctttgggct	aggccattcc	agttccagac	gcaggctgaa	cgtcgtgaag	2160
	cggaaggggc	gggcccgcag	gcgtccgtgt	ggtcctccgt	gcagccctcg	gcccgagccg	2220
15	gttcttcctg	gtaggaggcg	gaactcgaat	tcatttctcc	cgctgcccca	tctcttagct	2280
	cgcggttgtt	tcattccgca	gtttcttccc	atgcacctgc	cgcgtaccgg	ccactttgtg	2340
	ccgtacttac	gtcatctttt	tcctaaatcg	aggtggcatt	tacacacagc	gccagtgcac	2400
	acagcaagtg	cacaggaaga	tgagttttgg	cccctaaccg	ctccgtgatg	cctaccaagt	2460
	cacagaccct	tttcatcgtc	ccagaaacgt	ttcatcacgt			2500
20							
	<210> 52						
	<211> 286						
	<212> DNA						
	<213> Homo	Sapiens					
25							
	<400> 52						
	tttgcactag	gctggaagtg	gccgccagtc	ccccgtgcaa	ttccattctc	tggaaaagtg	60
•	gaatcagctg	gcattgccca	gcgtgatttg	tgaggctgag	ccccaacagt	ccaaagaagc	120
30	aaatgggatg	ccacctccgc	ggggctcgct	cctcgcgagg	tgctcacccc	gtatctgcca	180
	tgcaaaacga	gggagcgtta	ggaaggaatc	cgtcttgtaa	agccattggt	cctggtcatc	240
	agcctctacc	caatgctttc	gtgatgctgc	tgctgatcta	tttggg		286
	<210> 53						
35	<211> 1400						
	<212> DNA						

<213> Homo Sapiens

<220>

<221> unsure

5 <222> (1371)

<223> unknown base

<400> 53

10 ttccagctgt caaaatctcc cttccatcta attaattcct catccaacta tgttccaaaa 60 cgagaataga aaattagccc caataagccc aggcaactga aaagtaaatg ctatgttgta 120 ctttgatcca tggtcacaac tcataatctt ggaaaagtgg acagaaaaga caaaagagtg 180 aactttaaaa ctcgaattta ttttaccagt atctcctatg aagggctagt aaccaaaata 240 atccacgcat cagggagaga aatgccttaa ggcatacgtt ttggacattt agcgtccctg 300 15 caaattctgg ccatcgccgc ttcctttgtc catcagaagg caggaaactt tatattggtg 360 accegtggag ctcacattaa ctatttacag ggtaactgct taggaccagt attatgagga 420 gaatttacct ttcccgcctc tctttccaag aaacaaggag ggggtgaagg tacggagaac 480 agtatttctt ctgttgaaag caacttagct acaaagataa attacagcta tgtacactga 540 600 aggtagctat ttcattccac aaaataagag ttttttaaaa agctatgtat gtatgtgctg 20 catatagage agatatacag cetattaage gtegteacta aaacataaaa catgteagee 660 tttcttaacc ttactcgccc cagtctgtcc cgacgtgact tcctcgaccc tctaaagacg 720 780 tacagaccag acacggcggc ggcggcggga gaggggattc cctgcgcccc cggacctcag ggccgctcag attcctggag aggaagccaa gtgtccttct gccctccccc ggtatcccat 840 ccaaggcgat cagtccagaa ctggctctcg gaagcgctcg ggcaaagact gcgaagaaga 900 25 960 aaagacatct ggcggaaacc tgtgcgcctg gggcggtgga actcggggag gagagggagg 1020 gatcagacag gagagtgggg actaccccct ctgctcccaa attggggcag cttcctgggt ttccgatttt ctcatttccg tgggtaaaaa accttgcccc caccgggctt acgcaatttt 1080 tttaagggga gaggagggaa aaatttgtgg ggggtacgaa aaggcggaaa gaaacagtca 1140 tttcgtcaca tgggcttggt tttcagtctt ataaaaagga aggttctctc qqttaqcqac 1200 30 caattgtcat acgacttgca gtgagcgtca ggagcacgtc caggaactcc tcagcagcgc 1260 ctecttcage tecacageca gaegecetea gaeageaaag cetaceeeg egeegegee 1320 tgcccgccgc tgcgatgctc gcccgcgccc tgctgctgtg cgcggtcctg ncgctcagcc 1380 atacaggtga gtacctggcg 1400

35 <210> 54

<211> 2501

<212> DNA

<213> Homo Sapiens

<400> 54

5							
	gataatcttt	tcatacaaga	tgcattctgc	ttttgtgggc	ctcttgcagc	cctcaagccc	60
	ccatctgatt	tgtacacaat	gatccagtgg	gccagaggag	cccagagcca	tgagcggccc	120
	atccctccaa	gaactatttc	tgactgtcca	gtatcatgga	gcaagtggaa	agaagaaaaa	180
	aaaaacccaa	ttacttttcg	aagagcaaga	tgaatgctgt	agaaggagaa	ggaaggggag	240
10	ggagatggat	gggtgccgat	tccagaatct	tcagatctgc	ttggatgaat	cattacctat	300
	gatttgcggg	acaagaatct	gattttattc	atcaaccagt	agaaactttt	ctttctgcct	360
	cccaacatct	gaaatccaac	aaacatgtgc	cttaggaaca	taccggtcat	cttttagagg	420
	cattttatat	acatattgag	taactagaaa	acactctttc	cgtaatacac	acacacacac	480
	acacacacac	acaccatctt	gtcatacaac	actcccacgc	aagaaaagcg	aaactgctgt	540
15	ttgatgaatg	taaacacttg	gctgtttgca	gcagtcggga	gtcctgccag	gtttaagtgc	600
	taagatggga	ggtgaacccc	aggggtttcc	ccctgcccgt	gctgagatcc	ttatttggtc	660
	aagcttctac	ctatgccctg	gcctcggagc	gagcccgata	gcgctggatc	acagcagagg	720
	gagcgaggcg	gctgacgtcc	catcccgaag	agatgaatgg	aattccagga	agctagagtc	780
	atgctggctt	gggacagtgg	cttggagacc	agacttcaat	gacagaagca	ctaggcagcg	840
20	gcactcatgg	caatgtgtgc	acccacagaa	atgtaaccca	cacctcgggt	tcaggagccg	900
	aaaaatgaaa	agaacgttta	gggaggaaaa	agggaaatac	aataataggc	agagagtaat	960
	ttattactct	atgggtctgc	tctgtaaata	gctgaagact	ctggagccag	atggttctgc	1020
	aaattctcca	aacaggagtc	acgttaagaa	gcacgagtgg	gcacaaaaac	tgtttttcaa	1080
	gacacaattt	caatttggct	tgtggaaact	ggatacgagt	aagtttcctt	aaaattcgag	1140
25	tagaaagcag	ctgtcctccc	cgggcccctt	gatgagaata	cgcacaccgc	ccccaagcgg	1200
	ccggccgagg	gagcgccgcg	gcagcgggag	aggcgtctct	gtgggccccc	tggcagccgc	1260
	ggcaggaaag	ggcccgaagg	cagcgaaggc	gaacgcggcg	caccaacctg	ccggccccgc	1320
	cgacgccgcg	ctcacctccc	tccggggcgg	gcgtggggcc	agctcaggac	aggcgctcgg	1380
	gggacgcgtg	tcctcacccc	acggggacgg	tggaggagag	tcagcgaggg	cccgaggggc	1440
30	aggtacttta	acgaatggct	ctcttggtgt	cccctgcgcc	ccgtcggccc	atttttcttt	1500
	ttacaaaacg	ggcccagtct	ctagtatcca	cctctcgcca	tcaaccaggc	attccgggag	1560
	atcagctcgc	ccgaaagccc	ctgcgccacc	ccgcgggccc	tcctaggtgg	tctccccagc	1620
	cccgtccctt	ttcgggatgc	ttgctgatca	ccccgagccc	gcgtggcgca	agagtacgag	1680
	cgccgagccc	gtgcgcgcca	aggctgcgtg	ggcgggcacc	gacttttctg	agaagttcta	1740
35	gtgctcccaa	gccccgaccc	ccgccccctt	cactttctag	ctggaaagtt	gcgcgccagg	1800
	cagcgggggg	cggagagagg	agcccagact	ggcccccacc	tcccgcttcc	tgcccggccg	1860

	ccacccatta	accaasaass	tecceagaaa	tacasacaca	aatttaaaaa	agaggggata	1920
		gccggaggaa					
		ccagccgctg					1980
		cctctactcc					2040
_		cgctcccggc					2100
5	ccgccgagga	ccaaagctgc	ccgggacatc	cacctggagc	gctgaggctt	cagtccctct	2160
	ggtggacccc	ggaacctaca	ctctccccgc	tcgcctaccc	cagcccgctc	ctctcagccg	2220
	ctggaggact	cttcagggca	aggctccaga	gccatcctct	ccagccttga	ggttcacaaa	2280
	ccaactcatc	aggacacccc	aagatttcct	tactctctga	agtcctcctt	aagcctttgt	2340
	atcagcactc	cagggaagag	tctgtacttc	ccctgccctc	cctgcaaccc	caaactacag	2400
10	ttcctgatct	tgctcacctt	cgacttccca	aaagccccca	aattgttggt	cttgcgcccc	2460
	ccacacttta	aaaccagcat	ctctttcctc	cacctctctc	t		2501
	<210> 55						
	<211> 7258						
15	<212> DNA						
	<213> Homo	Sapiens					
	<400> 55						
20	++022+2002	200200000	attt=t=====	+			60
20		agcaccaaca					60
		cacctaaccc					120
		ttcagtaatc					180
		gccgaaagca					240
0.5		ctgccactga					300
25	tgtctgtgct	tcttgggaga	gtatgtctcg	tacatttgtc	gcgtgatgaa	gacttcacag	360
	ctccatccag	cgaccagact	cacageteca	tccagctgcg	gcaagggggt	ctgaggcagt	420
	cttaggcaag	ttggggccca	gcgggagaag	ttgcagaaga	actgattaga	ggacccagga	480
	ggcttcagag	ctgggctgag	gtagagagtc	tcctgtgcgc	cttctctcct	ctctgcaatt	540
	cggggactcc	ttgcactggg	gcaggccccg	gcaggtgcat	gggaggaagc	acggagaatt	600
30	tacaagcctc	tcgattcctc	agtccagacg	ctgttgggtc	ccctccgctg	gagatcgcgc	660
	ttcccccaaa	tctttgtgag	cgttgcggaa	gcacgcgggg	tccgggtcgc	tgagcgctgc	720
	aagacagggg	agggagccgg	gcgggagagg	gaggggcggc	gccggggcgg	gccctgatat	780
		ccgcgggtcg	cagcacagtc	ggagaccgca	gcccggagcc	cgggccaggg	840
	agagcaggcg						840 900
35	agagcaggcg tccacctgtc	ccgcgggtcg	cggctcgcgc	cctcctgccg	cagccaccgg	tgagtgccgc	

egecetggge tgeeeggget eeetgggete eeeggegget geaeggagte aaggegeeee

	gtcccgggcg	teeceegegg	gtgccgatcc	aggctgcccg	gagtccggag	cccatagagg	1080
	agagagacag	ctggggagcc	tggtcaccgc	gggcatctcc	cctgcgctgc	agtcgcccgc	1140
	ctggcctgcc	ttcccgttcc	tccgcctctt	gccctgactt	ctccttcctt	tgcagagccg	1200
	ccgtctagcg	ccccgacctc	gccaccatga	gagccctgct	ggcgcgcctg	cttctctgcg	1260
5	tcctggtcgt	gagcgactcc	aaagtgagtg	cgctcttgct	ttgactgatg	ctgcccaagg	1320
	acctctgatc	agcaccaggg	gagaggaggg	gctgctcagg	gagctggggt	ctccggattc	1380
	catccacagc	agggccagac	tctccccagg	aaatgggaca	gggtggcagc	ggaggcttga	1440
	gaaccacggg	ggttggcact	ggctggcaag	ggaggaagag	ggccaccggg	actgcccag	1500
	cctgcgggca	tctggtagat	gaagcttaat	ccatttctcc	tggctggaaa	ccatggtctt	1560
10	ccatttgaga	actagatacg	aacagggtga	ggcgagaggg	agagggaaga	gtgggttttg	1620
	ggattggggc	cagtttaccc	tcaccctgga	tccctggagc	atgggacctt	tgatgaagcc	1680
	tcctcccgaa	tctcttccag	ggcagcaatg	aacttcatca	agttccatgt	gagtatccac	1740
	ccctacaaca	gttggctgca	cagacaagtt	gggaaggctt	caggggacac	tcccctccct	1800
	gccctctgct	gcagcgtgcg	ccacccctta	ccacttccac	tcccctcgc	ttaccccacc	1860
15	tttgttctct	ccagcgaact	gtgactgtct	aaatggagga	acatgtgtgt	ccaacaagta	1920
	cttctccaac	attcactggt	gcaactgccc	aaagaaattc	ggagggcagc	actgtgaaat	1980
	aggtatgggg	atctccactg	caactgggag	agaaatttgg	ggacagggag	ggatgggtgg	2040
	gaggcaagag	caggcaggag	ttaggagctg	gaggtagggt	gggtgacatc	ttcatcccta	2100
	tgtgacaagc	ataaacacac	acacacgctc	acgaaacagt	ggccacacaa	atgtgaggtg	2160
20	gggttggaag	gagaccctgt	ccagtcttct	ggcaggtctg	aaacgacatc	tttaaaatgt	2220
	ccgttggcag	ccgggcatgg	tggctcacgc	ttgtaatccc	agcattttga	gaggtcaagt	2280
	ttgagtggat	catttaggtc	aggagttcaa	gaccagcctg	gacaacatgg	tgtaaccctg	2340
	cctctactaa	aaatgcaaaa	atcagcctgg	catggtggtg	gatgcctgta	gtcccagcta	2400
	cttgggaggc	tgaggcagga	gaattgcttg	aacatgggag	gccagatctc	agtgagctga	2460
25	gatcacacca	ctgcactcca	actgggcgac	agagcaagac	tccatctcaa	aaaaaaaaa	2520
	aaataaaagt	tagttggaat	gttcttctct	ttctcatatt	ctctcatcct	cctgtcccct	2580
	tgtagataag	tcaaaaacct	gctatgaggg	gaatggtcac	ttttaccgag	gaaaggccag	2640
	cactgacacc	atgggccggc	cctgcctgcc	ctggaactct	gccactgtcc	ttcagcaaac	2700
	gtaccatgcc	cacagatctg	atgctcttca	gctgggcctg	gggaaacata	attactgcag	2760
30	gtgaggtggg	ggcaacaagg	accaaaagcc	ctccctacag	cttcccagaa	accttgttac	2820
	catccccttc	tcccagaggg	ctggccatag	cacaagagaa	gtgcggcctc	tggttgagtc	2880
	ttccctgagg	ggaggaggca	gggaaggccc	tctgggttgg	aatgacatcc	cctatctttc	2940
	tgtgttgtgc	caggaaccca	gacaaccgga	ggcgaccctg	gtgctatgtg	caggtgggcc	3000
	taaagccgct	tgtccaagag	tgcatggtgc	atgactgcgc	agatggtgag	catcactgac	3060
35	ctgctgatga	caggtgggtg	gaaggggaca	aacttacatg	tccccttatt	ccatcacagg	3120
	aggactgagg	aggtggggg	tgcccgagag	ggatgctttc	tcctacctgc	ctccctaaga	3180

	catccctctg	tttgtcctcc	aggaaaaaag	ccctcctctc	ctccagaaga	attaaaattt	3240
	cagtgtggcc	aaaagactct	gaggccccgc	tttaagatta	ttgggggaga	attcaccacc	3300
	atcgagaacc	agccctggtt	tgcggccatc	tacaggaggc	accggggggg	ctctgtcacc	3360
	tacgtgtgtg	gaggcagcct	catgagccct	tgctgggtga	tcagcgccac	acactgcttc	3420
5	atgtacggcc	ctgggtttct	cctcttcgac	tcttctgccc	caccccaagc	acatcccttt	3480
	ctccttccca	gcaaagtgtt	ccgcctcatt	tctccctcat	ctgcccctgt	ccatgcgccc	3540
	atggccttgg	ggacaagtcg	tgctttgagg	cctctaggga	gggaaggaag	aagtggcatg	3600
	atttcatggg	actaagctgt	ttgatgggta	tcttcttcca	cagtgattac	ccaaagaagg	3660
	aggactacat	cgtctacctg	ggtcgctcaa	ggcttaactc	caacacgcaa	ggggagatga	3720
10	agtttgaggt	ggaaaacctc	atcctacaca	aggactacag	cgctgacacg	cttgctcacc	3780
	acaacgacat	tggtgagggg	gaacgcccgc	gactactgtg	gccataatgg	cttggggaga	3840
	gtgggaccca	gggagagact	ggagctgagt	tgaagctgcc	ggtggggcag	gggtggggcg	3900
	agggaccttg	aagcctcgat	atacatgaca	aaggatggca	gggaagagtt	ccatgaagtc	3960
	tgaggggcct	ggtgctcctc	tggagagacc	ctgaatttcc	ccaacaagta	gccctcttgc	4020
15	gagtggaaac	agccctgtgg	gtatatggct	tgggctggga	aggccctgtt	tatatgaatt	4080
	agaaaaagac	acaccttcct	ttgtgggatg	cagcctctgt	ctgtgctagg	atatagaact	4140
	tggagaatgg	agccttggga	tggattccag	cctaactacc	tcagggggat	cctctagagt	4200
	gcagctggga	gtttttgcag	aaacgacctg	tacagctgta	tgcagtggct	ctggccatcc	4260
	aagccttttt	caacacctgg	aacaaagccc	ttggggcatg	gggcagggga	ggtttccagg	4320
20	tgataagcga	ccagcagacc	tccctggatg	actgacctag	ggataggcat	agctacttcc	4380
	tcggcacttg	gaggggacag	atggggaccg	cctaaccagt	agtgatcttt	ctcctctgac	4440
	cctctgtcct	ccccagcct	tgctgaagat	ccgttccaag	gagggcaggt	gtgcgcagcc	4500
	atcccggact	atacagacca	tctgcctgcc	ctcgatgtat	aacgatcccc	agtttggcac	4560
	aagctgtgag	atcactggct	ttggaaaaga	gaattctagt	aagtgacaat	tgcgactgac	4620
25	ttagaaggtc	ctgaggagtg	ttttgacctg	aaaatgagcc	cagtgtgatc	aagggaagac	4680
	tgcagagtta	gaggtgggag	cactgaggcg	gtggcagatg	ggtccaggga	tggatgaaga	4740
	gtgttgttta	gggagcgatg	ggctgcaaag	gtaaatagat	ggtaggggct	ataggtggag	4800
	gtaaatggct	cagatttgca	tggagagaga	ataatgggcc	tctccctggg	tgatgatact	4860
	ttatggtgtc	ccctctctgg	cgagacgtcc	cacgtggagg	cagataaatc	ttgatgcaaa	4920
30	cgcctccctg	ttttctccac	ctagccgact	atctctatcc	ggagcagctg	aaaatgactg	4980
	ttgtgaagct	gatttcccac	cgggagtgtc	agcagcccca	ctactacggc	tctgaagtca	5040
	ccaccaaaat	gctgtgtgct	gctgacccac	agtggaaaac	agattcctgc	caggtgagtg	5100
	ttccaagcat	ctctctccac	ctcttccata	tctccccaga	gctcctgggc	ttgttccagc	5160
	cagcttaagg	gtgtctctct	ctagccaaag	ccctaagtag	ccagaatcag	gagctcaggt	5220
35	ctttgagggt	ttaaaccagt	ccttatgtgt	ttgccagaca	ttaccaaaaa	aatcccagct	5280
	ctgcgctagt	cacttcagac	tgggggcacg	agatcctaga	aagaggaaac	agtaaaagac	5340

	aatgtaactc	agtgcccagg	gtgtgttgtg	aactataaat	gatcaggtgt	tcaggagagg	5400
	gaggtgagtg	ccaacctgag	ggtcagggag	gggaggcttt	aaaggaaatg	tgacttgata	5460
	ggcatttgaa	gaggcagagg	gaagaaagga	aggtgtttca	gttgaaagat	acaaaactga	5520
	gaaggaggct	ggcatattcc	gggtggggag	gagaactagg	gtctgggagt	gtggatggaa	5580
5	tagtggcaga	tgacagggct	tttaaagcca	agcaggggat	tttccaactt	cgatgtggta	5640
	gaaatggggc	tgcgtcaggc	acagtggctc	atgcctgtaa	tcccagcatt	gggctaggcc	5700
	gtagtcgatg	gatcattgag	gccagagttg	agaccggcct	ggaccaacat	ggtgaaaccc	5760
	tgtgtctact	aaaaaatgca	aaaaaaaaa	ttagccaggt	gtggtggtgc	ctgcctgtaa	5820
	tcccagctaa	tcaggaggct	gagacatgga	atcgcttgag	cacaggaggc	aagtttgacg	5880
10	tgagctgaga	tcacgtcatt	gcacgccagc	ctgggcgaca	gagcgagatt	ctgtcctccc	5940
	gccgaaaaaa	gaaagaaaat	gggaagtcgc	taaggacttt	gactgggaaa	ctcttccctc	6000
	tctctggtat	ggttgggtga	tgggatcaga	aatcccctcc	tcacttctct	agggctcatc	6060
	ttttgtatct	ttggcgtcac	agggagactc	agggggaccc	ctcgtctgtt	ccctccaagg	6120
	ccgcatgact	ttgactggaa	ttgtgagctg	gggccgtgga	tgtgccctga	aggacaagcc	6180
15	aggcgtctac	acgagagtct	cacacttctt	accctggatc	cgcagtcaca	ccaaggaaga	6240
	gaatggcctg	gccctctgag	ggtccccagg	gaggaaacgg	gcaccacccg	ctttcttgct	6300
	ggttgtcatt	tttgcagtag	agtcatctcc	atcagctgta	agaagagact	gggaagatag	6360
	gctctgcaca	gatggatttg	cctgtgccac	ccaccagggt	gaacgacaat	agctttaccc	6420
	tcaggcatag	gcctgggtgc	tggctgccca	gacccctctg	gccaggatgg	aggggtggtc	6480
20	ctgactcaac	atgttactga	ccagcaactt	gtctttttct	ggactgaagc	ctgcaggagt	6540
	taaaaagggc	agggcatctc	ctgtgcatgg	gtgaagggag	agccagctcc	cccgacggtg	6600
	ggcatttgtg	aggcccatgg	ttgagaaatg	aataatttcc	caattaggaa	gtgtaacagc	6660
	tgaggtctct	tgagggagct	tagccaatgt	gggagcagcg	gtttggggag	cagagacact	6720
	aacgacttca	gggcagggct	ctgatattcc	atgaatgtat	caggaaatat	atatgtgtgt	6780
25	gtatgtttgc	acacttgtgt	gtgggctgtg	agtgtaagtg	tgagtaagag	ctggtgtctg	6840
	attgttaagt	ctaaatattt	ccttaaactg	tgtggactgt	gatgccacac	agagtggtct	6900
	ttctggagag	gttataggtc	actcctgggg	cctcttgggt	cccccacgtg	acagtgcctg	6960
	ggaatgtact	tattctgcag	catgacctgt	gaccagcact	gtctcagttt	cactttcaca	7020
	tagatgtccc	tttcttggcc	agttatccct	tccttttagc	ctagttcatc	caatcctcac	7080
30	tgggtggggt	gaggaccact	ccttacactg	aatatttata	tttcactatt	tttatttata	7140
	tttttgtaat	tttaaataaa	agtgatcaat	aaaatgtgat	ttttctgatg	acaaatctcc	7200
	ctggtgcttg	tatgggaagg	agttggagta	cataaaaagg	agaaaataac	aaaggtgg	7258

<210> 56

35 <211> 852

<212> DNA

<213> Homo Sapiens

<400> 56

5	cagctgcgct	ggaggctgag	gccgattgct	tgagcccagg	atttggaggc	cagcatgcgc	60
	aacataatga	gacccagtct	ctaaatgcat	gcctctctat	atattaaaat	tctgatgtga	120
	aaatatttta	aaatttaata	catttcaaat	gtttttaatt	gtataataaa	caaaatgtaa	180
	ataataaaat	aatttaatat	taaattcaaa	aatgaggtag	aaacaaagca	cagcgatata	240
	aataataaat	tttcctttac	atttttgagg	cggtcttttg	agttttggat	ttccttctta	300
10	ggtcactgaa	atgtgctcct	tggagccagc	ccgcaaatca	cgcatttaga	aaaacataac	360
	tatacactcc	taaccctaag	tattagaagt	gaaagtaatg	gaatctcgat	gtaaacacaa	420
	tatcactttt	ttgtagagct	attttgagta	taataaattt	gaactgtgcc	aatgctggga	480
	gaaaaaattt	aaaagaagaa	cggagcgaac	agtagcttcc	tcgtccgctg	actagaaaca	540
	gtaggacgac	actctcccga	ctggaggaga	gcgcttgcgc	tcgcactcag	ttggcgcccg	600
15	ccctcctgct	ttttctctag	ccgccctttc	ctctttcttt	cgcgctctag	ccacccggga	660
	aggcactgcg	gtagctgggc	tctgattggc	tgctttgaaa	gtctacgggc	tacccgattg	720
	gtgaatccgg	ggccctttag	cgcggtgagt	ttgaaactgc	tcgcacttgg	cttcaaagct	780
	ggctcttgga	aattgagcgg	agagcgacgc	ggttgttgta	gctcgctgcg	gccgccgcgg	840
	aataataagc	cg					852
20							
	<210> 57						
	<211> 2501						
	<212> DNA						
	<213> Homo	Sapiens					
25							
	<400> 57						
	tcttgtcact	ccatgcactg	tgttccgtat	gctaaatagt	ttgagaaacc	caaatgggcc	60
	atgttcgcct	acatttcatt	gtcctgtact	tcctgtcctg	tactagcaaa	gcagtcccat	120
30	tggtctttct	tctcctcatt	aacaataaag	gtaacacttt	tgatgttgtt	tcttcagaaa	180
	accttcattc	atcaaaactg	cctcaaagat	catgtttgtt	tgattccaga	acttcctgta	240
	attacctgtt	attgtaacac	tcatcactgt	attttactta	cttgtgtaac	taattttcca	300
	tattctgcac	tagacaacaa	agtcctttaa	gtcaggtact	atatctattt	acatagcatt	360
	cacatctcct	acaataaggg	acattagcag	ataaacaaca	catattaaat	gaataatgaa	420
35	gtttctgaaa	tactacagtt	gaaaactata	ggagctacat	tatatagaat	aaacatttac	480

tttgctatag aattcagtgt aacccaggca ttattttatc ctcaagtctt aggttggttg

	gagaaagata	acaaaaagaa	acatgattgt	gcagaaacag	acaaaccttt	ttggaaagca	600
	tttgaaaatg	gcattccccc	tccacagtgt	gttcacagtg	tgggcaaatt	cactgctctg	660
	tcgtactttc	tgaaaatgaa	gaactgttac	accaaggtga	attatttata	aattatgtac	720
	ttgcccagaa	gcgaacagac	ttttactatc	ataagaaccc	ttccttggtg	ctctttatct	780
5	acagaatcca	agacctttca	agaaaggtct	tggattcttt	tcttcaggac	actaggacat	840
	aaagccacct	ttttatgatt	tgttgaaatt	tctcactcca	tcccttttgc	tagtgatcat	900
	gggtcctcag	aggtcagact	tggtgtcctt	ggataaagag	catgaagcaa	cagtggctga	960
	accagagttg	gaacccagat	gctctttcca	ctaagcatac	aactttccat	tagataacac	1020
	ctccctccca	ccccaaccaa	gcagctccag	tgcaccactt	tctggagcat	aaacatacct	1080
10	taactttaca	acttgagtgg	ccttgaatac	tgttcctatc	tggaatgtgc	tgttctcttt	1140
	catcttcctc	tattgaagcc	ctcctattcc	tcaatgcctt	gctccaactg	cctttggaag	1200
	attctgctct	tatgcctcca	ctggaattaa	tgtcttagta	ccacttgtct	attctgctat	1260
	atagtcagtc	cttacattgc	tttcttcttc	tgatagacca	aactctttaa	ggacaagtac	1320
	ctagtcttat	ctatttctag	atcccccaca	ttactcagaa	agttactcca	taaatgtttg	1380
15	tggaactgat	ttctatgtga	agcacatgtg	ccccttcact	ctgttaacat	gcattagaaa	1440
	actaaatctt	ttgaaaagtt	gtagtatgcc	ccctaagagc	agtaacagtt	cctagaaact	1500
	ctctaaaatg	cttagaaaaa	gatttatttt	aaattacctc	cccaataaaa	tgattggctg	1560
	gcttatcttc	accatcatga	tagcatctgt	aattaactga	aaaaaaataa	ttatgccatt	1620
	aaaagaaaat	catccatgat	cttgttctaa	cacctgccac	tctagtacta	tatctgtcac	1680
20	atggtactat	gataaagtta	tctagaaata	aaaaagcata	caattgataa	ttcaccaaat	1740
	tgtggagctt	cagtatttta	aatgtatatt	aaaattaaat	tattttaaag	atcaaagaaa	1800
	actttcgtca	tactccgtat	ttgataagga	acaaatagga	agtgtgatga	ctcaggtttg	1860
	ccctgagggg	atgggccatc	agttgcaaat	cgtggaattt	cctctgacat	aatgaaaaga	1920
	tgagggtgca	taagttctct	agtagggtga	tgatataaaa	agccaccgga	gcactccata	1980
25	aggcacaaac	tttcagagac	agcagagcac	acaagcttct	aggacaagag	ccaggaagaa	2040
	accaccggaa	ggaaccatct	cactgtgtgt	aaacatgact	tccaagctgg	ccgtggctct	2100
	cttggcagcc	ttcctgattt	ctgcagctct	gtgtgaaggt	aagcacatct	ttctgaccta	2160
	cagcgttttc	ctatgtctaa	atgtgatcct	tagatagcaa	agctattctt	gatgctttgg	2220
	taacaaacat	cctttttatt	cagaaacaga	atataatctt	agcagtcaat	taatgttaaa	2280
30	ttgaagattt	agaaaaaact	atatataaca	cttaggaaag	tataaagttt	gatcaatata	2340
	gatattctgc	ttttataatt	tataccatgt	agcatgcata	tatttaacgt	aaataagtaa	2400
	tttatagtat	gtcctattga	gaaccacggt	tacctatatt	atgtattaat	attgagttga	2460
	gcaaggtaac	tcagacaatt	ccactccttg	tagtatttca	t		2501

35 <210> 58

<211> 2501

<212> DNA

<213> Homo Sapiens

<400> 58

5							
	attaattctg	caaattttaa	taaatgcttt	attttaagct	aaatgctgag	atgaaaaaat	60
	gaaaccatat	gagttagcaa	agtagaaaat	ataggcatat	taatcagtaa	atgcagaatg	120
	ataaatgctc	catcaatatg	cacttgttgt	agtgaggcca	ccgaggaggg	tgcaatcctc	180
	tcaacctggg	aggagcaggt	aggacttcag	atgtcatcca	actcaaagat	atagtgaggg	240
10	acttgatcaa	acatttgcca	agaccactat	gagttaaatg	aatagattag	gcatttctcc	300
	aatgttgcaa	gcttcgaatc	atatccaaac	tcagaacaac	atagcttggt	cataatgatc	360
	ccaaggatcc	tattggccat	tgtctttgag	cctcaaagga	acatattaaa	actccataat	420
	acccttttga	tctattctga	agttaagtag	tgaatttaca	tgatgatgac	acaaacactg	480
	taaaggacct	ctgggttact	tgtttataag	ctagtatttc	ctgaatcaat	ttttctgatc	540
15	cctagatatt	tggtaggtga	agtcatacct	atatatcccc	acaccctaga	acagcatctc	600
	caacttattt	ttccctcctt	gtcttttagt	gggagccaca	tcagtatcca	agaggagatc	660
	cagaagcctc	tccaaccagg	tagggacagt	tatagattcc	agacctcagc	tatggccttt	720
	gttacagagt	acaaatgtta	tatagtacaa	gtttattgta	cacatcccat	tgagtctctg	780
	agctttagaa	ttttcttgta	gaatttaaca	gttttttcat	gccgtattta	catattattg	840
20	ctagtattta	gaattttctt	ctccaaatgt	ataacgttta	ttattgcatt	ttttgtatcc	900
	actaagtgga	aaatcatgca	ttagatattg	tagaagtaga	tacaacaatg	aacaagaact	960
	ggtcctgacc	atgagaggaa	ctgatgatcc	aatgggggag	atagacctgc	acgtgtttaa	1020
	taaaaggaag	tggctattcc	ggtttctttt	tgatgggcaa	gcattttgca	aggccttggg	1080
	ctatgtgtgt	gcaaggctaa	gccagttagt	taattgggat	ttttttaaaa	aggcacttca	1140
25	ctggggggaa	aaggaacata	gagttggtta	ttgtcccctt	gcctataata	aaaacctatt	1200
	atttttaatt	ttttaactgg	gtttgcggtt	aaatctcaca	gcccaagaga	tttgccactt	1260
	cagatggatt	ccatacactt	gcatttaagt	atgcaaaaaa	attccaatta	tccagcaatt	1320
	taaccaaatt	attggtaact	tttctaaaac	aaaaaaaaat	tgtttccctt	gttttggcag	1380
	caatttcagt	tacagtcctt	tactttctac	tcaagaaaat	agtttcaaaa	agttgatgtt	1440
30	tgttgctaaa	agaactattt	ttatgaataa	atataaaact	aagaagttat	ggtgtccctt	1500
	ttttaaaaaa	tgactcatca	aaagaaataa	ctttttcctt	tctcttgtaa	gagaaaaaaa	1560
	ttaatctctt	ttagaattgc	aaacatattt	ccttgatgga	gaaaatcaat	tcacatggca	1620
	tagtcgttat	ttatccagtt	caaaaaccag	agtagaattt	actactctgt	ctccattttt	1680
	tctctcccca	ccccttaac	ccacattgga	ttcagaaagc	ttcattctgc	aatcagcatt	1740
35	gtcctttatc	tttccagtaa	agatagcctt	ttggagtcga	agatgaggaa	aagcctgtat	1800
	tttatagtct	tggaagtgtc	ttcttttgcc	aggacagaga	gaggagcttc	agcagtgaga	1860

	gcaactgaag	gggttaatag	tggaacttgg	ctgggtgtct	gttaaacttt	tttccctggc	1920
	tctgccctgg	gtttcccctt	gaagggattt	ccctccgcct	ctgcaacaag	accctttata	1980
	aagcacagac	tttctatttc	actccgcggt	atctgcatcg	ggcctcactg	gcttcaggag	2040
	ctgaataccc	tcccaggcac	acacaggtgg	gacacaaata	agggttttgg	aaccactatt	2100
5	ttctcatcac	gacagcaact	taaaatgcct	gggaagatgg	tcgtgatcct	tggagcctca	2160
	aatatacttt	ggataatgtt	tgcagcttgt	aagttatttc	ccttcatctg	tttcaaatgt	2220
	tagcattcaa	ttttagccct	ggttttggct	tcagtcagtt	ttgcgatagt	agtgaagtaa	2280
	agacactagg	attttaaaca	gtaggaaaag	ttaatttagt	ctaactttta	atatgcaatt	2340
	gagttttgct	atataccatt	gtactgtcat	agttagagct	gaaaattgat	gtttttggta	2400
10	tcttttttc	caaaggcaat	tgagtaattt	ggattctgtc	tctagtcggt	ctgtctcttt	2460
	agtttcctat	acttgacaat	gaggtcaaac	ttagcaaata	a		2501
	<210> 59						
	<211> 2501						
15	<212> DNA						
	<213> Homo	Sapiens					
	<400> 59						
20	ataaaaaaag	acatgaaatg	aatcggggaa	aatatttgct	acataactaa	gaatgaaggc	60
	ccttaataaa	atctgtaaaa	ctatacacac	ttttaggaat	gaatcaacaa	ataatttcta	120
	tgaattagaa	aaaagtgaca	atccaactaa	aaaatgaata	agggatataa	gcaatgtgtt	180
	tcacagaaaa	aataaaaatt	gacaatgaag	ttatgaaaaa	atgttcagtc	tccttagtaa	240
	ttgcacaaaa	caaactaaaa	caatgagaca	ttacccctaa	gattagtaaa	tgttaaagaa	300
25	aaataataat	tggtgagggt	gtggggaagt	gggcacttac	acctatgttt	ggaaatataa	360
	attggtgcaa	ccttataggg	agagcaatct	cacaacattt	tccaaagact	tacatgcaca	420
	accctatggc	agagaaattt	attcctcttc	caggattttt	tttccttcaa	aaacagtgat	480
	gtggatgaaa	aacacatgtt	cactactgca	cagggtataa	cagctgaaaa	ctggaaacga	540
	taatactcac	attcccttca	gtaggggaat	ggttaaataa	attttacaag	ccatctggta	600
30	gataccaggc	atgagctaaa	agttagggtc	cagttagaga	tggaaagcac	accagtaatt	660
	tgaaagggaa	aatgtaatat	gaagaattat	taactagtaa	aagaaggcta	actgctaaag	720
	gtacaagagc	actcaagctg	tctgcagtca	gcaggccccg	gctggtgagc	aggaagctgc	780
	ccgctgggag	gctgccaaag	ttccctgaag	gtgagcacca	ctggttctac	aagctgctgg	840
	cagtcatggc	gttaagagca	ggaagagaag	caccagaacc	cggaagagaa	atccagtcct	900
35	ctgctaggcc	ttgcaccgtc	cctctggcgc	cctctactga	caaagccagt	aaaattgtgc	960
	cgctagcaaa	ggagatcttt	ttatgggatg	tagcttggtg	tcaccaaaga	gaacagagtg	1020

	gacttggagc	tcagatgcaa	cacaatgatt	gatactggca	cagtatactt	accctgcttt	1080
	tgtaaacaaa	atggtatatg	tgatgtctct	ctttgtctct	ctgtatataa	aacaatattt	1140
	gtttctactt	attatgtatt	tatgtcttta	ctctgcatgc	caggagctaa	gtattttgca	1200
	tgtattaact	cattttgttc	tcataataac	cttcacatgc	aggaatcatt	atagctactt	1260
5	tatgaatgag	ccgaggaagg	cactgagacg	ttaagtaact	tgcccaaggt	cacgcagcta	1320
	gtaagtggca	gagcaagaat	tactatggct	ttataagcct	aggaaaaagt	ctgaaagaat	1380
	caaaatgtta	acagcgggga	cctcaaggaa	gcattgaaga	ggccatggga	gaagttttca	1440
	ctttgttaaa	aaatcagtcc	ttcaaataaa	taaatacagt	gaggcttccc	cagaagcaga	1500
	tgtcactatg	cttcctgtac	agcctgtgga	actgtgagcc	agttaaacct	cttttcttta	1560
10	taaattatcc	agtcttaggt	atttctttat	aacagtgcta	ggatgagctg	atacagtttc	1620
	ctacactgta	acctaaggca	atgctttgca	caaagggatg	agccagattg	cttagtaatt	1680
	aaaacgcaaa	tacaaaccac	aagcatatcc	attcatgaat	tggggggctg	ctttgtgtgc	1740
	atagataagg	tatattttt	aaaaaaatta	tttttccaag	aagaaaataa	accagttaat	1800
	aaacgacaac	tcacagtgcc	aggaagtgag	aaacaagtgt	gtgataaacg	gtggagaatg	1860
15	ggagcactct	ccgcagtggg	cgggaggaga	cgaggagggc	gttccctggg	gagtggcagt	1920
	ggttggagca	aaggtttgga	ggaggtaagt	catgtgctct	gagtttttgg	tttctgtttc	1980
	accttgtgtc	tgagctggtc	tgaaggctgg	ttgttcagac	tgagcttcct	gcctgcctgt	2040
	accccgccaa	cagcttcaga	agaaggtgac	tggtggctgc	ctgaggaata	ccagtgggca	2100
	agagaattag	catttctgga	gcatctgctg	tctgtgagat	taagcactat	gtatattgct	2160
20	ttattcactc	cccacagcaa	ccttaccaag	cagttctttt	ccacgtgaaa	agatggaggc	2220
	tgggtggagc	aaaaggaggt	atttagagtc	ctcagcaagt	gagaggcaga	gctgggattt	2280
	gaatccagat	ctgcctgata	ctgaagtcta	ggctggttcc	acctctccgg	actgctttcc	2340
	agggagtaga	agacagatat	tttaccttag	ctggctgctt	ctagaagtct	gaccctgctg	2400
	gctcaaaacg	actttagttc	cttgcccaga	ggctgcgggc	tgcgggtcaa	gacatcagta	2460
25	gaaggagggc	ccagccagag	aggctgacat	gggcttctac	t		2501
	<210> 60						
	<211> 2501						
	<212> DNA						
30	<213> Homo	Sapiens					
	<400> 60						
. -	cgggcaggaa	taatcactgc	ctcccatccc	cttaaacatg	ccaagatgct	ttatccctag	60
35	gatgaggtga	cttactccag	gtaactccta	ttacctaacc	actgaccaat	tactctqccc	120

tttagtcttt atgtcattaa atctgcatta agaatttcat ggaataggcc cggcatggtg

	gctcatgcct	gtaatcccag	caccttggga	gaccgaggtg	ggaggatcac	ttgaggtcag	240
	cagttcgaga	ccagcctgga	caacatggcg	aaaccccatc	tctactaaaa	acacaaaata	300
	actagccagg	tgtggtggtg	ggcacctgta	atcccagcta	tttgggaagc	tgaggcagca	360
	ggagaatcgc	ttgaactggg	gaggcagagg	ttgcagtgag	tcgagatcgt	gccagtgcac	420
5	tccagcctgg	gcgacagagc	gagactctgt	ctcaaaaaaa	aaaaaaaaa	aaactcaggg	480
	aatggatagc	agcattgatg	aatattgcgt	ctggagagat	cagatcactt	gtcacttgtt	540
	tccaggcaca	gggcttacca	agaggcagat	tccagattta	aataattctg	taacagcaaa	600
	gtccaagcta	ttttcactgc	tttggagaaa	agacccagac	ccagagettg	aacctcactt	660
	tgcagcaccc	cagttctaat	cttttaagtt	tttttttt	tttttttt	tttctgctgg	720
10	gcacggtggt	tcatgcctat	aatcccagca	ctttgggaag	ccgaggggga	aggatcgctt	780
	gaggccagga	gttcgaaacc	agtctgggca	acatggcaaa	accccatctc	tacaaaaaat	840
	acaaaaatta	ggccagagtg	gtggcgcgca	cctgtagttc	cagctacgtg	agaggcggag	900
	gtgggagaat	cgcttgaacc	cgggaggcag	aggttgcaat	gagctcagat	cccgccactg	960
	cactccaggt	tgggcgacag	agcgataccc	tgtgtgaaac	tttttttt	ttctccaacg	1020
15	ggctttccag	agaagtgtgt	gtatgtgcgt	gtgtgtgcgc	gagcgtgctt	gcttgggctt	1080
	aaactttctg	tcgggccaca	ctttcccaag	tctttgcact	ggctgtaggg	tgggctttat	1140
	cctcgggacg	tcctcctccc	caagtccagc	ctgcagctgg	aagtcttcac	tgatctccat	1200
	ctctcctccc	tgatctccgt	ctctcctccc	tgcccgcctc	aggactggga	ggccgatctc	1260
	tctctctcgc	cctccctcc	accagccttt	tccagatgta	tgtctgccaa	agacccccca	1320
20	gtgcagagga	tgatgaatga	agatcctcga	gccagcccgg	tgggaaagtt	tcgtcgccta	1380
	caaaagcgag	ggaaagggaa	gggaagttgg	gggtagggga	aaagttagag	ctgagaggct	1440
	ggggcgcgac	gagtctggac	accgggcggg	gacccaagct	ctctccgctc	agccaataac	1500
	tgtgcctccc	ttaggaaggc	gtgaggaaat	gctccaatca	atccctgcac	tcctcccttg	1560
	gaatttgggc	tgtattttt	tatttactgc	aaaccccaca	atccacccag	gggtttcccc	1620
25	agtgtttgcc	tccagcggtc	ccggtgccca	tttactagtg	ctgctccctc	tcttccgcaa	1680
	gactgcgctc	cagtcccagc	ctccttctcc	gcgggtgcct	cccaaaccgt	tctatcattc	1740
	tcgggttcag	ggaggcggaa	tcgtgcctgc	tctccggttc	ctttaagagg	cgtcggctcc	1800
	acccctctca	gagtcgcggt	ctgacgcgag	atgacagcaa	cgagttcggt	atgtctatgc	1860
	aaataagcgc	cctcttgtgg	gccaatgggg	agcggaggtg	ccggaaccac	ggaccaatgg	1920
30	ggcgggggcg	ctggggctca	ccatataagg	agcggcctcg	ccataaaagg	aaacattgta	1980
	tctctttata	tggggggaag	ggtcggggga	tccctccgcc	gccagcgcgt	ggtcccggcc	2040
	ccctccaccc	gccgtctcgg	ccgcggccag	cagcccctgc	ccccggggg	acgctgacgg	2100
	ccgcccggcg	cgccgcccta	gcagacggac	agggggcgct	gcgcgcggcc	tggggcaacc	2160
	cgggccacag	gggcaggaaa	gtgagggccc	aggtcggccc	gggcgtgcag	gggccccggg	2220
35	ttcgcagcgg	cggccgcggc	agcgatagcg	gcactagcag	cagcgggagt	gccgggttga	2280
	gccgggaagc	cgatggcggc	ggctgcggcg	gctccgattc	ctcgctgact	gcccgtccgc	2340

	cctcctgcat	cgagcgccat	gttaccgacc	caagctgggg	ccgcggcggc	tctgggccgg	2400
	ggctcggccc	tggggggcag	cctgaaccgg	accccgacgg	ggcggccggg	cggcggcggc	2460
	gggacacgcg	gggctaacgg	gggccgggtc	cccgggaatg	g		2501
5	<210> 61						
	<211> 2501						
	<212> DNA						
	<213> Homo	Sapiens					
10	<400> 61						
	ggaaccctct	gatagagagg	gctgactgta	tttattgaaa	acaaaacaaa	acaaaacaag	60
	ggttgtattg	gtggacccat	gcagctcaaa	cccttgttgt	tcccaggtca	actgtatatc	120
	cagagcttat	aggaaaatac	ctctcccagt	aaccctgctc	accatttctc	tcttaagcta	180
15	ttattatgat	tagccacggt	ttgctattta	aatttaaatt	taaataaaaa	tgtggccttt	240
	cagttatgct	agccacattt	aaagtgctca	atagccatat	gtggctaatg	gttactattt	300
	cggacagcac	atatttagaa	cattcccatc	atttcagaaa	ttttcattgg	gaacactctg	360
	cggaaaaagg	gggccatcat	aatgtgagtc	catcttctgg	aaaaatcctg	ggaaggggac	420
	aaaggaggtc	tgtttggcat	tgtgtaatgg	taatttggta	tttaattttc	aaaaatgttt	480
20	acccaattcc	tattcatcag	ccaggtgtgg	tggctcttgc	ctgtaatccc	agcactctgg	540
	gaggccgagg	tgggaggact	gctgcagccc	aggagtttga	gaccagcctg	ggtaataata	600
	gggagatcct	gtttctacaa	aacaccaaaa	acaaaacaac	aactttgatg	ttgtggagtc	660
	aggacagtcc	tgggttaaaa	cctttgctct	ccttagctgt	gtaaaccgtg	ggtctcagct	720
	ttcttatctg	ttaacggtag	gtacttcttc	ctagggctgt	tttgaggatt	aagtgaaagt	780
25	ccaagattgt	gtctggcaca	cagtagcttc	tcagcaaatg	ttttcctcct	atgtcaggga	840
	atggctcctt	tatcccgttt	tgggcccatg	ggtggccctg	aagggtgggt	gctcaggtgt	900
	taagttctgt	agatggcata	tccttgggaa	aagcaaggca	attaaaaaca	gtgagaggtt	960
	gctctggtta	agttttctcc	tataactttc	cccatgggtc	aattgggtag	aatctgccat	1020
	tttcctaata	cttactgatg	gtagtggcat	tcggaagcac	aatagctgaa	gccggagctc	1080
30	tgagtggaga	gaaaggtctg	tttctcaggc	ccaaaaagag	gttacacacc	catggctgtc	1140
	cagtttggtg	gtgcaggccc	tgaaatcaga	ccaaactgga	tttaaatccc	caaacctata	1200
	ctctaagcta	tgtgaccttg	ggctagatac	ttcacctctc	tggccttatg	aagtaggaat	1260
		ccgtctaggt					1320
2 =	agggactgtg	ttaaatcatt	aaataaataa	aaacggggat	gaccttatcg	gcttgacaca	1380
35	ggggattaaa	tgagataata	tatgaagaca	agtacacggc	aaatgcttaa	ttaatgttgc	1440
	ttatttttat	gtctgcaaac	tgacttaaag	gggaggcctt	taagaaagac	agtggggcaa	1500

	tttgcgcgtt	gatgcattgt	aggagaaaat	gtgcaggggg	cccgttggga	ccagagttca	1560
	accaggtaag	cggcagaaaa	ccacaaatac	ctccaggcgt	tcctggggca	gcgccgcctc	1620
	cccaaaatca	cgcaaaactt	ggtttgctaa	gaattgtcag	ctcttctaaa	ggaggcgctt	1680
	cacgcatctc	agtctgtgaa	atgggaccca	ggacccaggt	agaggtgcgt	tctcggcctg	1740
5	gggaccgagt	attttgtgcg	ctccggtaac	gcaggaagac	agcgccactg	acactctaga	1800
	gaccagcggg	caccgcctgg	aggcgccttc	accacttggc	ggttccgggt	ccgcgcccca	1860
	ccgcgccaca	agactcacgc	ccgaaccacg	tgatcagggc	cgtggctccg	ccccgctccc	1920
	gcgccgcgcg	ccgcttccgg	taggggcgga	aagcggaagt	gtgggagggt	ctgcggggcg	1980
	ggctcaggag	gtccgcggga	ggatggagca	gtgagcgggt	ctgggcggct	gctggcagcg	2040
10	ccatggagac	ggtacagctg	aggaacccgc	cgcgccggtg	aggggccact	ggctaagagg	2100
	acgggcatgg	ggtcagggga	agaaaaggcg	ggaactggtt	gaggggatac	acctgtgtgg	2160
	gagtccccgg	agctaagcga	cccagccgat	ggggcacctg	ctgagtgagg	ggggggacgt	2220
	ctggtgggtg	agggtccggc	tgaggggagc	atctgctaag	gaggttagac	ttgggaccgg	2280
•	ttagagggag	cactcgctgt	ggtgagactg	tgctgaggaa	cgtggggaca	agttagggag	2340
15	agtacctgct	gaggccgggc	cactcggggg	aacgctatcc	aagcagggac	tcacggaggt	2400
	gggggcgaat	gctgaagcag	ggtgagaatc	tgtgagggat	ctctttaagg	gggtggatcg	2460
	agaactggcc	aagaggaagg	ccgggtggac	tttctaaggg	t		2501
	<210> 62						
20	<211> 2501						
	<212> DNA						
	<213> Homo	Sapiens					
0.5	<400> 62						
25							
	gcatggtggc	tcacgcctgt	aatcccagca	ttttgggagg	ccaaggcagg	cagatcacga	60
	ggtcaggaga	tcgagaccat	cctggcgaac	acggtgaaac	cccgtctcta	ctaaaaatac	120
		ccgggcatgg					180
2.0		gcgtgagccc					240
30		cctgggcaac					300
		taatgcggaa					360
		agatggatct					420
		tttgtgcagg					480
2 5		ctgacaactc					540
35		attttttcgg					600
	accattatca	aaatcttcca	tttatgtttg	ttaaagcaac	ctaagtatga	tctgagaagg	660

	actctgtatt	ctatatttga	gtccttgtgg	atgaactgta	acctagctta	ataggcagac	720
	aagattgaaa	acctaattta	ggagtatgtg	cctttaacaa	tagctgagtc	ttggccaatc	780
	ccagtggcca	tacttcaacc	attcatacac	tgctgagtgt	tcaaactgtg	ttcaaagaag	840
	gcaaaagcca	acctgtaacc	aatccagttg	tttctctgcc	ttacctccaa	tttctgtatg	900
5	tcacttccct	ttttttgtct	ataaatatgt	tctgaccatg	aggcatccct	ggagtctctg	960
	aatccgctgt	gattctggaa	gctgccccat	tcgcaaatca	ttcattactc	aattaaactg	1020
	ctttaaattt	aattctgctg	aagttttctt	ttaacaggtt	tagaaaaaat	aatggcaaaa	1080
	atgaatgaaa	atccaataac	cctggaagca	gaaaaggctg	ggggctccaa	taagtgtaaa	1140
	tagtcccatc	cctatatttt	ctccatggca	attacaatcc	agcacattat	atatatattt	1200
10	ttttgcttct	cgcattttgg	cttagggtaa	agctttttaa	aacaggcact	gccaaccagt	1260
	gttatcaaga	aggtctggat	gccgttttgt	gggaacattt	taaagaggaa	tgtccaaaag	1320
	gaaaaggggg	atgggttggg	agaagggtat	caggcgggta	tctcaaaacc	attcttaggg	1380
	ctataggttt	aatttatttg	gttgtggacg	tcagagccgt	catggtaaga	aggaagcaaa	1440
	gccttttgta	ataattaaag	ccttcagaag	cagcgtgccc	cattgcccac	tagtgcgccg	1500
15	tgaagtctgg	tgttcaccta	cagggtccct	ctcagcactg	cccaggcctc	ccgagtgctc	1560
	cagcacagta	gcttggagct	tgttggtttg	gtgaccaaga	tacactccag	ggaatatgcc	1620
	atgcagtgga	gtctcttccc	cggcactgca	tagcaaaagg	aaagggccgc	tgggtgtctg	1680
	tgggtcctgg	gcagtcacag	aagccaccgc	gctggcgggg	aggagggga	ccgatgcggt	1740
	ccatgtcccg	ggcagcccca	ctttctctgc	ctgcgaaggg	cccttgtccg	gcgggaggag	1800
20	agaggcgcgc	cccacccggg	ctcctctaca	cctgccgccg	cctgggccga	ttccgcgggc	1860
	ctcgcccggc	gcttcagccg	attcccgccc	agctccgggc	tcatgggcgc	ggtcagcagg	1920
	gcgggccagg	gcggcggggc	gcgacactgg	gaggaagtgc	gggccgcctg	cccgggcgcg	1980
	ttaaggaagt	tgcccaaaat	gaggaagagc	cgcgggcccg	gcggctgagg	ccaccccggc	2040
	ggcggctgga	gagcgaggag	gagcgggtgg	ccccgcgctg	cgcccgccct	cgcctcacct	2100
25	ggcgcaggta	ggtgtggccg	cgtcccctac	ccggccggga	ctttctggta	aggagaggag	2160
	gttacgggga	acgacgcgct	gctttcatgc	cctttcttgt	tctaccttca	tcggccgagg	2220
	taaaagtgct	gaaaccatgt	gaataaaata	caggtgggtt	ccgccagctt	cgctcctgaa	2280
	cctacccgcg	ctcgggatcc	agaagctgcg	ccgggagaga	ggggctcagg	cctgggcgga	2340
	ggggacggag	gtcagaccgt	gcggaaagtg	acccgggcac	cccagggcgc	ccaggccccc	2400
30	agggagcgcg	gaaagtgcgg	tcgcggcccg	gccctcggga	gacgcgggat	tgggatcagg	2460
	cacagcgcga	ggaagtcgat	cttggagcta	gaacattttc	С		2501

<210> 63

<211> 2501

35 <212> DNA

<213> Homo Sapiens

<400> 63

	cccaaaagat	acaaaggggt	ataaggtgaa	aaattattct	aacccatccc	tcagtgacct	60
5	agttcccttc	ctctgaggtg	accaatttct	tgtgtatctt	tcctgagata	atctatacat	120
	atagcaccat	atacaagcaa	atgaaatatg	ttttatttat	ttttttgaga	ctgggtctca	180
	ctctatcacc	caggctggag	tgcagtgaca	ccatcttggc	tctccgcaac	ctctgcctcc	240
	tgggctcagg	tgatcctccc	accttaacct	ccagagtagc	tgggactaca	cgctcacacc	300
	accacaccca	cctaattttt	gtttttttgt	agagacgggg	tttcaccatg	ttgcccaggc	360
10	tggtctcaaa	ctcctgagtt	caagtgatct	gcccacctcg	gcctcccaaa	gtgctgagat	420
	tacaggcgtg	agcctccacg	cccggcccca	aaatctgttt	taaaagcaga	catttcttgg	480
	tgattctaat	aaagggggtt	ctcagacata	tttggaaaaa	tatatcccta	cttttatgcc	540
	agaccctgtg	ctgggtcccc	gggctgtgtg	acctgacact	gcacagtcct	gcttagaatg	600
	cttaaagaga	gttaataagg	taccaccttc	tatgccatag	gcggggagca	aaggggctcc	660
15	agtgggccct	gcctaggagg	cctgaagcta	gagctgctga	gggcagggct	gtgctgcaaa	720
	gaaaatgtct	gagagctgca	ggcgtttcat	cttctgtcat	cagctgtggc	acctggcaga	780
	cactggatag	gcttgtagac	aaagacctgg	taactcaagg	agctgcttgg	ccttcctgcc	840
	cagtcccatc	ccagaggcac	tgtacatctc	tggtttcttc	agggggccct	gtgtggaagt	900
	atcttttgtc	ttcctggtgt	cagggatatc	atcacgtgcc	tgttggctag	gcgagcccgg	960
20	cgcccagtct	cctaggatgg	ggagagtaat	gttcccgagc	agaacagggt	ggggctttca	1020
	gactactccc	tttcctttac	agctggcttc	attccatcga	cctcatcaaa	gccttcctgg	1080
	gagcacccta	gagaagagtt	acgtccaggc	cgggccctgg	ctgcctggtt	cacggcggaa	1140
	tccccagcac	cacgcctcgc	acgtcgggct	caaagcatgt	ttagtgaagg	agtaggtacc	1200
	tactgctaga	tggagccatc	tctctagact	tggggtttcc	ctataacgat	ggctatgttt	1260
25	ggcatggaag	cctctttaga	agtcaatagt	aggaaataag	ggctaacagc	acctaattgt	1320
	ggagtaaggt	tcaaatccta	gctctgccac	ttaaccgttc	cgaacctgtt	ccctcactgc	1380
	agaggcgaaa	aggctaacac	tatttcacct	cggagggtta	ccgtggagaa	tggaagctgg	1440
	acaagctgta	tcagttcagt	agtaaaacac	acacacacaa	gcgccccacc	cccaccccac	1500
	cccaccccag	gaatgaacac	acacacccgc	gcgcgcacat	acacctcagg	aatgaacaca	1560
30	cgcgcgtaca	cacacacgca	gccccccca	ggagtgaaca	cacacacaca	cgccccgttc	1620
	tgttgttccc	aggaacacac	acagagacgc	acacactcgc	ccggttttgt	tttttccagg	1680
	ctttttaact	ggggtctttc	actcggctta	gggcaccgct	gcctgaaaga	cctttctagg	1740
	ccagtcgggg	tccggcaccc	agttgacgag	acagcgcggc	gctttcagag	ctggggagag	1800
	gcgaaaactc	ttccggcccc	ccgatccccc	ggccagccgc	ccccggcagc	tccttgccgc	1860
35	ctcccggcct	gggcccgccc	agccgttctc	ggcctgccgt	caggcgatct	cggcggccag	1920
	cccagccgcg	atgtgacgcc	gcgcgccccg	gggtcctcgg	cgcctgcgcc	ctctcctata	1980

	aagcagacgc	cgcgccgcgc	tgcgacgctg	tagtggcttc	gtcttcggtt	tttctcttcc	2040
	ttcgctaacg	cctcccggct	ctcgtcagcc	tcccgccggc	cgtctcctta	acaccgaaca	2100
	ccgtgagtag	ccgcccactg	aactggaaag	ggtcgtggct	accggattgc	gtgccggctg	2160
	gcctcaccgc	tgcggtttgg	gcctgcccgc	ggcgggcggt	gactgggcct	ggccttcttt	2220
5	cgggcccggt	ggatcgcgtt	gtcgaccctg	ttcttcggga	gacactacca	ggttccgttc	2280
	acctgccccg	cccccgactc	agcgaggcct	cctctggccg	ggcgtcctca	cggcgctcca	2340
	taagtgagcc	gaaccccggg	ctgggccttc	tctgcaccgg	ccgagcgtca	gccggcgcgg	2400
	agctcggctg	caaggcccag	gctgcggccg	ggggcctctc	ttggtcttaa	gcctgctgtc	2460
	ccggggacca	gggcgggggt	ggcggcgggg	ttgtgaatgg	g		2501
10							
	<210> 64						
	<211> 2501						
	<212> DNA						
	<213> Homo	Sapiens					
15							
	<400> 64						
	gatctgacag	gttaaaggtg	tacacttatt	ttctctgtaa	gaagcgtcat	ctggtaagat	60
	gatcaagaat	ggtgcaaagc	aggatgggga	gtttaaaatt	gtttccaaat	gtgggaatgt	120
20	aaatgaatat	aaacatgtaa	gattttaata	taccaaactg	atcagattct	gtgtaatttc	180
	caagtttctt	ttttctttca	aaactcctct	gaaatctgac	tgtccacaaa	aacttacttt	240
	atagaatttt	atgtgattta	tttactcaga	tattatactg	acctcacatc	cagtagtgaa	300
	aacagatttt	attgtagaat	ctggaaagat	agagggccat	ataggttgta	ttttcagttt	360
	tgtttatact	aacacgtgtt	tacaacccag	tttaatttac	accctgtatt	gtattattgt	420
25	tgtcatatct	ctgtatgcat	gtaagtataa	tatgtgttgg	caaaggaaaa	ttttgagtaa	480
	gaagaagctc	tctgatctat	ttgattcaat	atgtatttga	gtgtctaaca	gacactgttt	540
	tagacactgg	tgatacaaca	ctgaacggag	caccaaatac	tttacagcgt	ctcctggagc	600
	tgttgtcaag	acatactttc	caaggggaat	atttcagaat	aggtgataac	tagtcaacga	660
	aggaaaagta	ccttagtcat	ctaggagagt	tgtacttaga	gtgaactgaa	ataaactaag	720
30	ctcacgaaag	acagagattt	tttgtttggc	ttttgtctgt	tgcattcact	actgtatctc	780
	cagggcccaa	aatagtgctc	ggctcataat	aagtattcag	caaatatatg	ttgttgattg	840
	gagtgtttgt	tttgaatttc	tgtaatcaaa	cacatacctt	ggtaaattat	ctttacatct	900
	tgctagttga	aaattttatc	tcagttgctt	tgtttttaat	gttaccttgc	tttttgtttc	960
	tacttgtgcc	atacatcagg	atgctggaaa	agcttattaa	tattgacagt	catatggtta	1020
35	tctgatattg	aaaagaatag	atttggaaag	gaacctaaga	ggtcatcttt	tgttcagctt	1080
	cctgcctagg	aaaactaagt	aagatgatta	ggtatgtata	tttaattagt	catttaaaaa	1140

	aaaaccagga	caacataatt	gagttccctc	ttgagaaaat	ggagaaaggt	acttaaccct	1200
	agctataaag	ggactaacct	ggaaatttta	gaacttctgt	gtgggaaagt	ggaaaaaaaa	1260
	aaaaagcaca	actaagctgc	tctttgttga	tatcagaaat	gggcctgtca	ttcattttgg	1320
	cattgaagca	tagcctccta	tctcggggca	ggactgggac	attttttcc	tcccacaaga	1380
5	gctggacagt	tattacaggt	tcaaaaagcc	ccgaccagtt	tttcaagagt	ttctcctcct	1440
	cttttcccc	tgaaactcgt	ggtgcttttg	ctctgctttc	aagatgcatt	aagtctcctg	1500
	ctttgtgact	gctttggagc	cagcagatac	tctgatatgt	ataattcaaa	ttatgcaggt	1560
	ttcacgagta	agtttaatct	tattttttaa	gttagttaaa	aggcaagtga	tatttagaaa	1620
	aatgttaact	tgtagttatt	tcaccctttt	tactttaagc	atttttattg	cttctcggcc	1680
10	ttttggctaa	gatcaagtgt	gtactttaag	cattttttaa	aataaaaata	tccttttaat	1740
	ttaataagaa	aacaaggttc	tacatagaaa	agccccttca	tctaagacct	gcacttttca	1800
	atttcttttg	agatgtcttt	gttgtaaaca	gtattcatat	gtcttttgaa	agccagttaa	1860
	ctaaacagtt	ttcttgagca	tctttttagt	tttactgaga	agtattttaa	attgagcttt	1920
	tctgagctcg	attgcttacg	tctgacacag	tctcaagttt	ccactgaatg	gtaacaaaga	1980
15	ctgtagaatg	ttgttggtac	tgcagtgaga	ggcatgcttc	cttagaccag	gtaagagaga	2040
	tcagtttgtt	tctcactgct	gggtgagttt	ttacagctct	tattttatat	tctttaagca	2100
	gcagcaatat	taaattgata	aatagccagg	agcacgctga	tttcaagacg	tccttgcttg	2160
	ttgcagacag	aaaaactaca	gggttatgta	tgggggttgg	ggtgggggg	gaggggaaga	2220
	attagtttat	tactcagtta	cttatataaa	ttaattaaaa	tgtgaaaata	attctggagc	2280
20	tcagttttct	taattcagga	actaaagcag	cagttgagga	aatcagtaat	tttaaaggta	2340
	cttcatggtt	attacttgtg	aaagcaattc	aaaggatagt	ttttactttc	attttttcc	2400
	ccagtagtta	ataaaataag	ctttgccctt	aactaaacat	tttttccact	tacgaaaact	2460
	tttaaattgc	caacagcaaa	atatacttcc	caaggatcct	t		2501
25	<210> 65						
	<211> 2501						
	<212> DNA						
	<213> Homo	Sapiens					
30	<400> 65						
	cacaagtcaa	gaccgctccc	tgcttcttag	cccgctgggg	agccaggcca	gcaggcccca	60
	cattcctgag	gaagggacag	ggttctggcc	tggagggtct	agcagaagcc	accccagggg	120
	agggcccgac	aggaaggaag	gtaggcctgc	cggaggggca	tacaggagct	tcctctcccg	180
35	ccacagtgtc	cagggccaac	tgctccagcc	ctcaggctgg	gtcaacagga	tgggacagcc	240
	саппсппаап	gaaacctgtg	aaaaaaaa	ccccacaaaa	202200200	2021000010	200

	gggagaggca	ggaagagctg	ccgggctgct	gagctggcgc	ctctccagca	gactcaggag	360
	gggcggtgac	aggaggccat	tccctcctca	tccccgcagc	cctgggcctc	tctggtcctg	420
	gccaacagta	ttactatcat	tattattgct	gttgttcgct	agcctgggcc	ttagatacat	480
	tagaaaaaaa	ccatcggaag	atacgcatag	cattggcagt	ttctaaaaga	attaattccc	540
5	ttcctgtgtt	cattctgtga	ttactgggat	agaaatgcta	tttgcattac	cagcctttca	600
	ttcagttaca	gagacgtgag	tgctcgaagg	agagacagtg	atttttgcct	taaattcagc	660
	ctgtccaaat	cggataagat	ctccgatttg	ctttaagccc	cgttatcact	gccttcctct	720
	ccaacaacag	ctgctgtgat	cacgcacaaa	cggccaaacg	ggggcaaatc	cgtgccaaag	780
	cagggccatg	ggctttcctg	atcagaaggc	ctagccccag	cccccaggcg	cagcacacgg	840
10	gcggcttcct	ttcagaaacc	cagcctgcct	cccaccagct	ggagtgggtg	ggtggggcgg	900
	tagtggtgcc	agtttcaggg	aacggccggc	aaacccacct	ccaggcgtgc	tccagcggga	960
	gcctggagac	cctaggagag	ccctccccac	aagcggcttc	caggcaggac	gcttccagag	1020
	gtcttggtcc	aggggtgggg	gtgaggtggg	gtctaccttt	gaaacagcta	caatttaaac	1080
	ttcagctaca	ccgagctcaa	actcgattcc	gcagccgagt	gtcggcgcca	gagaaggata	1140
15	aaaactcggg	tctacggctc	cccaccacgc	ccctggtccg	gtcctctggg	cttccaggag	1200
	tcctcacgcc	atcctctggg	ttgcccagga	ggaaggatgg	gcggggcggg	caggcgctgc	1260
	gggcgctgca	gatggggagg	gcgagcccgc	ggcacggcgt	gagcggggga	gaggcgcgcg	1320
	agcaggtgtc	ggctccgtga	cagggtcccc	catcccgcgc	cccagtgctc	cccgaggctt	1380
	agtgaggcaa	aacccagcaa	atgcttcaga	aatgcagctc	agtcggtcac	cgggttctgc	1440
20	ttcctcatca	gacgcgcaag	aggatggcgc	ttccaatgca	aatctcttgg	ctccggcccc	1500
	ttggctggca	gccgccgcgt	cccccgcctg	cctggcgtcc	cgcccactcc	gtggcgggct	1560
	gagacgaggc	ccggcgcgga	ggggacgggg	cggagcgggc	atccctcccc	acccccacg	1620
	tggggctggc	cctccgcagt	gcctgggcgc	gctgcagtcg	ccgcgcctcc	ccggccgcgg	1680
	caccgcctct	ctaggcaggg	gcgggggacg	aggggcaagg	agtgggcgag	gggtgggcga	1740
25	ggggcggggg	gcgtcactca	atcaggtggc	ctctggagtt	ccccggggca	gggcagaggg	1800
	aacacgctgc	cggggattgt	gtacacgctc	cactgacacc	agcttcacgc	tgccgggcag	1860
	tcgccgatca	cgcgtggccc	cgcgagccca	ttggccggcg	cctcacacac	ctttgccgtt	1920
	gattggccgg	cctcaggctc	cgccccacc	cccgcccgcg	gcgcggggca	ggctgagcgg	1980
	ctacctgaat	ggggaggggg	cagacggcgc	tgagcgcggc	ggcggcggga	gcggcgtcga	2040
30	gtgtctccgt	gcgcccgtct	gtggccaagc	agccagcagc	ctagcagcca	gtcagcttgc	2100
	cgccggcggc	caagcagcca	accatgctca	acttcggtgc	ctctctccag	cagactgcgg	2160
	taagtcattt	ggggatgccc	ctgtgcttcc	tcgcctggtc	ttgtctgggg	ggccaaaggg	2220
	ggcgcgaacc	ccgagccccg	gacatcagcc	atgcctgaga	attggggctg	cagcggagtc	2280
	gtggggaagg	aaagggcttc	ctgcctgcag	actatgggca	ttagtgaggg	cgtgtgtgtt	2340
35	ggggaggggg	tcgaaccagg	gggctgggat	cttcagacag	ggacaggggt	cttgctctag	2400
	atgtactgag	gggaagggac	aactccgcat	ggagacccga	gagggctggt	gaggaggagg	2460

	atgacgagcg	ggggaggagt	ggggagggg	ccgttgccct	g		2501
	<210> 66						
	<211> 2501						
5	<212> DNA						
	<213> Homo	Sapiens					
	<400> 66						
10	ggggctgtag	aaatggcggc	cccatctccc	aacaacttgg	gcattgtgaa	tatcacctcc	60
	ttaaagggga	tctcctttgg	tcatcccgtc	tagagcagcc	accataactt	ctgagcgttt	120
	attgctagct	gatatatatc	agaaaaatac	aaattccaca	aaagcaggga	ctggtctgct	180
	tctctccctg	cagggcccag	gttctggcac	atagttggtg	cagaaagtgt	gcagcctcag	240
	gtcctatcca	agcccccagg	gcatcacact	cgggacttgt	tctgcatatt	tttacttttg	300
15	cctcccactg	gtactagttc	ttccgtggaa	cagcctgagt	cccttcagat	acttaatgtt	360
	ttttctcaag	tgctgccatg	aagccagatc	tccaccgtct	tggggcattc	ctttttaggg	420
	atgggaagta	tatgtcgctc	cttttatgtg	atttacattc	tatcttggat	aatttggcca	480
	tcaccgtagt	tcattcagat	ctgtttggat	cctgcccatc	tcagcttcag	tccatttcat	540
	tcttttaaat	ctgatcgaca	gttacctcca	acagcttcat	cacaaatcac	tcacaaaaat	600
20	ggccttaatc	ctgaagttta	tttacggaga	gcacacttgc	taggtgtgtg	gcagatatac	660
	aggaagcaca	agatgaggca	gcagatctag	aggcaaatga	cttccttctc	cctgcctagt	720
	ggtgactgcc	agcatcacgc	cctcccggga	gaggtgagaa	acccctccac	gcaagcactg	780
	gaaccttcac	agtcaagagt	ggcaacagct	ccggttactg	gacttgggcc	tgttgaattc	840
	taatactctg	tgactccaca	tctgggctga	atttttgctg	agtatgatgg	aatttacatg	900
25	cttcctccct	agcccctact	tgtctgtata	gttggaatat	ttggttgcct	cctctggagg	960
	gatctagtac	gtttagagtc	tagacgctgg	aactgtcaaa	gttcagagga	aagagctcca	1020
	gctgcaaagc	aagagaaatg	ggctggaatt	ctagcttcac	cccttaatga	atgcttctga	1080
	tttttttt	tttttttt	ttgagacgta	gtctcactct	atcgcccagg	ctggattgca	1140
	gtggccacga	tctcagctca	ctgcaacctc	cgcctcccag	actcaagcga	ttctcgtgcc	1200
30	tgagcctcct	gagtagctgg	gattacaggc	gtgcgctacc	acgcccggct	aatttttgta	1260
	tttttagtag	agacagtttt	tggccatgtt	ggtcaggctg	gtcttgaact	catgacctca	1320
	agtgatctac	cttcctcggc	ctccgaaagt	gctgggatta	caggcccgag	ccaccgcgcc	1380
	cagccgcttc	tgatcattaa	aaaaaaattt	tttttttggc	ggggggaacg	aagtgtccct	1440
	ctgttgctca	ggctggagtg	cagtgcagtg	atctcggctc	actgcaatct	ctgcctccca	1500
35	ggttcaagcg	attttcctgc	ctcagcctcc	tgagtagctg	ggaatacggg	tgcccccac	1560

cacacccagc taatttttgc atttttagta gcgatggggt ttcgccatgt tggccaaggc

	tggtctcgaa	cttctggcct	caggtgatct	gccttccttg	gcctcccaaa	gtgctgggat	1680
	tacaggcgtg	agccaccgtg	cctggccaaa	aaatttatgt	tttaaaaaga	ctagtcaagt	1740
	gcagtagtga	gaagggggga	aagagtagag	caaggagtta	tatctgttgc	ttctgaccat	1800
	tttgaacaag	ttacctaatt	ctctgaggac	aagctcggag	aatgggagag	acagttatct	1860
5	atttgcaggg	ttgttgggag	gaataagtga	catcatgagt	gtgtgccagg	tgtctgatta	1920
	cagaaggtgt	tcaattaatc	tgcaatcatt	aattaaccct	tcagtcgctg	gtattatttg	1980
	ccatccatcc	tccgagtgtt	gccaagttat	gggtgcgttc	tgccagcgtc	ctagcagtgg	2040
	taaggcttct	ggctgccagc	ggcgaacctc	tcccttcgag	tatttctcct	cttgctgaga	2100
	tgaaatgcga	ccgggtctct	ttaagggcca	ggcgccggga	tccaggcggc	gcccaacggc	2160
10	tggactagca	gtcgtccgcg	ccgactcgca	caagaaggaa	ccccgggcct	ctggatccgc	2220
	tcgcccggct	atgctgctgt	ggccgctgcg	gggctgggcc	gcccgggcgc	tgcgctgctt	2280
	tgggccggga	agtcgcggga	gcccggcctc	aggccccggg	ccgcggaggg	tgcagcgccg	2340
	ggcctggcct	cccggtaacg	cgcgtcttgg	tecegeetee	caggagcccc	tatgcgccca	2400
	cctactcccg	gcccctcggc	ttccggaacc	cgcccgagcc	cgaagcgcct	cttccgaggc	2460
15	gcgggatttc	ctccccggct	gcggctggga	cgggggcggc	С		2501
	<210> 67						
	<211> 2501						
	<212> DNA						
20	<213> Homo	Sapiens					
	<400> 67						
	atggtctcga	tttcctgacc	tcatgatccg	cccacctcgg	cctcccaaag	tgctgggatt	- 60
25	acaggcgtga	gccactgtgc	ccggcctcta	tcagcatttt	ctttctttt	ctttttcttt	120
	tttttttt	gagacagagt	ttagctcttg	ttgcccaggc	tgaagggcaa	tggtgtgatc	180
	tcggctcact	gcaacttctg	cctcccaagt	tcaagcgatt	ctcctgcctc	agcctcctga	240
	atagctggga	ttacaggtgc	ccaccaccat	gcccagctaa	tttttgcatt	tttagtagag	300
	acagggtttc	accatgttgg	ccagtctggt	cttgaactcc	tgacctcagg	tgatccgccc	360
30	gcctccacct	cccaaagtgc	tgggattaca	ggtgtgaaag	agaccattcc	cgatctcttt	420
	cagcattttc	atactgaatg	tccacagctg	ccctgtgagg	aggctttta	cccatatttt	480
	ctgactcaga	gagaagcagc	cacatgtccc	ttggccatgg	cagttaagac	caactccatg	540
	gagctgggtg	tcttagctca	catctgtaat	cccagcactt	tggaaagcca	aggcaggatg	600
	attgcttgag	gccagaagtt	caagaccagc	ctgggcaaca	tagccagacc	ccatctctac	660
35	aaaaatttaa	aaattagcca	caaaatttaa	aaattaacaa	caaaadddcc	gaatacaata	720

gctcacgcct gtaatcccag cgctttggga gggtggatca cgaggtcagg agttcgagac

	cagcctggcc	aagatggtga	aatcccatct	ctactaaaaa	tacaaaaatt	agccgggcgt	840
	ggtggcgggc	gcctgttgtc	ccagctaccc	aggaggctga	ggcaggagaa	tcgcttgaat	900
	ccgggagtct	gaggttgcag	tgagccgaga	tcgcagcatt	gcactccagc	ctgggcgaca	960
	agagcgaaac	tccatcttaa	aaaaaaaaa	aaaaaaagt	ggaagatgag	gaagttgatc	1020
5	agacatcaag	gatgagcgga	tgacttaata	ggcttctttg	ctaagacttg	gctgggcagg	1080
	tgaaagacaa	agtcgaggag	tggttatggt	gtggcacaga	agaagggtca	gaggacggtc	1140
	tttgttacct	cttcatgcct	gagtttcttc	ctctgtgaaa	tggggataat	aagagccgcc	1200
	atacagggaa	ttgctgctag	gatcaaatga	gataatgtat	gtgaaacgct	ctggctgtag	1260
	gcttctcagc	aaatgggcac	gacttgcgga	gtggggattt	gaattcacgt	ctggcgggat	1320
10	gtccaagctg	ctaccctgac	cgctagggag	cttcagagga	cagggctgca	ggtgatcagg	1380
	aagaggactg	gggcaggtgg	gcgaggaatg	cctcccagga	gtgaaggagg	gggaattcta	1440
	gtcagcagga	tggagtcggc	caggtagaaa	cgagggaaag	gagacaggac	cggatggaac	1500
	ggggaagcca	aagggcaggg	cgtcggaggg	ttgaatggtg	gccggtgcag	ctttgaacac	1560
	cgaggtgagg	acatgcagct	gtgtcctagg	gtcaggaccg	tacacgcctg	acccaattcc	1620
15	acagcacgga	ggggaactcc	aggatccggc	cgcgttgccc	acacacttcg	ctctccctcc	1680
	cgcctctcgc	aagcccctcc	cccgtctccg	tccaccgagt	gccagccaat	agcagaagcg	1740
	acagcgcatc	tgggtgccga	ctcagccaat	cgcggctgag	tgacgaatga	gccccaggac	1800
	caatgagagt	gccgccacca	tggcaaaaaa	aaaaaaatcc	aatggtgacg	agcagggaga	1860
	acagagcagc	tgccaatggg	cgtgtgcgtt	tcaggcggcc	aatgggagga	ggcgtctcgg	1920
20	cgggggacaa	gcagtagcta	cccgcgggag	cggggagggg	tccgggttcg	agcttgtgtt	1980
	ccccggaag	ggtgagtctg	gacgcgggcg	cggaaggagc	gcggccggag	gtcctcagga	2040
	agaagccgcg	gggactggct	gcgcttgaca	ggctgcactt	ggatgggagc	acctggtgcc	2100
	tcgggactgc	tccgatgccc	ggtgggtgca	catcccagtt	cccgccgttg	ccggccgggt	2160
	ttagaggttt	tggggggagg	acatgggggc	gtgcagcctt	cccagttgca	aacttcactc	2220
25	cgaccctgtc	ttcaaagctg	ggtctgggtc	cagtggggac	gagaaaggag	gaaggaggaa	2280
	gtaggctccg	cgaaagcccc	atccccggga	tctcatctat	aacatgaata	ggtattaatg	2340
	gcaaaggcta	attaagcgct	tactgtatac	caggcacttt	ctctgcctcc	tcgcgttaaa	2400
	tcctcccagc	agccttttga	ggtagacact	gttacatgcc	cattttccag	atgaggaaac	2460
	cagcaacatg	ggtggaagtg	acagcccctc	cacttccata	С		2501
30							
	<210> 68						
	<211> 2455						

<212> DNA

<213> Homo Sapiens

35

<400> 68

	ggagtgcaag	aacacagaac	taaaacagag	cttgaaactt	aaagaaaggg	agagacttgg	60
	gggaggagtg	gggtggagtg	acgtgatgtg	ctgctggaaa	ccagcagttg	gtggtttcct	120
	cttgtgcttc	ctcttctgtg	ggttttctcc	tgcttgtggg	agggcctttt	tctctcctcc	180
5	cgacagaaag	gctatctttg	gtgttcgttc	ccttgaactg	taacatcctg	taagggtatg	240
	attccatgcc	tctgtgtggg	tgtgaattcc	ctcatggtga	ccctcaaaat	ctgcacacag	300
	gaccccttcc	cattgagggg	aggggatcaa	aacaactcta	cttctcaggg	tcctctcctg	360
	ttccaactgg	tctgtgtcca	agagaagcct	taggtaaatg	gggccagctt	gaagatcaaa	420
	caggtttggc	agcctctccc	ggcctctctt	ttctctccta	cagctttata	gctacagctg	480
10	ccttgatatc	aatattgact	ttggctggct	ggcatgacta	cccacagggt	atcgtgcctt	540
	aatttaccag	gtgacaggca	acgctgccct	ctcctggaac	catccagcag	agccagggct	600
	gtacccccaa	atcctgcaac	agaggtttcc	ctccatctca	cctccctgtc	cctgcatttc	660
	tcctatctca	gtagctcctc	tttccctctc	tgggcttctc	tttccactcc	ctcccttcc	720
	tgggcttggt	aaactagtcc	ctaatctctt	cacaccccag	attggaaggt	gggtccctcc	780
15	ctgacactcc	ccagagctgt	caccaacctc	ctccaagttt	ctatagctcc	attgctcaac	840
	agatttgcca	ggggtaacca	ttaacccagc	ccttaactct	gttcccccac	ctttcttgct	900
	ggaggggatt	ttccaattac	tggttagcac	agctaggtca	tctcaccccc	accatctttc	960
	ctaacttctt	gggttggggg	gctggggagg	aatctcccca	tctcagggta	ctaggaacaa	1020
	agctggggag	gatggtgcat	ttaaagggat	tatatatata	tatatatata	ttttttttt	1080
20	ttctccctca	taaccccacc	cccgcaacac	acacacacac	acacacacac	acacacacac	1140
	acacacacac	agacgcacaa	ataagcttta	tggagcagtg	acttcattat	gttcaccgct	1200
	ttgagtccaa	cccctggccc	aaaataggca	ctaaatagtt	gccgaatgca	tgaatgatag	1260
	atacctctct	gtcttcaggg	gtgtgtagaa	gtgcgaaggg	gtatgggcat	gtcccagtag	1320
	gggtgtgagt	gttctgatca	gaactacttc	tctctgccag	aatttgatgt	aattcgaatg	1380
25	cttccacctc	tgcttgaagg	gtttaaataa	taaattaggc	cctgtcgtgc	cattatgggg	1440
	gtggtcatac	cctgtaccca	ggaaacaggc	acggtagggc	tgagacagaa	gtcctgcttg	1500
	tttccgctta	tttatttgaa	acaccgctca	tttaggtctt	actttgtttg	ccaggcactg	1560
	ttctaagctc	tgtataaata	ttaactcaga	gggtacaaat	attaacttaa	gagttgttgc	1620
	aggaaaaaaa	ataagcgcct	ctggctcttt	aagtttggcc	tccccctcaa	aacccccgca	1680
30	acggtcccaa	accccttcca	gggactggga	ctacggaccc	tggtccgacc	ttctcgcggg	1740
	cttcccactg	cgccaatcaa	atcccagaaa	cagtgagtgc	tagaggcccg	gctgctaagc	1800
	aacggcagag	ggcgggaagt	ttgaacgttc	tggacccgcc	ccgaaggcaa	ataggccaat	1860
	cagcgtccag	actcttcagc	tacggcagtc	cgcttctcct	cctcgccctg	tcggatctct	1920
	aggctggatc	cgggcctctc	caatcaacag	cggctaggag	ggcggggcgc	gtgcgcgcgc	1980
35	acctcgctca	cgcgccggcg	cgctcctttt	gcaggctcgt	ggcggtcggt	cagcggggcg	2040
	ttctcccacc	tgtagcgact	caggttactg	aaaaggcggg	aaaacgctgc	gatggcggca	2100

	gctgggggag	gaggaagata	agcgcgtgag	gctggggtcc	tggcgcgtgg	ttggcagagg	2160
	cagagacata	agacgtgcac	gactcgcccc	acagggccct	cagacccctt	ccttccaaag	2220
	ggtaacctcc	gcgtgacagg	aatgagggtg	gggcgcgtgg	agtttcccac	aatctgtact	2280
	ttagttaaat	acccgagaat	tcacctcctg	tgtccacagc	tctccacgcc	cctcagccct	2340
5	gccccgcagc	cctgtagcag	aagtacttag	tgctttgcat	tctgcgcgcc	accctacccc	2400
	ggcctcctct	gtgaatcgtt	gcttccgaac	cgccctcact	ttttgcatcc	gcaga	2455
	<210> 69						
	<211> 2625						
10	<212> DNA						
	<213> Homo	Sapiens					
	<400> 69						
15	ttttaaacga	gaagtgatgt	ttccggagca	ttaaaactga	agtgatttca	aaaccatgtt	60
	gcactcacac	gaacaggtgt	gcacttaatg	gactaaacta	gttcagctga	catgtcttct	120
	tcattaggaa	cagtgtggag	actgaaaaac	taatttagcc	tagagcagct	atttaattgt	180
	aaagtctcct	ttctcaaata	ttgatttact	atgtgaggaa	atatttactt	tgtatagaag	240
	tgtgtggaat	tggacgaggg	ggttgaccta	cacatgtggt	ttggtataca	catatcctca	300
20	ttacagaggg	tgtaatgaag	atataggtgg	ttcagcacca	taggaaaggg	aaaaaagaaa	360
	aaaaaagac	ggtagaggtg	gcctcccaag	catccactcc	cactcctctt	gttaatgatt	420
	cacaatttgt	tgttattgtt	gtcatttact	gttctccaca	cctttccaca	aggcctgtgt	480
	gctttgaaaa	aatatgtctc	tactccggat	agaagtgggg	cacacagggc	caggcgcggt	540
	ggctcacgcc	tgtaatccca	gcactttggg	aggccgaggc	aggcagatca	caaggtcagg	600
25	agttcgagat	cagcctggcc	aatatggtga	aaccccatct	ctactaaaaa	tacaaaaatt	660
	agcctggcgt	ggtggcacgt	gcctgtagtc	ccagatactt	gggaggctga	ggcagaagaa	720
	tcacttgaac	ccgggaggca	gaggttgcag	tgagccgaga	tggtaccact	gcactccagc	780
	ctgggcgaga	gtgcaatgag	actccgtctc	caaaaaaaaa	aaaaaaaga	aaaaaagaaa	840
	agtaagtggg	gcacacgatt	caggcctaag	ctaaccagac	caacctcatt	cctgatggtt	900
30	gttaatgttt	cagatacggg	cccgcagccc	tacgtagaga	agaggccaag	gtagaaaaca	960
	tgaatctgag	gtaaaaagaa	atgaggtact	tgtttgcctc	atcaagcctc	tcaattaaac	1020
	taaccttgaa	gcctgtctta	cctttggact	tctagtgatg	tcacccggta	aagcccattt	1080
	gtttcaggac	gtaagagttg	ggttttctgt	gacttggaac	caaaaccatt	ccaatttaca	1140
	aaatgagcaa	ctttaatatt	acccatgaga	aatacttcat	tggtatatgc	tctttcctag	1200
35	cgtttttgaa	aactaaacta	ggtgggtgaa	aagtatatct	ttgcatgaaa	ctttttcatt	1260
	ccagaaaaca	ttttgtcatc	ttgataataa	tggccaatgc	tactatatcc	aaatttttgt	1320

	ctttttttt	ttttgagaca	gagtctcgct	ctgccgctca	ggtgtgatgg	cgcgatctcg	1380
	gctcactgca	acctctgcct	ccctggttca	agcgattctc	ctgcctcagc	ctccctgagt	1440
	agctgggatt	acaggcatgc	gccaccacac	ctggctaatt	tttgtatttt	tactgtagac	1500
	ggggtttcac	cattttggcc	aggctggtct	cgaactcccg	acttccagtg	atcctcctgc	1560
5	ctacctcaaa	aagcaacttg	ataaatccac	aggctcggta	tattttaaaa	attcttttaa	1620
	atacagtata	cttttctctt	tttttccaga	attaaccatg	aatcgcacac	acagccagag	1680
	gcttttaacc	cgagaacgga	caaaggggcc	tgcttgtgca	atacaattat	ttttaatggt	1740
	taaacaaatt	aatacataag	accagcttta	cctaatataa	taataacgaa	ccaaagttta	1800
	caacagacaa	gaaaagcacc	agctgtcccc	gccaccccgg	agcgatctcc	aaggggacgc	1860
10	gggagagcgc	cgcgggggac	gcggaagtct	gacgtcacag	gaactggggg	cggggcgggg	1920
	aggcccgcac	accctattgc	gcatgctccc	gcctccccgg	ccgcggcctg	gcgcagtgcg	1980
	cacgcgcgcg	ggtgggcggg	tttgactggc	cgtagagtct	gcgcagttgg	tgaatggcgt	2040
	tggtggcggg	aaagttgagt	ctctcctgcg	ccgagccttc	ggggcgatgt	gtagtgcctt	2100
	ccatagggct	gagtctggga	ccgaggtgag	agccgccggg	ttgggagtga	gggagatggg	2160
15	aacaaggccg	ccggtgggcg	aggggagccg	agggaacccg	ggggattggg	aggcttgggg	2220
	cggcgcggcc	tggccgggct	gggaccggcc	tctcggccta	gacgcccgcg	atgctggcac	2280
	cctctgccac	ctctcacctg	ggccccaggg	gtccgcccct	gggcagcctg	gagtcctccg	2340
	aggtgggagg	accgggcgga	ggtggaggaa	gtctttcttt	ggaagacttg	ctgcctgccc	2400
	agatcgatat	aacatacgag	gtctctcctc	ccaagagtta	tggtctaaaa	acccctcaca	2460
20	aattaactac	cgttggaaat	gtcaagctat	gcaagaaaag	ctagaaaagg	ggaggggtcg	2520
	cccgttggag	catttggagc	ttttctggaa	caggtggtgt	ttgcggaggt	tgcctcacct	2580
	ccctgtagcc	cacgtgtctc	tgcttagggc	agctggccct	cgcca		2625
	<210> 70						
25	<211> 2540						
	<212> DNA						
	<213> Homo	Sapiens					
	<400> 70						
30							
	tagtcccagc	tactcgggag	gctgaggcag	gagaattgct	tgaacccagg	aagcagaggt	60
	tgcagtgagc	tgagattatg	ccactgcact	ccagcctggg	caacagaggg	agactccatc	120
	tcaaaaaaaa	aaaaaatcat	taaaatacag	taattcaggt	ttattaagtc	attaccattg	180
	ggttacctca	caaataaact	aagtttagat	gcgaactcaa	agatactgag	acactaatcc	240
35	atttcttaag	ctgctaagtt	agccttcttg	aaacctcact	tcgtagctct	gcaaacaatg	300

tacttttgac atcccaagct cacaggaata aaaaaccacc tgccagttgt ttccgttttc 360

				ataagaaaca			420
				cagcatgaag			480
				tactaggtgt			540
_	cttcatgttt	cacttctttc	acttgtaaac	atctattcag	aagttgctgt	gaacttgata	600
5	tttccatgct	tataaactga	ttttttgaaa	agagcctggt	acataggacg	tgataataaa	660
	tgaaagcatt	tgctactttt	ggaaaaacaa	gcatgacaag	atagtttata	tactgttgat	720
	cttaagcaca	gtatatgcat	cttattttta	gctagtctga	cagtgagata	ataaaaagag	780
	ttatctttga	cttgcactac	gagtagaaga	attcaacttc	agtttctaga	aagatgtata	840
	agaattaaga	gtggcagtct	tcctagtctc	aactgccatc	ttcccaccag	gtggtaaatt	900
10	cgtccagaga	agaaaatgaa	ttattgctat	atgggattct	gcagcaactt	ctgtgaacat	960
	aggctcataa	tttttcacca	tggagactca	agctttttgg	agtcatagtt	gtttttgggt	1020
	ctatttgcag	gcatgcatcc	tttgtccaga	aatatacata	acatttggca	catggacctg	1080
	gaggtaaaag	aggaggaagg	cctgaggcta	gacaccactc	caataagtac	attaagctcc	1140
	tagaagggca	atccaccttt	gcagagaact	cttaactatt	aaaacctata	gcttgtaaag	1200
15	cagcattttc	aaagttaaga	gaagaaggtg	gaagggtctt	gagaggctac	tgactaaaca	1260
	gatgaaaatg	aaggtatgga	gtttggtgcc	aaaagaaact	cccccaaaa	atcaaacaat	1320
	aacaccagag	taaagcccct	agggcgagat	aaggagttgc	aacaaaacaa	gcggaaactc	1380
	gagaagcgct	aatgcttcaa	agggtcaatg	accacacata	atctacgtag	ccaacgtgtt	1440
	aaaacacacc	aacgcatttt	tttttcctaa	acaaagtagg	aaagcggact	ttgcatgagg	1500
20	ggcgggctgc	cgacccagca	gtcttcctcg	gacagtccgt	cctgattctc	tctggttggc	1560
	cgtggaggga	ccacatggct	ccaaggcctc	tcagctccgg	gcccacacac	cccgggctgc	1620
	cgcacaaact	ccagccctag	tctagatcca	caaccccttc	tcgaagatca	accgcgacct	1680
	gggagcccca	cttcttacca	tagcgaggcc	ggcgatgccg	cagccacatc	acccttccgg	1740
	ggctcaggcg	gaagaggctg	catgtcccgt	ctgcccttct	cgccctctcc	agccgtccgg	1800
25	ttgggcttgt	cacggcaccg	cctaccaaga	cgggcggtta	agacactagg	ataggctcct	1860
	ctccaccgga	aaaggcggga	tttagatcac	gtcccgcagg	ccggcggaag	tagctgatac	1920
	tctcattggt	tgcaaaacct	tgatctgtga	aagcgggcgt	tttggaagat	accggaagta	1980
	gagtcacgga	gaggtaggat	ccggaagtgg	ggctgcctct	ttaaataaca	aaaatctgag	2040
	gttctgttct	ttttatcttt	ttgctttctt	tttaaaaaag	ttccctgcta	cttaccccta	2100
30	gaactccaca	atgcgagaat	cccctcaat	ttgtgagctc	ccgcgacttc	ctcttgtggg	2160
	cttttgggga	tgctagggtt	ctcggcatta	tcctcagggt	gcgacctgtt	cacccccttt	2220
	tcagtttctc	cgtttgcatc	tgagggattc	ttgggaatgc	gaagcacttt	tgaaatgctc	2280
	tgtgttggtt	gtgggattgg	gaggacggtt	gaatccagag	ggtagtgttg	agtaggctgt	2340
				ttcaatcccc			2400
35				taggcaattt			2460
				tgcggactgc			2520

	aaagagatca	actggcaaga					2540
	<210> 71						
	<211> 2610						
5	<212> DNA						
	<213> Homo	Sapiens					
		<u>-</u>					
	<400> 71						
10	ctacaggctc	gtgtcaccac	actgggcaat	acaaaaaata	caaaaaaaaa	attttgtatt	60
	ttttgtagag	acgaggtctt	gccatattgc	ccaggctgga	attcttacct	ttgttactgt	120
	atttaacgta	tctttttcct	ccggccatct	tcatggtttt	ctctctgatt	tccacagttt	180
	gaatacactg	catgtgtcag	gcaggggctc	atatttatca	agttttgtgt	gtgctctgag	240
	ctcaggtctt	tcattatttt	gggaaaatta	ttggtaattt	tctcttcaaa	cattttttat	300
15	gatttgttct	ttcttcttct	tttgggagtc	ctattacatg	catatgatat	catttgatat	360
	tttcccacag	ttcttggatg	cttttttaa	aaaaaaactt	tttttcttct	ttattttcca	420
	acgtgggtaa	ttcctatttt	tctcagctgt	gttgatccta	ctgctgcccc	atcagaaaaa	480
	ttacctgtta	tcagcgttct	tcctttctta	taatttgatg	agtttcctcc	tcatgcatat	540
	tgttcacctt	tcgtacaaga	gacctccaca	tattaatcac	agttaattta	aatttccagc	600
20	ctgtttcaat	ttctcgatca	cctctgagtc	tagtcctgtt	aattgcttag	tgttattttt	660
	tgtttttgaa	acagggtctt	gctctgttgc	ccaggctgga	gtgcagcggc	gcgatctcag	720
	gctgttccct	gagttcacac	catccccctc	aaccagcaga	ttgcaaagtg	tccgagtcgg	780
	gccgtgcagg	agtctttgtg	ggggtttcat	ggactccgaa	ttctcatttc	tgctccatcc	840
	ccatctcatg	aatccaaggc	cccactctgt	gcctcggctc	ttcgtttgtg	gtgctgaacg	900
25	tcatctacgt	catctacgcc	atctacgtaa	tcaacacaat	aaagacgcct	gccgggaacg	960
	cggcccttcg	gctgaatccc	ttcggtggtt	ccaaggccac	tgccagagga	tgcggacggg	1020
	tctccagggc	ctctacttac	ccaggacttt	gaggcacatt	agcttcgcct	aggcactcgc	1080
	ttttacgaat	tcttatgttt	ggttttgttt	tgagacagag	tctcgctctg	ccgcccaggc	1140
	tggttaaaag	atagggtctc	agccgggtgc	ggtggctcac	gcctgtaatc	ccagcacttt	1200
30	gggaggccga	ggcgggcgga	tcacctgagg	tccggagttc	gagactagcc	tgggccaaca	1260
	tggcgaaacg	ctgtctctac	taaaaataac	aaaaatcatc	caggcgtggt	ggcgcgcacc	1320
	tgcaatccca	gctactcggg	aggctgaggc	aggagaatca	cctgaaccca	ggaggcagac	1380
	gttgcagtga	gccgagatcg	cgccactgca	ctccagcctg	ggcgacagag	ggagactccg	1440
	tctcaaaaaa	aggaaaaaaa	aaaaaagaa	aagaaacaaa	agtgatgggg	tctcgctctg	1500
35	ttgcccaggc	tagtctggaa	ttcctgggct	caagcgaccc	tccagcctcg	gcctcccaaa	1560
	gcgctgggaa	tacaggcgcg	gctaccgcgc	ggtctccggc	tgccgaaaca	ccgccctgcg	1620

	cgcggaccgt	tcggccgccg	ggaggaacag	cggctgcccg	gagctcagag	gcgcgcgcgg	1680
	ctttgcgctc	cccgcggcgc	tctgagcctg	cctcggcttg	gttggccagg	tggtctcttc	1740
	aggaccaacc	ccagtcattc	ccggcaggaa	ccacgcttga	ggggcggcag	tctgcccgcg	1800
	cgagacgccc	ccgcggacta	caccgcggcg	gcaaagccaa	acgcaaaaac	tacctcaccg	1860
5	cgcgcaggcg	cctcccccag	gaccaacatg	gccacgacgc	aaggcctcga	cctgaggggc	1920
	gtggcctggc	cgccgccagc	caacgggtgt	gcgcgcctgg	ccgcagccaa	taggaaggca	1980
	gcgcgggctc	gggcgcaggg	agccgccgcc	ggggctgtag	gcgccaaggc	catgtccgac	2040
	tcgtgggtcc	cgaactccgc	ctcgggccag	gacccagggg	gccgccggag	ggcctgggcc	2100
	gagctgctgg	gtaggtgggc	gcggcaggcc	gcgggagtgg	gcggcgtccg	gcccgggacg	2160
10	gtttcgccgg	ttccccgatc	ccttcccgcc	agagcctccg	ccggtcggat	ccccggacgc	2220
	cgcgcccggg	gggctgtgcg	gggtgggcgc	ccggctgggg	cggcgcggct	gcctcggacc	2280
	cggcccctcc	tgcgcctggg	cggacgccca	ccagaccgcc	gcccgcgggg	cgctcccttc	2340
	tttcccgaac	gccgcccccg	ccggccgccc	tgtcaggcgg	gcctggggtg	cgcggcctgg	2400
	ggctcccctc	agcgcagagg	ccgcccctcg	ccagccgtcc	ccgggctccc	ctgcctcggg	2460
15	ccctcctggg	ccgtcttccc	cggcgtccgc	ggtggggccg	tctccgttag	tttcccgaga	2520
	cctgcgccct	ggggaggagc	cccggcccct	cttcgggagg	gtgtcgctgg	tgggtttctc	2580
	cgcggcgtcc	acctgcgcgt	cgggccgggg				2610
	<210> 72						
20	<211> 3076						
	<212> DNA						
	<213> Homo	Sapiens					
	<400> 72						
25							
	gctgggatta	caggcataac	atggcccggc	cctggccatg	tttttaactg	tgtttctcta	60
	atagctaata	atgccgagca	tctttttatg	tgtttcttag	ccattagtag	atcttttttg	120
	gtaaaatgtc	tttttttt	tttttggtcc	atcttaaaat	tgttttttgt	tttgttttga	180
	gacagggtct	cactttgttg	cccacgctgg	agtgcagtgg	ctcaatcatg	gctcactgca	240
30	gcttcgacat	ccctgagctc	aggtgatcct	cccacctaag	tttcccgagt	agatgggact	300
	acaggtgtgt	gccaccatgc	ccagctaatt	tttgtatttt	ttttgtagag	gtggggtttt	360
	gctatgttgc	ccaggcaggt	cttaaacttc	tgaggctcaa	atgatcctcc	cacctcagcc	420
	tcccaaagtg	ctgggataac	aggcatgaac	caccacaccc	agctaagatt	gtttttaaaa	480
	atctttttct	tgagttttgg	gagtttttat	gtgttaggga	taccagtccc	ttatgaggta	540
35	tataattagc	aagtagtttc	tcccactctg	tgactgtgac	ctttctttt	ttgaggcagg	600

gtctcactct gttactcagg ctggagggca gtggtgtgat catggctcac tgcaacctgg

	aactcctagg	ctcaagggct	cctcccacct	cagcctccca	agtagctggg	tctacaggtg	720
	tgttattgtg	ccagggttaa	tgttttaaat	tttttgtaga	gataatgtct	ctacaaaaga	780
	caccatcttt	gttgcctagg	ctggtcttga	actcctggct	tcagggaatc	ctccagcctc	840
	agcctcccaa	agtgctggga	ttacagcatg	agccacatcc	agcctatgat	ttttcttctt	900
5	ttcttttctt	ttctttttt	tttttttga	gatggagtct	cgctgttgcg	caggctggag	960
	tgcagtgggg	cgatctcggc	tcactgcagg	ctctggcccg	cggggttcac	gcctttctcc	1020
	tgcctcagcc	tcccgagtag	ctgggactac	aggcgcccgc	cacategeee	ggctaatttt	1080
	ttgtattttt	agtagagacg	gggtttcacc	gtgttagcca	tgatggtctc	gatctcctga	1140
	cctcgtgatc	cgcccgcctc	ggtctcccaa	agtgctggga	tcgcaggcgt	gagccacggc	1200
10	gcccggcccc	agcgtatgac	ttcttaatga	tgtctttgta	gtacaagagt	ttttaatttt	1260
	aataaagtta	acttttttt	aaattgtaca	agcttttagt	gctgtgtcta	acaacttgtt	1320
	gccaaaccca	aggtcataaa	gctgttctct	tacgttttct	tttttttt	tttttgagac	1380
	ggagtctcac	tctgtcaccc	aggctggagt	gcaatggcac	gatgtcggct	cactgcaacc	1440
	tccgccaccc	gggttcaagc	gattcttccg	cctcagcctc	cggggtagct	gggattacag	1500
15	gcgcacgaca	ccacgccctg	ctaatttttg	tatttttgta	gagaaggttt	caccatgtta	1560
	gttaggctgc	tttacgtttt	cttttagaag	ttttatattt	ttggctctta	tatttagttt	1620
	gtgatccatt	gagttgattt	tatgtacgta	tgtatggtcg	cgttcttttc	tttcctgtct	1680
	ttttttttt	ttttttttg	catatggata	ttcaattctc	ctagctccat	ttaatttgaa	1740
	atgattgggc	aggtactttt	gagcagtgca	agtacagagc	ggcactgcca	gcagactaca	1800
20	cgcggtagaa	agccgacctt	ggtgagcgtg	ttggtgctcg	acagtgagca	gagaaaggat	1860
	ggacgattac	ggagcgccct	cgtctccagt	taccgctttc	tggaaacacc	atccgccggg	1920
	gcggagctgt	tccgccccgg	tgcggtacta	cgactcccag	catgcacctc	gcagtcggcc	1980
	ctcggtggaa	gcgggaaccc	aggaggacct	gggggtgtgg	cagcgaggaa	gggccgagcc	2040
	acggactgtg	gggccgaaac	tegetecege	ccaccctttc	tcgaggctgt	ggcctccgcg	2100
25	agagccgagc	gggccgcacc	gccggccgtg	cgactgcccc	agtcagacac	gaccccggct	2160
	tctagcccgc	ctaagcctgt	ttggggttgc	tgactcgttt	cctccccgag	tttcccgcgg	2220
	gaactaactc	ttcaagagga	ccaaccgcag	cccagagctt	cgcagacccg	gccaaccaga	2280
	ggcgaggttg	agagcccggc	gggccgcggg	gagagagcgt	cccatctgtc	ctggaaagcc	2340
	tgggcgggtg	gattgggacc	ccgagagaag	caggggagct	cggcggggtg	cagaagtgcc	2400
30	caggcccctc	cccgctgggg	ttgggagctt	gggcaggcca	gcttcaccct	tcctaagtcc	2460
	gcttctggtc	tccgggccca	gcctcggcca	ccatgtcccg	ccagaccacc	tctgtgggct	2520
	ccagctgcct	ggacctgtgg	agggaaaaga	atgaccggct	cgttcgacag	gccaaggtaa	2580
	cacggttgct	ggcaccctcg	gtttgcagcc	tcaagatccc	tgaaagcggg	tttgcagtgg	2640
	atttacccca	acagatgggg	agggactgag	cttgaccaaa	gagccagaaa	tgactggaga	2700
35	atgcatccct	tgccactgct	gcaaggggag	aaaaaaggat	tgatcctcag	tgacaacccc	2760
	tccctcatgt	ggcaggtggc	tcagaactcc	ggtctgactc	tgaggcgaca	gcagttggct	2820

	caggatgcac	tggaagggct	cagagggctc	ctccatagtc	tgcaaggtag	gcgggtcctc	2880
	cccaggatgg	tcagttcccc	tcttccatag	ccagagaaac	atccgctcct	gcgtttttgg	2940
	gatcgatata	attactcggg	gcagggagtc	ctgtttaagg	cacagaggag	actggagtgg	3000
	aatcatcttt	gtacaggcaa	atccctctct	tccttacaca	ctcacagagt	ggcatttgaa	3060
5	aaatggtttc	caagat					3076
	<210> 73						
	<211> 2567						
	<212> DNA						
10	<213> Homo	Sapiens					
	<400> 73						
	cacaccatct	cttgctccgt	gagtatcttt	gtctctctag	ctcctcttct	tctctcagta	60
15	catgtccctc	cttgactccc	gcctctctgc	aaggtgtatt	tggctgcctc	agttggcctc	120
	tccccctctg	catctctggg	tggggtgttc	tctgcccgtc	tcccacccac	acccaccccc	180
	ggtgctcccc	ttccccccag	caggacagcg	gctcaggttc	acgcacccca	cggcgggccg	240
	gctgggcgca	cgcacgtcct	tgcacacaag	ccgcacgtag	ctgtacttga	gcacgtcgat	300
	gagcgtgtag	agcgggggcg	cactggccca	gcggcagcgc	gccaggtgca	tggagctctt	360
20	gacgaagaag	agcgccagcc	gctgctggca	ccacgcgtcg	aagaagcggc	tgaactcggc	420
	ccacgagaag	aaggcccgct	cccgcagctc	ctgctcctcc	tgccccgcag	ccgtgccggg	480
	tgggggctcc	ggccgctcca	tcctgggggc	ctgcgtggag	gaggggagaa	caggtggata	540
	tcagacccat	tcccacccgg	ggtatctcat	ctactccatt	cttggcctgc	cccgtcggtt	600
	gctggtgcct	ctatcgaggt	gggtagcccg	gggtcggacg	tgcctgtttt	tctccaaata	660
25	tataaatatc	aacctccatc	ctatctttgg	cctcctccca	ccgccttatc	cctggttcac	720
	ttggagcctg	tcatcttgat	tcctaattcc	aactcgtctc	ctcctccgca	gatgtgaccc	780
	ttaggtacag	ttggaatctc	tcctcccaaa	atacgaccct	taagctcaga	tgttccttaa	840
	ggacatctcc	tcaaatgtgt	tctcaaattc	cagctaaaac	ctcctcccct	tccagctgtg	900
	tctctcaccc	aagagtaact	tctaactctc	gtattcatct	ggaactcctc	cttccatgtg	960
30	ccaacagttg	gctgtaaccc	ctccaaagac	gctccatctc	cagatgtgct	cccacatcca	1020
	ggccacggac	ccctcacccg	gtcacatgct	tcatgcacct	gtggctccgc	actccccaga	1080
	tgtgcctctg	gcgtgcagct	gttgcccctt	cccccgatta	tgaccctatg	gctcgccaca	1140
	tgcagctgta	gctggggctt	ccctgagaca	ctctcatctc	cagatgtact	ccccacatgc	1200
_	agttatccac	gcttcgccta	caggtgtgtg	ccccacttgt	ggctagttct	cctcggaagt	1260
35	gtcaccagta	ttcacctgtg	gtcccctcct	cctcagatgc	ggcccccagt	ccagctgtgg	1320

gcccctcctc ccagttacat ccaccatccc ccgcaatatg catcttcgtt ctagacatgg

	cccctcgtcc	tcggatgggc	tccttcaccc	cagatgctcc	ccccacgtcc	agctgcgcgt	1440
	ctccctcga	gcagccccat	ccagcccgct	cccgacgctc	ctactccccc	cctccccgcc	1500
	cgctgcggca	ccttccagcc	ccgccgtccc	acctagctgt	gcctctcccc	tccccaagat	1560
	gtgcaccctt	cccgcccctc	cccactcacc	tacccgcccc	ggagcggcgt	ccacctccca	1620
5	caatgccccg	cgcccaggcc	tggcccggcc	cttgctcccg	ggatgccccg	cgcggtctcc	1680
	cgcctctctt	cccgccgtgc	ctcgcggggg	cgcttccacc	gattcctcct	ctttccctgc	1740
	cagtcactcc	tcagaccctc	agccacaccc	gctcatccag	ggcgagggaa	agcgcgggca	1800
	ttttcccagt	gtgctctgcg	ggagggctcg	ccccacttca	ccccttttcc	cgccctcctc	1860
	ccattcggga	gactacgact	cccagtgtcc	tccgcgcgac	ggcggcggtg	cggacggtgc	1920
10	ccaggtcccg	cccctaggct	ctgccccgcc	cccgcccgca	gacgtctgcg	cgcgaatgcc	1980
	gtggcgcgaa	cttgggactg	cagaggcgcg	cctggcggat	ctgagtgtgt	tgcccgggca	2040
	gcggcgcgcg	ggaccaacgc	aaggcaagtg	gggccgtccg	caagcagatg	ggaggcggag	2100
	ggcggcgggt	gcgccgaatg	cttggggcct	atgcttcgcc	atgtcggggt	gtctgcagag	2160
	gagtgggcgt	ggggacgctg	aggctgccga	gagcgcggtg	gagacggaag	agcgcgggct	2220
15	gcgggccgcc	ggagagtgca	gagaggtgtc	tcccagaggg	aggggggcca	ggtagagggt	2280
	agacgagaga	cagagacagt	tggacaggtc	ctctgagaag	aggccttgag	gtgcgagttc	2340
	acctggaagg	gggagaggcc	aaatggaact	gaggggcggg	gcggggggg	ggaaaactgt	2400
	gtgggcgggg	ccagctggaa	atcggaaggc	ccccgaggg	ggcggggcta	tctgggaggg	2460
	ggaggggctg	aagggagcta	aggggcgggg	ccggggaaaa	gattgcgtgt	gggcggggcc	2520
20	acctggaagg	gggaggtgcc	aagggtgggg	ctggctggga	accggaa		2567
	<210> 74						
	<211> 2278						
	<212> DNA						
25	<213> Homo	Sapiens					
	<400> 74						
	tcacagaagt	caaagctcag	gaaaagcccc	tcgagggttt	ttgtgcggca	gaggtgggtt	60
30	gtggggtggg	attgtgcctg	ccacagtgga	ggggccctgc	agacccagat	aaaccttcaa	120
	gtggccagaa	gcgggggatg	gctctgctgg	gtgctggggc	tgccatgggc	cgtgggagcc	180
	agcagtgtgc	ccagctccct	cagggcccgt	cccctaggcc	cttccgtcca	ctgggccaag	240
	caccgtccct	gcccctccct	aggggcatgg	atctgacttg	agaggttgtg	agagcttaca	300
	ggcgctgggc	cgtcggggag	gcctcagaag	cgtaggacgg	ctgcgcactg	ccgggccgtg	360
35	ttcagccctg	gtctggcctc	ggcctctaga	ggaggctgcc	tgcgctccag	caggcccaac	420

ccagaacgtg ggcgagctcc cttcagcatc cctgggcgga aagagggatg ggggctctgc

	tgcagaggca	gaatccgcgc	cgctccctcc	ttccttcccc	cgaccagcct	gtgacaaccc	540
	cggccagggg	cgggggcctc	cgcacaagcc	tggcgtccac	ttcctggata	aggactcccc	600
	ggcccactcc	ggaccagggc	tggggcggcc	tcccaggcgc	tcactccgct	ggcaccccac	660
	cggaaaacac	gtctgcggcc	cgcccctcc	cccaaagcac	gaccactccg	cccgggcccc	720
5	tcgaggatcc	actcaggttc	acgacgggcc	cgtcctctcg	gtggtctgac	caccggctgg	780
	tggagtgggc	tctggggccg	ccaggcgacc	agggcgcagg	cgggggcgga	cagctcattg	840
	ggaggggcgc	cggggcacag	tgcggggctc	gccccacccc	caggtgcccc	ttccccgctc	900
	tegeetegea	ggcaccgcat	cgggcccggg	aatcggtccg	gacctggcgg	tgggcgctgg	960
	gaagaggatc	cacctccacg	tggcccgccc	cgccccgggg	gcgcagccag	ttcccggcgc	1020
10	tcactgcccc	ccttctcccg	gcttccgtcc	ccttctgcgc	aggcgccgct	ccgccccggt	1080
	cctaggggtg	cttccgtggt	cggcggctgc	tgggctccgc	gccggggtcc	gagtcccacg	1140
	aagccccggc	ccgagccgcc	ggatgcccgc	gcgcagcggg	gcccaggtga	gcgcgcgcct	1200
	cggccgcccc	gcggaacaga	cgcgcccacc	cccaggcgca	gcagcgagcg	cggccgcggg	1260
	agcgggagtg	ccggggacgg	gcgtagcgcc	caccgccccg	agggttcggg	gcagagccag	1320
15	agcataggcc	aagggccaag	ctcgggccga	gagcagtggc	cgcagcgccc	gggggctgaa	1380
	cccacggcgc	gctggcagcg	cgggccgagc	tgcggagacg	gtcacgtcag	cgtccgttcc	1440
	aggccgactg	gcagtctccg	ttctacatta	acgtcagcac	tcccgttaaa	aataatgcat	1500
	ctctcccatg	ccaggaggac	ttaggtgctg	ctaaagacca	gccctccggg	tgctgccagg	1560
	ccggcgctca	cccgccacct	tcatcttccc	ttctcctttg	ccccaggaca	gccgaggatg	1620
20	tgtggttagg	ttccccctac	ccatggggag	gccagaggtg	ggaggctggc	ggcctgctcg	1680
	gtctcagcag	accctcctag	tccctcagga	gaccttgcct	ttgccccact	tgctcgttat	1740
	ccagcctggg	ccatgaagca	gaggacagtt	agggaccctg	agcacgcggt	ggtcaccccg	1800
	gtgctcaccc	ctccctgtgt	gtccgacctt	ggccctgcta	agatcctgtg	ttttgaattc	1860
	tggcaagggt	tggatgaaag	ggcagggctc	cagaaaccag	ctcagacgtt	tgcttgggac	1920
25	ctgcatgatg	agtgggaatc	ggagggcacc	agccctgctg	tcccaggctc	aggcccccat	1980
	ctgctcccca	ggtcatgcag	cctgggcccc	catgccgtgc	agctcgcaca	tatgtggggc	2040
	agagcagcca	ccctgccccc	agcagcagcc	gtccatcgtc	agacgtgatc	atttcctgag	2100
	gcctcgagtg	tgtcagggtg	tttgtgcctc	ataacaaccc	acaggatggt	cacccccgct	2160
	ttgcagatga	agaaaccaaa	gcaggtggtc	agatccagtc	cttgcacttc	ctgagcctga	2220
30	ccttaccaca	cagctgtctc	ctattcggat	gcttatttat	ttttttccc	attacagt	2278

<210> 75

<211> 2401

<212> DNA

35 <213> Homo Sapiens

<400> 75

	tcatgcctgt	aatcctaaca	ctttgggaag	ccaaggtggg	aggactgctt	gaggccagga	60
	gttcaatact	agcctgggca	acacagcaag	atctcatctc	taccaagaaa	aacaaaggat	120
5	agaggagtca	actgaaaaag	atcccagtga	ctaaagctcg	aacaatttta	gcaataaaat	180
	aaatacgcat	gatataaata	catggctgaa	taaataaact	ggggagaata	gaaaaatatc	240
	ctgtgcagaa	gaattccaag	taacttatat	agatatttta	cctttacctt	caaggaagta	300
	gaacataact	tttcattcct	tcccaggatg	ggctaggcat	gatgacttcc	ttccaaagag	360
	tacagaacgg	aaacagggca	gggggattaa	cagtggagaa	acctgaccaa	cgctactgca	420
10	gctaggtgat	caaggccaaa	acatcgacag	tgataaagca	tgctgagagc	acctttgatt	480
	tgatgtagtg	aaaatcgtgc	tttacctctg	taatcttcct	gccaaaaacc	cataatccca	540
	gccccaatta	tgagagaaac	attaggcaaa	tatcaattga	gaaatattct	acaaaatacc	600
	tgactggtac	tcctgaaaac	tgtcaaggtc	accaaaaaca	ataaaagctc	aagaaactgt	660
	cacagcccag	aggaacctaa	gatgtgacta	ctaaatggca	tgtagtaccc	taaatgggat	720
15	cctggaacac	aaaaagagta	tcaggtaaaa	actaagagaa	tcagaataaa	gaaaggactt	780
	ttgttaataa	tagtgtatca	atattggttc	atcaattttg	acaagtgtac	catactaata	840
	atgcaaggtg	ttaataagaa	acattcagca	tgagattttt	aggaattttc	tatattatct	900
	tcacaatttc	ctgttaatct	aaatctctcc	taatgacaag	tttatttaaa	aagtaaaaca	960
	aaacttgaag	gagggaggaa	acaagaaggg	aggaaacatt	ggagacagaa	ccagcttggc	1020
20	aagttgacag	ataaggtctg	agaagtaggc	aggggaaaga	tcattcattt	caggcaatat	1080
	ttttccattt	tacctgtata	agaaccatat	gagccctatt	tttctttctt	tctttttct	1140
	ttctttcttt	tcttttttt	tttttttgt	agagatgaag	atttcactat	gttgaacagg	1200
	ctggtctcaa	actcctggcc	tcaagcaatc	ctcccacctc	agcctcccaa	agcatgagcc	1260
	accatggtgg	gcctgtatga	aggaactttt	taaaaaatgc	tacaagccgg	gtgcagtggc	1320
25	tcattacctg	taatcccagc	attctgggag	gccaaggtaa	gaggatcact	tgggcccaga	1380
	agttcaagac	catcctgaac	aacatagcaa	gaccctgttc	tctgcttaaa	aaaaacaaaa	1440
	acaagctggg	cgtggtggat	cacgcctgta	atcccagcac	tttgggaggc	tgaggtgggc	1500
	agatcatgag	gtcaggagtt	cgagaccaga	ctgaccaaca	tggtgaaacc	ccatctctac	1560
	taaaaataca	aaaattagct	gggcacggtg	gtgtgcgcct	gtgatcccag	ctactcagga	1620
30	ggctgaggca	ggagaatcgc	ttgaacccgg	gagacggagg	ttgcagtgag	ctgagaaagc	1680
	agtgagctga	gatagcacca	ctgtgctcta	gcctgggaga	cggagtgaga	ctctgtttca	1740
	aaaaaatcag	cctgcccagt	cagagcgcct	cagcgccgtg	ctcgggacat	cccgccctgc	1800
	ggccagcccc	cgcgtgacgt	caccgcattc	cggctccgct	cctcccgccg	cggcgcccgc	1860
	accgcagtga	cagccagccg	ggcccggtgc	cggagaggaa	gtgcggtccg	cgccaagccc	1920
35	gtccccgccg	acgccggctc	cccgcggctc	gggtgacagc	gtcgcggccg	ccggacgcag	1980
	cgcggggcag	gcgcgggcag	agccgagcgc	agcggaggct	ccggcggagg	cgcggggaaa	2040

	atggctgatg	actttggctt	cttctcgtcg	tcggagagcg	gtgccccgga	ggcggcggag	2100
	gaggacccgg	cggccgcctt	cctggcccag	caggagagcg	agattgcagg	catagagaac	2160
	gacgagggct	tcggggcacc	tgccggcagc	catgcggccc	ccgcgcagcc	gggccccacg	2220
	agtgggggtg	agtcagcgcg	gggcctggag	aggggctcag	ggcgcgcacc	cgggggaccc	2280
5	cggccggggc	ccaggggcac	agggaagaga	gcctgctcta	ggccacccgg	ggcaggagct	2340
	gggagacgtg	gggaagaatc	ttcttggaga	tctccatgta	ggacttccga	gctggggatg	2400
	a						2401
	<210> 76						
10	<211> 2501						
	<212> DNA						
	<213> Homo	Sapiens					
	<400> 76						
15							
	ccagcctggg	ccgcagagtg	agaccctgtc	tcaaaaaaag	aacctactag	tctacatacc	60
	acacttcctc	atccccatct	gagactatat	atatttttc	taacatgagg	caatgccaaa	120
	aagaggggct	ggtgagtgaa	agtaagaaca	gaaagacatg	gaggcaagtc	ttatagaata	180
	atagccaaca	cttaaactta	cacttaacag	cgtgataggt	attgttccaa	acacattaaa	240
20	ttcatttaat	ggtccttaca	tgtctatgta	tttggtgatt	attatcctta	ttattcacat	300
	tgctgagtgt	attattctgt	tctcatgatg	ctgatagaga	catacccgag	actggataac	360
	ttattaaaaa	aaaaaaggtt	taatggactc	acagttccac	gtggatgggg	agtcctcaca	420
	atcatggtag	aaagcaaaag	acacgtctta	catggcagca	gggaagagag	agaaatgaga	480
	accaaacaaa	aggggtttcc	ccttataaaa	ccatcagctc	tcatgcgact	tattcactac	540
25	catgagaaca	gtatggggga	aaccaccccc	atgattcaat	gatctaccag	gtgcctccca	600
	caacctgtgg	gaattatggg	agctacaatt	ccagatgaga	tttgggtggg	gacacagcca	660
	aaccacatca	ctgaggaaac	tgagttatag	ggagattagt	aacgcccaac	acagctggta	720
	ggtggtggag	ccaggcagtc	tgactctagg	gtctggactc	tgaactgcat	catgctgcca	780
	agaagttcct	cattttttcc	tctctctaag	tttcccttat	tcccctacag	tcattccttc	840
30	aacagcattt	ccttcaccat	cttttctact	tctactatat	aattaatttt	ttcttcttgg	900
	tcccaaattc	caacgtgcaa	atgcagcctt	atatacccta	attcatcttt	acctttagac	960
	tttcttccaa	tgtttctact	tcattccatt	ttaaatttat	ccatgagatg	cctatttaca	1020
	agctgtaacc	atcatgaagt	gaatgaagaa	taatacctac	tactgtacaa	tagaattcca	1080
	agagtataaa	taggagttat	ggctttctga	cttgaaacta	aatacttgat	acttgatttt	1140
35		atcaatctga					1200
	tgggccaagt	gtcatttcaa	tcactctgta	catattaact	catttcatcc	tacaacaacc	1260

	cggtgaggca	agttctgtta	ttctgtttta	cagttgagga	aacagaggca	tagagagctt	1320
	aagtagtttg	cccagtagat	agccagaaga	ggagccagga	tgggtctcgg	gcagtttaac	1380
	agcacagctg	aagtcttaac	cactatgcca	acagcttttt	ggtcctacac	atcccatggg	1440
	aagaggaaaa	taaaaaggta	tctatttgta	taccttttta	tttctgatat	aagaagcaga	1500
5	attcctttca	catgacctat	gtctatttaa	tacgtcattt	tgaaacttac	caataaaatt	1560
	tcccaagcgc	cagaaaactg	ttagtggctt	tttccatttc	tctctatttt	tttttgtgct	1620
	actaattttg	cttctttccc	tcagaaggct	gccggaatag	taaacattca	ctgacatgtc	1680
	ataattactg	gaaaatgggc	actggaaaat	cacattgtaa	ttaattcaaa	gcatgttttc	1740
	caaatgtact	actttaaatt	ggagcttata	tcataatcca	aggaaacctt	tgtgtgtgta	1800
10	ctgttcccac	attgctcagc	ctgggatatc	caggagtaat	tcaccttgcg	cctgcctcca	1860
	gaccatcttc	catggaaggg	ggtgacccct	tgcctcttgg	caaccactat	ttctaagctg	1920
	ccaacattac	tcttgcatta	tcaacattct	aacttcatgg	gaagggctgt	ggtgagtttc	1980
	tggaatgtga	ataggaagtt	gtttttctaa	acagcctgac	actgagggga	ggcagtgaga	2040
	ctgtaagcag	tctgggttgg	gcagaaggca	gaaaaccagc	agagtcacag	aggagatggt	2100
15	gagtttattt	ttttctgcat	gggaagtggt	tgaagtgagt	tggagtggta	tggagtaaag	2160
	tcaggcaggt	aaaggttcag	aaagtgagga	acagcgatag	ccatggagtt	ttatgttgaa	2220
	ttgcctatta	gattttgtga	gtacttttaa	acttgctgtc	cactttgacc	ctcccaacac	2280
	ccttgtgagt	tgaggttgct	atttctattt	tacaaataaa	gccatcgtgg	tttacagagg	2340
	ctgtgtttta	tctaagcttc	actgttaggc	tacatgatgt	tgggatctgg	ggcctgtcct	2400
20	ctggctccgc	agctgctgtt	cctcctacta	gaatttatag	gggctctctg	agaatagatc	2460
	atggtaaacc	tgtcacccca	ttttccaaga	ctgtacttct	С		2501
	<210> 77						
	<211> 2501						
25	<212> DNA						
•	<213> Homo	Sapiens					
	<400> 77						
30	cctgggtcct	ctcttccagc	tcccaaaatg	tactctattt	ttatctgttt	cacgaacgct	60
	ggtccagata	gtcttccatc	ccccactgac	tgttagaagt	gactctcagc	ttttgtccat	120
	ctcgaagttt	ctgtgctcag	tgtgcctctc	agactaaagg	cttcctttgg	gaagccccga	180
	ctctcgcttc	tcaggacaga	gatccagggg	ttgggggagg	aaaaggttga	ccagaagcca	240
	tagcggagca	gggagagaga	gtgtgaaaga	cagacccgcg	gccaggctcc	cagttctcca	300
35	gctcgtagag	ggcccaagtg	gccgctataa	tctgaaagag	cagatatcgt	aatcccatag	360

tacttcctat tggctgcagg acacagttct gtcctgacac tgaaatttgg gtgtgtcagg

	gttctgggaa	ttcacaacgc	tcacaacttg	tgaagcagct	gtggggtggg	ggatggggag	480
	ggtttcagca	gaggaagtga	ggtcagtcaa	taattgatgc	ctgtctgagc	ttttagccat	540
	tatctccccc	agcctctatt	cctgtcaaaa	ggtggggcgg	ggcaggagga	ggggtccctg	600
	gctcatcttg	tagaatcccc	atattagagt	aagacacctt	agaggtctac	tcctgcttct	660
5	aatacccacg	tctttccaag	tgtctctgag	gccaccccct	ccccagcctt	ttcatttatt	720
	catttaatta	acgaacgcct	tcattgaggg	cctcctctga	gtcaggctca	gccagccagc	780
	atctttgcta	tgagctgaga	taagcatcat	ttccgtctat	tctcacaacc	accctatgag	840
	gctggcacgg	tttactatgc	ctatttagca	gatgggggac	tgaagcatgg	agaggtgtca	900
	ctagcctacg	gtaacacaac	cagcctgcat	tcctagtagg	tagtttgact	tcagagtctc	960
10	tgtggataac	caggaggcta	ggactaagac	cagagtcctg	caggtactta	gatggttgga	1020
	gcaaagcagg	gcagtgaggt	cagtgctccc	agcctgtgca	ggagcatcag	gaagagtctg	1080
	tgtccccctc	ccctgccggt	atgaagccat	tctgcttccc	tccccagctg	ccttgtgtca	1140
	gcagagttcc	agggaggctc	cattccccac	ctctatctaa	agctccattt	gctggggtgg	1200
	gggccctgcc	tggaagggga	aggtccaagg	ctgctcccag	cgtgtccctc	catcctgact	1260
15	gtccctggcg	gggcgggggt	gtctttgtca	cccagctgca	caacggccag	gaagggctca	1320
	aaccatcctc	agggctaacc	caaggccgtc	ctctgggcct	gtatacccct	gtgctgagtg	1380
	cggatcggga	gaggctgctg	aagacaggag	gggacaaatg	ggggacgaag	gggcccgagg	1440
	gaggggactg	aaggatttgg	gccaagtcgg	gagttcccga	gggcggagtc	aaaacgcatc	1500
	tggattttgc	tagccccaaa	ctctgccctc	attgctgcaa	gcctcctaga	ccgaggaccc	1560
20	ccgggctgag	ggtggggtaa	ggataggtag	tgtccctccc	cgtcccaccc	ccgcctgtcc	1620
	cttcctcggt	ggccccttcc	cggcgccccg	attccaggcg	gcccctccgc	tgctgccagc	1680
	cgatccccct	ctacccccac	ccactactcc	ggccgccaga	cgttgcctac	agtctcggct	1740
	ctgtctccca	cggctgtggg	tccggacccc	acgggacccc	tatgggaccc	ccacaggacc	1800
	cccacggcct	gagtccaagg	cccgccccct	cggggaggcg	gatgtgggag	gcccggcccg	1860
25	ggtgcgggcc	agcgacccgg	gagctgcggg	cggctgggag	gggaggccgc	cctgaggggc	1920
	tgggagcggc	gcgggggtgg	gtcccggtcc	tgcagcccca	gcgaggggcg	agcggcggcc	1980
	agtcggcgag	ctgggcaata	aggaaacggt	ttattaggag	ggagtggtgg	agctgggcca	2040
	ggcaggaaga	cgctggaata	agaaacattt	ttgctccagc	ccccatccca	gtcccgggag	2100
	gctgccgcgc	cagctgcgcc	gagcgagccc	ctccccggct	ccagcccggt	ccggggccgc	2160
30	gcccggaccc	cagcccgccg	tccagcgctg	gcggtgcaac	tgcggccgcg	cggtggaggg	2220
	gaggtggccc	cggtccgccg	aaggctagcg	ccccgccacc	cgcagagcgg	gcccagaggt	2280
	gagtcgaggt	ccgcggacgg	gaccgggtgg	cgggcggcct	gacccccgct	tcagtgggcc	2340
	cttccttcgg	gcggacccca	gagtcaccgc	agagtggtcg	cgggaggctc	agtcccagct	2400
	cattagaaag	gcaagctgct	cctggctgac	cacgcacagc	tcccatgacc	ctacctgaga	2460
35	cttggagggg	aatggacgag	actggactgg	aaatcagaaa	С		2501

```
<210> 78
      <211> 2501
      <212> DNA
      <213> Homo Sapiens
5
      <400> 78
```

tggctaattt tttgtatttt tagtagagac ggggtttctc catgttgagg ctagtctcga 60 actectgace teaggtgate tgecegeete ageeteecaa agtgetggga ttacaggegt 120 10 gagecaceae geetggeege taactacatg tgttetatga ggtgaggtee tteecagace 180 ctggaatcag gggttgcaat tagggtccaa ataatgaggt tggactacag ataacccatc 240 tectttetta cetttgacta gatecaagga etaaaeteea agaaeeegag eatetgteee 300 caaaactgaa aggattggac tagtcacccc ttgtttccct acagccacat cccaggcacc 360 tggcccttgc tttgtccaga aattcagcta taactccaca catctgatgg ccctttctgg 420 15 caagcaggca tttccatcag gaccctcagc tgccagacac atttactgga ggtcacttat 480 taaacctggg ctcaatttcc acacagggag gctactgaag catcacactg ggtctcccag 540 ccccttctca tagaggaaag atctctctgt cctgcagggt tggcagtcag cgccaagtaa 600 agggaattta gctcttggcc caagatccct gcccaggaaa ggtacttgcg cctgctggaa 660 actttgggct gaagtatact cetttecaaa aactcaggte tgatatttac acaaagtetg 720 20 aaattaatgc agagaaaact tccaagtgct tggactggag cagaaggctg agaacaggaa 780 ggggctggtc cctggtacta gttttggttt tttggtggtt ttttttttc ttgtttttc 840 tcacagaaca gggcaaagct gagtgtccct ggatgagtga agcaggagga ttaatcatgc 900 ccagtgcttc tccactttaa actggttttc ctgggaattt gcaattgaga gtggggaggg 960 gtaagaatcg tgggaaaagg ctgatggtgt tcagccaaat tcatccttca cgtgcccacc 1020 25 ettetacagg cacatgettt ggggecatee aeggetgeag ceaececate ettaggaage 1080 accactggcc ttcctttccg gtacctggac tcagcatcac tcccagcctc ttggagatgc 1140 agcetteatt cageacaeag eteagetetg agttetgttt ttgteeetag atgtetetgg 1200 ggtcacctac tactccctgc ttggtggccc aggcccatcc ttctccactc ttgcacctct 1260 tttagcagaa aaggagtgag aatggatatt tccatgggcc gtgtgtgcac tcccggctac 1320 30 ccctgacagc tctactcaga gctaccctcc ctcctggggc ttcttatgtg ttctaaggct 1380 gaggcaggaa gactgtgaga tcaggtgaca ctcaacagtt atgatcggtc ttaagattaa 1440 cagtcctggc cgggcgcagt ggctcacgcc tgtaatccca acactttggg aggccgaggc 1500 aggcagacca cgagatcagg agatcaagac catcctggct aacacagtga aaccccgtct 1560 ctactaaaaa tacaaaaaat tagccaggcg tggtggcggg cacctgtagt cccagctact 1620 35 caggaggctg aggcaggaga atggcgtgaa cccaggaggc ggagcttgca gtaagccaag 1680 attgcgccac tgcactcccg ggtgacagag cgagactccg tctcaaaaaa aaaaacaaca

	acaacaacaa	aaagattaac	actccttcta	cttccaaacc	taatacaaag	ggacattgcc	1800
	tagtgattaa	gagaattcat	tcattcaaca	aatacttgtt	gagcacctac	tatgtgccaa	1860
	gcactgttct	aggcaccgga	aatacagcag	tgagaaaaac	caaaaaaact	ccctgccctc	1920
	atggggtgta	tattcaagta	gctgaaacag	acagtgaaca	aacaaaaaag	gacaataatt	1980
5	tcaaataata	atgatgctat	cggccaggtg	tggtggctca	tgcctataat	cccagcattt	2040
	tgggaagcca	agtcaagcgg	attacctgag	gtcaggagtt	caagaacagc	ctggccagca	2100
	tggtgaaacc	ccatctctac	taaaaataca	aaaattagcc	agacatggtg	gcacacacct	2160
	gtaatcccag	ctacttggga	ggctgacgca	ggagaattgc	ttgagcccgg	gaggtggagg	2220
	ttgcagtgag	ccaagatctg	acaggccttc	agcaccactg	cactctagac	tggctgacag	2280
10	agcgagactc	tgtcaaaaaa	aaaaaagcta	taaatagact	ttaacagggt	aacatgatag	2340
	ggagggaggg	ataggggagc	agggtggtca	aggaagggac	atttaaacag	gctagaatga	2400
	caatggccag	cgagggaaag	atccagaagt	gtgtgctgga	agaagaaaga	gcaagcacaa	2460
	aacccttagg	acaaaatcag	ctcgtgtggt	caaggcacag	С		2501
15	<210> 79						
	<211> 2501						
	<212> DNA						
	<213> Homo	Sapiens					
20	<400> 79						
					•		
	tgtttctgac	ccctggctgc	agcctaatgg	gccgactgct	ggacagcggt	cctgagtcct	60
	gtttgaattg	gtgctgcccc	gacatcctct	gacctcagct	aatgatggtg		
	gcagacaggt			gaccicagec	aacgaccccg	cctgccgagg	120
	5049444990	ctctgcaacc	ctatgggtgg				120 180
25		ctctgcaacc gattttggtg		taggggtggt	gatgagagga	gaggtagtct	
25	cacttgcaca		tatggttctg	taggggtggt tcttttgcac	gatgagagga tctttcaaca	gaggtagtct gaggtctgtc	180
25	cacttgcaca cagtccctct	gattttggtg	tatggttctg gggagggggt	taggggtggt tcttttgcac ggtgcaggac	gatgagagga tctttcaaca tatgaggtaa	gaggtagtct gaggtctgtc ctgtgagaag	180 240
25	cacttgcaca cagtccctct aggggctcca	gattttggtg tgcaagtgtg	tatggttctg gggagggggt ggtccaatgg	taggggtggt tcttttgcac ggtgcaggac ccttgaagag	gatgagagga tctttcaaca tatgaggtaa atggctgggg	gaggtagtct gaggtctgtc ctgtgagaag acagctggac	180 240 300
25	cacttgcaca cagtccctct aggggctcca tcattacgtc	gattttggtg tgcaagtgtg gcagaaccag	tatggttctg gggagggggt ggtccaatgg tggaggaaac	taggggtggt tcttttgcac ggtgcaggac ccttgaagag gacccctcag	gatgagagga tctttcaaca tatgaggtaa atggctgggg ctacacagca	gaggtagtct gaggtctgtc ctgtgagaag acagctggac cctgagccag	180 240 300 360
30	cacttgcaca cagtccctct aggggctcca tcattacgtc aatgtcacca	gattttggtg tgcaagtgtg gcagaaccag tactcctaaa	tatggttctg gggaggggt ggtccaatgg tggaggaaac ccacaggatg	taggggtggt tcttttgcac ggtgcaggac ccttgaagag gacccctcag acagctacct	gatgagagga tctttcaaca tatgaggtaa atggctgggg ctacacagca ggtttgtgag	gaggtagtct gaggtctgtc ctgtgagaag acagctggac cctgagccag ggcccctatt	180 240 300 360 420
	cacttgcaca cagtccctct aggggctcca tcattacgtc aatgtcacca ctagggacag	gattttggtg tgcaagtgtg gcagaaccag tactcctaaa tggtgctgct	tatggttctg gggagggggt ggtccaatgg tggaggaaac ccacaggatg ctgccctccc	taggggtggt tcttttgcac ggtgcaggac ccttgaagag gacccctcag acagctacct agagcagcaa	gatgagagga tctttcaaca tatgaggtaa atggctgggg ctacacagca ggtttgtgag gcaacaaccc	gaggtagtct gaggtctgtc ctgtgagaag acagctggac cctgagccag ggcccctatt tatgccagga	180 240 300 360 420 480
	cacttgcaca cagtccctct aggggctcca tcattacgtc aatgtcacca ctagggacag ggccaattgg	gattttggtg tgcaagtgtg gcagaaccag tactcctaaa tggtgctgct ctacttcatt	tatggttctg gggagggggt ggtccaatgg tggaggaaac ccacaggatg ctgccctccc gccagctcca	taggggtggt tcttttgcac ggtgcaggac ccttgaagag gacccctcag acagctacct agagcagcaa atcgattgat	gatgagagga tctttcaaca tatgaggtaa atggctgggg ctacacagca ggtttgtgag gcaacaaccc agtagctgcc	gaggtagtct gaggtctgtc ctgtgagaag acagctggac cctgagccag ggcccctatt tatgccagga tggctctgaa	180 240 300 360 420 480 540
	cacttgcaca cagtccctct aggggctcca tcattacgtc aatgtcacca ctagggacag ggccaattgg aggcagctgg	gattttggtg tgcaagtgtg gcagaaccag tactcctaaa tggtgctgct ctacttcatt cacgtcaagt	tatggttctg gggagggggt ggtccaatgg tggaggaaac ccacaggatg ctgccctccc gccagctcca ccatgctgcc	taggggtggt tcttttgcac ggtgcaggac ccttgaagag gacccctcag acagctacct agagcagcaa atcgattgat agcacacaga	gatgagagga tctttcaaca tatgaggtaa atggctgggg ctacacagca ggtttgtgag gcaacaaccc agtagctgcc tggacccagc	gaggtagtct gaggtctgtc ctgtgagaag acagctggac cctgagccag ggcccctatt tatgccagga tggctctgaa ggtggtccca	180 240 300 360 420 480 540
	cacttgcaca cagtccctct aggggctcca tcattacgtc aatgtcacca ctagggacag ggccaattgg aggcagctgg gcagtgagtt	gattttggtg tgcaagtgtg gcagaaccag tactcctaaa tggtgctgct ctacttcatt cacgtcaagt gatcgattca	tatggttctg gggagggggt ggtccaatgg tggaggaaac ccacaggatg ctgccctccc gccagctcca ccatgctgcc gccatttcat	taggggtggt tcttttgcac ggtgcaggac ccttgaagag gacccctcag acagctacct agagcagcaa atcgattgat agcacacaga tttctttgtc	gatgagagga tctttcaaca tatgaggtaa atggctgggg ctacacagca ggtttgtgag gcaacaaccc agtagctgcc tggacccagc	gaggtagtct gaggtctgtc ctgtgagaag acagctggac cctgagccag ggcccctatt tatgccagga tggctctgaa ggtggtccca aatgattgga	180 240 300 360 420 480 540 600
	cacttgcaca cagtccctct aggggctcca tcattacgtc aatgtcacca ctagggacag ggccaattgg aggcagctgg gcagtgagtt tgaacacact	gattttggtg tgcaagtgtg gcagaaccag tactcctaaa tggtgctgct ctacttcatt cacgtcaagt gatcgattca cttgccttgg	tatggttctg gggagggggt ggtccaatgg tggaggaaac ccacaggatg ctgccctccc gccagctcca ccatgctgcc gccatttcat tatgggtgga	taggggtggt tcttttgcac ggtgcaggac ccttgaagag gacccctcag acagctacct agagcagcaa atcgattgat agcacacaga tttctttgtc taagacaaga	gatgagagga tctttcaaca tatgaggtaa atggctgggg ctacacagca ggtttgtgag gcaacaaccc agtagctgcc tggacccagc ctggccaagg	gaggtagtct gaggtctgtc ctgtgagaag acagctggac cctgagccag ggcccctatt tatgccagga tggctctgaa ggtggtccca aatgattgga acacccctcc	180 240 300 360 420 480 540 600 660 720

	gagccagggt	cactggctaa	gaagtcatct	caggacctcc	ccctagaaaa	gcccactggg	960
	cagcatccct	gctggttccc	ccctacacca	caaggttacg	cagagctggc	ggagggtcat	1020
	ggtcccactc	atgtcaggtg	ctcttaatct	ggcaaggaaa	tgtaacctac	gtgaatctca	1080
	acaggcagtg	aagcaccgtt	tcttcctgac	tccaggtagg	gtgaagaaaa	tgggacagta	1140
5	gtacggggtg	cgggcataaa	cgcacaactc	tgcctcccca	gacgcagagc	tgtggggctg	1200
	tgagaatgcc	aggaggaggt	aagaaagggc	ggccccatgg	ggggcctgca	gggtgggaca	1260
	agcccaagag	gtctctacat	ccaggcctgg	tgggggaggt	gagcccctgg	tttaccgagg	1320
	gggtcccttc	ctgccctcgg	aaatactgca	gctcctacct	ccatcgtctc	cccgctgcgg	1380
	ggacccaggg	gcgtgaggat	gagagagccc	ccaggcccca	gggtcagacg	actgtgttca	1440
10	agcaagtgag	aacctctctg	aggctgtttc	ccaactgtaa	aatggggata	gcagcagaac	1500
	tctctctcgc	ggcttgcgtg	aagaatacaa	ttcgatgtcg	acaggaggga	gcggcgcgca	1560
	gcgcgcagcg	agtagcaggc	gctgaagaag	gatacctgtg	aactgggagt	ggtggcggag	1620
	gctacgcggc	cagagtccgg	ggaaggggcg	ccggctctgc	cagtccctgc	tcggggctgg	1680
	atggtcgggg	gatgttctcg	taagtcggct	gggagggagc	ggtcccgcgt	accctgccac	1740
15	cgccgccgca	gaggttcggg	caggtgcggg	gccgcggccc	ctccgcgagg	gggccggtca	1800
	tccgccggga	ctgacatccc	ggaggcccaa	tggcaagccg	tcatctccgc	gcatccgccc	1860
	aatcggcgcc	ggttgccgtg	ccgcgccggg	tctctcgacc	aatgggaaaa	tttgctgtca	1920
	gatggggcgg	ggcggagatt	cgcgtcgccg	gcccggtccg	ctttgcgcac	gggccgcgtg	1980
	agggcgggag	ggctggcccg	gggtctcggg	ttgcgcgctg	ggcctggagg	gagggggcgg	2040
20	ccccgcacc	ggtccgagtt	gcggccgcgt	ggactgcgac	ccgcgccgcg	ccgcaccgcg	2100
	ccgcgccctg	ggaacgccgc	teceegegeg	ccaacggacc	cggggaagcc	cttctggggt	2160
	ccgaggccgc	gctgcggggc	cgcccacgct	gcgctccagg	taagcctgag	ccagtgggcg	2220
	gggtgtggga	cccggggctg	gggcctcggg	tcggagccgg	gactgggggc	ggggctgcag	2280
	atatgggacg	cattccgggc	agcggtccgg	acagggtcct	atccctggag	tcgagatccg	2340
25	ggcgagggtc	tgggccggac	gtcggagcca	atctccgccc	cacccgcgtc	ttgtccgcgc	2400
	gctctgcggc	gtccgagacc	ccgggccggc	gggggcgggt	ctctttgtgc	gtggccttgg	2460
	ggccctaccc	tacccgtccg	ggcgtcttgc	actgagcact	С		2501
	<210> 80						
30	<211> 2501						
	<212> DNA						
	<213> Homo	Sapiens					

35

<400> 80

	tagtttgcag	ggctccagga	tcgttcctag	atcctggtct	tgcagccttg	acaaggggaa	120
	ggagggaggc	agcagaagga	gggcagaaca	atccatgcca	ggctgtgatt	tgccaagtga	180
	ccatctggga	agaatgggct	ctcagaccag	ggacagggag	cagaggcaag	cccgcatctg	240
	ccctggttgc	agaacccgga	ttcagactca	gggccccgat	ttctgcctgg	atcgctccac	300
5	tgggcggagg	agtgactgtg	gacacatcca	gggttctctc	caagtcggct	tcctcatctg	360
	ccaaatagag	accgcagacc	accagctccc	aggcaggtgc	tactcttccg	gcccctccca	420
	aggcaggagg	gccaggcgta	ctcgagacac	aggtgtgctg	ggggcccagg	tgggccagcc	480
	agcagcatcc	tgcagggtaa	tgggagcagg	tgggcacccc	gaggctggca	gtaaacactg	540
	gctatctgcc	cccaggetee	caggaggggt	cttgggcctc	acctcctccg	gccggaacag	600
10	gaaagcagct	ccaggcagct	gggtccacaa	aaatctccgt	tccctgaggt	ctcagaggca	660
	gtggcccagg	agcatctggt	caccttcggg	aaaaaccggc	ttggcaaagg	ctcccccgag	720
	ggcacgcgtt	tcccggacag	tgaggcagga	cctaaactct	tccgttaaca	ctacattttt	780
	cgcatttctg	cagtgtttgc	actctcaggc	cccaccattt	ccccgcatct	cttagggaga	840
	agttctcgac	gtcccacctc	ccctggaagg	gtgctgctcc	cagagacctt	caggccaatg	900
15	gcccaatctc	agtgccctca	ggggagaggg	gggtgcagaa	aaacagcctg	ggtcacaaaa	960
	gaggtgcgag	ggctgtgaga	tcccggaggc	accgacggga	agcgagacgg	agaacaggag	1020
	ggcaggacgg	gctggaggtg	ggggatactg	cagatggagg	gagccacggt	gggggagggc	1080
	gtggacctga	ccgtcctggc	acaaggcggt	cgggtgcaga	cctccaggcc	ctccgggtta	1140
	aggtgccgcc	cagagccctc	aggccggggg	cgcacggaaa	ccacaggcag	ggtgcgcgtg	1200
20	gagggacggg	gaaagcgggg	cgggttgggg	aaggcgcccc	gggaacctga	acctcccacc	1260
	ccgcctcagt	ctcgaccact	ccttaagccc	caccccgccc	caggtaaggc	gcagtccacc	1320
	cccattccca	gtagattaac	gcacaggtgg	gggcgcgctc	gggacatagc	tgcgctaggg	1380
	gacagcgcgc	ccagcccagt	cgcgggggcg	aggagcaggg	cggggcccag	caggaaccca	1440
	gctttgttag	cgatgctccc	cgtgagccac	gcgccacgcg	tacgcgcttc	ctcaatgggg	1500
25	ccgggcgtgg	agccgcgccc	tgcgcgattg	gccaaacggg	tggcccacga	ttggctgaga	1560
	ccctggcccc	cgcctcctcg	gccccaggag	ggtggggcgt	gggtgtgggc	tgcgcggcgc	1620
	gtgctgcccc	cggggatctt	gcgcgcctcc	cgaacagccg	tgttgtcgcc	agggccgcgc	1680
	cttccctccc	acagcgcgcg	ctgcgcgtgc	gaaggtctgg	cggctcttgg	gactggcggg	1740
	gctgcgcgcg	gggttagggt	gggggtacgg	gaaggctcaa	cccaggacct	gcgtaccttg	1800
30	ctttgggggc	gcactaagca	cctgccggga	gcagggggcg	caccgggaac	tcgcagattt	1860
	cgccagttgg	gcgcactggg	gatctgtgga	ctgcgtccgg	gggatgggct	agggggacat	1920
	gcgcacgctt	tgggccttac	agaatgtgat	cgcgcgaggg	ggagggcgaa	gcgtggcggg	1980
	agggcgaggc	gaaggaagga	gggcgtgaga	aaggcgacgg	cggcggcgcg	gaggagggtt	2040
_	atctatacat	ttaaaaacca	gccgcctgcg	ccgcgcctgc	ggagacctgg	gagagtccgg	2100
35	ccgcacgcgc	gggacacgag	cgtcccacgc	tccctggcgc	gtacggcctg	ccaccactag	2160
	gcctcctatc	cccgggctcc	agacgaccta	ggacgcgtgc	cctggggagt	tgcctggcgg	2220

	cgccgtgcca gaagccccct tggggcgcca	cagttttccc	cgtcgcctcc	ggttcctctg	2280
	cetgeacett eetgeggege geegggaeet	ggagcgggcg	ggtggatgca	ggcgcgatgg	2340
	acggcggcac actgcccagg tccgcgcccc	ctgcgccccc	cgtccctgtc	ggctgcgctg	2400
	cccggcggag acccgcgtcc ccggaactgt	tgcgctgcag	ccggcggcgg	cgaccggcca	2460
5	ccgcagagac cggaggcggc gcagcggccg	tagcgcggcg	С		2501
	<210> 81				
	<211> 22				
4.0	<212> DNA				
10	<213> Artificial Sequence				
	<220>				
	<223> primer				
15	<400> 81				
	11007 01				
	aatcctccaa attctaaaaa ca				22
	<210> 82				
20	<211> 20				
	<212> DNA				
	<213> Artificial Sequence				
	<220>				
25	<223> primer				
	<400> 82				
	aggaaaggga gtgagaaaat				0.0
30	uggaaaggga gigagaaaai				20
	<210> 83				
	<211> 22				
	<212> DNA				
	<213> Artificial Sequence				
35					
	<220>				

	<223> primer	
	<400> 83	
5	ggataggagt tgggattaag at	22
	<210> 84	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 84	
	aaatcttttt caacaccaaa at	22
	<210> 85	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 85	
30	aaccctttct tcaaattaca aa	22
30	<210> 86	
	<211> 21	
	<212> DNA	
	<213> Artificial Sequence	
35	- -	
	<220>	

<223> primer <400> 86 5 tgattgggtt ttagggaaat a 21 <210> 87 <211> 22 <212> DNA 10 <213> Artificial Sequence <220> <223> primer 15 <400> 87 22 ttgaaaataa gaaaggttga gg <210> 88 20 <211> 19 <212> DNA <213> Artificial Sequence <220> 25 <223> primer <400> 88 cttctacccc aaatcccta 19 30 <210> 89 <211> 18 <212> DNA <213> Artificial Sequence 35 <220>

<220>

136

<223> primer <400> 89 5 tgtttgggat tgggtagg 18 <210> 90 <211> 23 <212> DNA 10 <213> Artificial Sequence <220> <223> primer 15 <400> 90 cataaccttt acctatctcc tca 23 <210> 91 20 <211> 22 <212> DNA <213> Artificial Sequence <220> 25 <223> primer <400> 91 ttttagattg aggttttagg gt 22 30 <210> 92 <211> 22 <212> DNA <213> Artificial Sequence 35

	<223> primer	
	<400> 92	
5	atccattcta cctccttttt ct	22
	<210> 93	
	<211> 18	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 93	
	ggaggggaga gggttatg	18
	<210> 94	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 94	
30	tactatacac accccaaaac aa	22
	<210> 95`	
	<211> 19	
	<212> DNA	
	<213> Artificial Sequence	
35		
	<220>	

<223> primer <400> 95 5 ttttgggaat gggttgtat 19 <210> 96 <211> 21 <212> DNA 10 <213> Artificial Sequence <220> <223> primer 15 <400> 96 ctacccttaa cctccatcct a 21 <210> 97 20 <211> 22 <212> DNA <213> Artificial Sequence <220> 25 <223> primer <400> 97 ttgttgggag tttttaagtt tt 22 30 <210> 98 <211> 22 <212> DNA <213> Artificial Sequence 35 <220>

<220>

<400> 98	
5 caaattctcc ttccaaataa at	22
<210> 99	
<211> 22	
<212> DNA	
10 <213> Artificial Sequence	
<220>	
<223> primer	
15 - <400> 99	
gtaatttgaa gaaagttgag gg	22
<210> 100	
20 <211> 22	
<212> DNA	
<213> Artificial Sequence	
<220>	
25 <223> primer	
<400> 100	
ccaacaacta aacaaaacct ct	22
30	
<210> 101	
<211> 20	
<212> DNA	
<213> Artificial Sequence	

	<223> primer	
	<400> 101	
5	ggagttgtat tgttgggaga	20
	<210> 102	
	<211> 21	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
	225 primer	
15	<400> 102	
	taaaacccca attttcacta a	21
	<210> 103	
20	<211> 22	
20	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 103	
	tttgtattag gttggaagtg gt	22
30		
	<210> 104	
	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
35		
	<220>	

	<223> primer	
	<400> 104	
5	cccaaataaa tcaacaacaa ca	22
	<210> 105	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 105	
	gatttttgga gaggaagtta ag	22
	<210> 106	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 106	
30	aaaactaaaa accaaaccca ta	22
	<210> 107	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
35		
	<220>	

	<223> primer		
	<400> 107		
5	tggggttagt ttaggatagg	20	*
	<210> 108		
	<211> 25		
1.0	<212> DNA		
10	<213> Artificial Sequence		
	<220>		
	<223> primer		
	(223) primer		
15	<400> 108		
	cttaaaaaca ctaaaacttc tcaaa	25	
	<210> 109		
20	<211> 21		
	<212> DNA		
	<213> Artificial Sequence		
	<220>		
25	<223> primer		
	.400. 100		
	<400> 109		
	tttttgtatt ggggtaggtt t	21	
30		2.	
	<210> 110		
	<211> 24		
	<212> DNA		
	<213> Artificial Sequence		
35			
	<220\s		

	<223> primer	
	<400> 110	
5	cccaactatc tctctcctct ataa	24
	<210> 111	
	<211> 25	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 111	
	attagaagtg aaagtaatgg aattt	25
	<210> 112	
20	<211> 19	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 112	
30	tcaatttcca aaaaccaac	19
30	<210> 113	
	<211> 22	
	<211> 22 <212> DNA	
	<213> Artificial Sequence	
35	2222 SECTIFICIAL SEQUENCE	
- -	<220>	

	<223> primer	
	<400> 113	
5	gggatgggtt attagttgta aa	22
	<210> 114	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 114	
	ccttcacaca aaactacaaa aa	22
	<210> 115	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
0.5	<220>	
25	<223> primer	
	<400> 115	
2.0	taattgaagg ggttaatagt gg	22
30		
	<210> 116	
	<211> 22	
	<212> DNA	
35	<213> Artificial Sequence	
J J	<220>	

	<223> primer	
	<400> 116	
5	aaaaccaaaa ccaaaactaa aa	22
	<210> 117	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 117	
	agtggatttg gagtttagat gt	22
	<210> 118	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 118	
	aacaaaataa aaacttctcc ca	22
30	·	
	<210> 119	
	<211> 22	
	<212> DNA	
3.5	<213> Artificial Sequence	
35		
	<220>	

	<223> primer	
	<400> 119	
5	taggggaaaa gttagagttg ag	22
	<210> 120	
	<211> 18	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 120	
	cccattaacc cacaaaaa	18
	<210> 121	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 121	
30	attttagttt gtgaaatggg at	22
50	<210> 122	
	<211> 21	
	<212> DNA	
	<213> Artificial Sequence	
35	Incliferal bequence	
	<220>	

	<223> primer	
	<400> 122	
5	tottaaccaa taacccctca c	21
	<210> 123	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 123	
	gtgggttttg ggtagttata ga	22
	<210> 124	
20	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 124	
	taacctcctc tccttaccaa	20
30		
	<210> 125	
	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
35		
	<220>	

	<223> primer	
	<400> 125	
5	taggatgggg agagtaatgt tt	22
	<210> 126	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 126	
	acaacttatc caacttccat tc	22
	<210> 127	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 127	
	tcccacaaaa actaaacaat ta	22
30		
	<210> 128	
	<211> 21	
	<212> DNA	
	<213> Artificial Sequence	
35		
	<220>	

	<223> primer	
	<400> 128	
5	aggttttaga tgaaggggtt t	21
	<210> 129	
	<211> 23	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 129	
	tttggagggt ttagtagaag tta	23
	<210> 130	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 130	
	cccaataatc acaaaataaa ca	22
30		
	<210> 131	
	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
35		
	<220>	

	<223> primėr		
	<400> 131		
5	atacaacctc aaatcctatc ca	22	
	<210> 132		
	<211> 22		
	<212> DNA		
10	<213> Artificial Sequence		
	<220>		
	<223> primer		
15	<400> 132	•	
	agggagaagg aagttatttg tt	22	
	<210> 133		
20	<211> 22		
	<212> DNA		
	<213> Artificial Sequence		
	<220>		
25	<223> primer		
	<400> 133		
20	ggaagatgag gaagttgatt ag	22	
30			
	<210> 134		
	<211> 22		
	<212> DNA		
2.5	<213> Artificial Sequence		
35			
	<220>		

	<223> primer	
	<400> 134	
5	cctacaaccc tatcctctaa aa	22
	<210> 135	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 135	
	ttagtagggg tgtgagtgtt tt	22
	<210> 136	
20	<211> 23	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 136	
30	Caaacaaaac ttctatctca acc	23
J 0	-010- 107	
	<210> 137	
	<211> 21	
	<212> DNA	
2 5	<213> Artificial Sequence	
35		
	<220>	

	<223> primer	
	<400> 137	
5	ttatagggtt gagtttggga t	21
	<210> 138	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 138	
	taaacaaaca acaaatcttc ca	22
	<210> 139	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 139	
30	tgaaaatgaa ggtatggagt tt	22
	<210> 140	
	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
35		
	<220>	

<220>

153

<223> primer <400> 140 5 ttaaaaccat ataatccctc ca 22 <210> 141 <211> 22 <212> DNA 10 <213> Artificial Sequence <220> <223> primer 15 <400> 141 tatgtttggt tttgttttga ga 22 <210> 142 20 <211> 22 <212> DNA <213> Artificial Sequence <220> 25 <223> primer <400> 142 aaccccatca cttttatttc tt 22 30 <210> 143 <211> 22 <212> DNA <213> Artificial Sequence 35

	<223> primer	
	<400> 143	
5	gggtgtagaa gtgtttaggt tt	22
	<210> 144	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 144	
	tttctcccct tacaacaata ac	22
	<210> 145	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 145	
30	tccccttcca actatatctc tc	22
	<210> 146	
	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
35	ortioidi pequence	
_	<220>	

	<223> primer	
	<400> 146	
5	tgagagtgtt ttagggaagt tt	22
	<210> 147	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 147	
	aaaaccaaaa cataaaccaa aa	22
	<210> 148	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 148	
30	gattaggagg gtttgttgag at	22
	<210> 149	
	<211> 21	
	<211> Z1 <212> DNA	
35	<213> Artificial Sequence	
<i>- - - - - - - - - -</i>	<220>	
		

. :

<220>

156

<223> primer <400> 149 5 aatggttgat gattttggtt t 21 <210> 150 <211> 22 <212> DNA 10 <213> Artificial Sequence <220> <223> primer 15 <400> 150 actctcttcc ctatacccct aa 22 <210> 151 20 <211> 24 <212> DNA <213> Artificial Sequence <220> 25 <223> primer <400> 151 tgttagtaga gttttaggga ggtt 24 30 <210> 152 <211> 22 <212> DNA <213> Artificial Sequence 35

	<223> primer	
	<400> 152	
5	acactaccta tccttacccc ac	22
	<210> 153	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 153	
	tttttgtttt tatggggtgt at	22
	<210> 154	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 154	
30	ttaaatatcc cttccttaac ca	22
30	4210- 155	
	<210> 155 <211> 23	
	<211> 23 <212> DNA	
	<212> DNA <213> Artificial Sequence	
35	Value Attiticial Sequence	
J J	<220>	

	<223> primer	
	<400> 155	
5	agttagaaga ggagttagga tgg	23
	<210> 156	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 156	
	taattttcca atacccattt tc	22
	<210> 157	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 157	
30	tgggtagtat ttttgttggt tt	22
- •	<210> 158	
	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
35		
	<220>	

	<223> primer	
	<400> 158	
5	cctaaaaact ctctcatcct ca	22
	<210> 159	
	<211> 23	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 159	
	agtggtttag gagtatttgg tta	23
	ageggeeoug gageaceegg coa	
	<210> 160	
20	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
	-	
	<220>	
25	<223> primer	
		
	<400> 160	
	1007 100	
	aactccctcc atctacaata tc	22
	adoctore dictacada to	44

20

160

Claims

- A method for the amplification of nucleic acids com prising the following steps
 - 1) isolating a nucleic acid sample,
- 2) treating said sample in a manner that differenti-10 ates between methylated and un-methylated cytosine bases within said sample,
 - 3) amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of primer molecules, wherein said primer molecules are characterized in that
 - a) each primer molecule sequence reaches a predefined measure of complexity,
 - b) every combination of any two primer molecules in the set has a melting temperature below a specified threshold temperature,
- c) every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template,

and

- 4) detecting said amplified target nucleic acid.
- 35 2. A method according to claim 1 wherein said primer molecules do not contain nucleic acid sequences com-

plementary or identical to nucleic acid sequences of the target sequence which prior to treatment of step 2 contained a 5'-CG-3' site.

- 5 3. A method according to claims 1 and 2 wherein said set is comprised of at least one but not more than 32 primer pairs.
- 4. A method according to claims 1 and 2 wherein said set is comprised of at least one but not more than 16 primer pairs.
 - 5. A method according to claims 1 to 4 wherein the primer molecules are reaching a specified value of linguistic complexity.
 - 6. A method according to claims 1 to 4 wherein the primer molecules are reaching a specified value of Shannon entropy.

20

15

7. A method according to claims 1 to 6 wherein the nucleic acid sample is isolated from a bodily fluid, a cell culture, a tissue sample or a combination thereof.

- A method according to claims 1 to 7 wherein the nucleic acid sample is comprised of plasmid DNA, BACs, YACs or genomic DNA.
- 9. A method according to claims 1 to 7 wherein the nucleic acid sample is comprised of human genomic DNA
- 10. A method according to claims 1 to 9 wherein said sample is treated by means of a solution of a bisulfite, hydrogen sulfite or disulfite.

20

- 11. A method according to claims 1 to 10 wherein said primer molecule comprises of at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by the treatment performed in step 2) of claim 1.
- 12. A method according to claims 1 to10 wherein said

 primer molecule comprises of at least one nucleotide
 within the last three nucleotides from the 3' end of
 the molecule wherein said nucleotide is complementary
 to a nucleotide of the target sequence that was converted to a different nucleotide by bisulfite treatment.
 - 13. A method according to claims 1 to 12 wherein each of said primer molecules is characterized in that the last at least 5 bases at the 3' end of said primer molecule are not complementary to the sequence of any other primer molecule in the set.
 - 14. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 20% of the number of nucleotides of the primer molecule.
- 15. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 20% of the number of nucleotides of the primer molecule.

10

20

- 16. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 10% of the number of nucleotides of the primer molecule.
- 17. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 10% of the number of nucleotides of the primer molecule.
- 18. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 5% of the number of nucleotides of the primer molecule.
 - 19. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 5% of the number of nucleotides of the primer molecule.
- 20. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than seven.
- 21. A method according to claim 20 wherein the number of mismatches allowed for is less than five.

15

20

30

- 22. A method according to claim 20 wherein the number of mismatches allowed for is less than three.
- 23. A method according to claim 20 wherein the number of mismatches allowed for is one.
 - 24. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is determined by a pre-specified maximum melting temperature.
 - 25. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than eight 5'-CG-3' sites.
 - 26. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than six 5'-CG-3' sites.
- 27. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than four 5'-CG-3' sites.
 - 28. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than two 5'-CG-3' sites.
 - 29. A method according to claims 1 to 28 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR.

20

25

- 30. A method according to claims 1 to 28 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR, taking as template nucleic acid the coding strand of the treated sample, the non-coding strand of the treated sample and both of the strands of the untreated sample.
- 31. A method according to claims 1 to 28 wherein the

 ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR,
 taking as template nucleic acid the coding strand of
 the bisulfite converted human genome, the non-coding
 strand of the bisulfite converted human genome and
 both of the strands of the untreated human genome.
 - 32. A method according to claims 1 to 31 wherein said primer molecules are used to amplify nucleic acids which are comprised of at least 50 bp but not more than 2000 bp.
 - 33. A method according to claims 1 to 31 wherein said primer molecules are used to amplify nucleic acids which are comprised of at least 80 bp but not more than 1000 bp.
 - 34. A method according to claims 1 to 33 wherein said primer molecules are comprised of 16 50 nucleotides.
 - 35. A method according to claims 1 to 34 wherein said primer molecules do not form dimers with each other.
- 36. A method according to claims 1 to 35 wherein said primer molecules do not form loops or hairpin structures.

10

20

- 37. A method according to claims 1 to 36 wherein said primer molecules are complementary to target sequences which prior to the treatment performed in step 2) of claim 1 did not contain specified restriction enzyme recognition sites.
- 38. A method according to claims 1 to 37 wherein said primer molecules amplify regions of the treated nucleic acids which prior to the treatment performed in step 2) of claim 1 did not contain specified restriction enzyme recognition sites.
- 39. A method for designing primers according to claim 1,comprising the steps of
 - a) selecting a pool of possible primer pairs per amplificate by means of a standard PCR primer design program using said nucleic acids as template
 - b) excluding those primer pairs which comprise of a primer that in combination with another primer molecule in the same set exceeds a threshold melting temperature
 - c) excluding those primer pairs which comprise of a primer that does not reach a specified level of complexity
- d) excluding those primer pairs which comprise of a primer that in combination with another primer molecule in the same set, under conditions allowing for one or more base mismatches per primer, amplifies an unwanted product when virtually tested using the treated and the untreated sample nucleic acid as template.

25

30

- 40. A method for designing said primer molecules according to claim 1 and 43, adding the step of
- e) excluding from the remaining confirmed primer pairs those pairs which in said amplification step do not result in the amplification of the intended product when performing a single PCR experiment.
- 41. A method for designing primers according to claims 39 and 40 , wherein said template nucleic acids are masked for repeats and SNPs before designing said primer molecules and wherein said standard PCR primer design program considers one or more of the following factors

length of amplificate, length of primer, melting temperature of the primers, dimer formation parameters, loop formation parameters, exclusion of unidentified or ambiguous nucleotides in the primer sequence, exclusion of restriction enzyme recognition sites.

- 42. A method according to claims 39 to 41 wherein said measure of complexity is a measure of linguistic complexity.
 - 43. A method according to claims 39 to 41 wherein said measure of complexity is a measure of Shannon entropy.

44. A method according to claims 39 to 43 wherein the following step is carried out prior to performing step d)

excluding from the remaining primer pairs those

pairs, which consist of a primer molecule that comprises of at least one CpG site.

- 45. A method according to claims 39 to 44 wherein the following step is carried out prior to performing step d)
- excluding from the remaining primer pairs those pairs, which consist of a primer molecule that does not contain at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by the treatment performed in step 2) of claim 1.
 - 46. A method according to claims 39 to 45 wherein the following step is carried out prior to performing step d)
- excluding from the remaining primer pairs those pairs, which consist of a primer molecule that contains more than 5 bases at its 3' end that are complementary to any other primer molecules' sequence in the set.
 - 47. A method according to claim 39 to 46 wherein the following step is carried out prior to performing step d)
 - excluding from the remaining primer pairs those pairs, which amplify a nucleic acid that did not, prior to the treatment in step 2 of claim 1, contain at least two CpG sites

35

30

35

- 48. A method according to claim 39 to 47 wherein the following step is added before performing step d)
- excluding from the remaining primer pairs those

 pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of claim 1 under conditions allowing for a number of mismatching nucleotides of 20% of the number of nucleotides of the primer molecule.
 - 49. A method according to claim 39 to 47 wherein the following step is added before performing step d)

excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of claim 1 under conditions allowing for a number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, of up to 20% of the number of nucleotides of the primer molecule.

50. A method according to claim 39 to 47 wherein the following step is added before performing step d)

excluding from the remaining primer pairs those
pairs, which comprise of one primer molecule that in
combination with another primer molecule in the set
amplifies an unwanted product, when virtually testing
according to step 3 c) of claim 1 under conditions
allowing for four or less mismatching base pairs.

- 51. A method according to claim 39 to 47 wherein the following step is added before performing step d)
- excluding from the remaining primer pairs those
 pairs, which comprise of one primer molecule that in
 combination with another primer molecule in the set
 amplifies an unwanted product, when virtually testing
 according to step 3 c) of claim 1 under conditions
 allowing for two or less mismatching base pairs.

Abstract

The present invention relates to a method for the amplification of nucleic acids comprising the following steps

1) isolating a nucleic acid sample,

15

- 2) treating said sample in a manner that differentiates between methylated and un-methylated cytosine bases within said sample,
- 3) amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of primer molecules, wherein said primer molecules are characterized in that,
 - a) each primer molecule sequence reaches a predefined measure of complexity
 - b) every combination of any two primer molecules in the set has a melting temperature below a specified threshold temperature
- c) every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template
- and 4) detecting said amplified target nucleic acid.

The invention describes a method for amplifying nucleic acids, such as DNA with means of an enzymatic amplification step, such as a polymerase chain reaction, specified for template nucleic acids of low complexity, e.g. pretreated DNA, like but not limited to DNA pre-treated with bisulfite is disclosed. The invention is based on the use of specific oligo-nucleotide primer molecules to solely amplify specific pieces of DNA. It is disclosed how to optimize the primer design for a PCR if the template DNA is of low complexity.

Figure 1




Figure 2




Figure 3




Figure 4

	Α		
.:. "	TP	FP	FN
11-a	9	8	0
, 11-b	9	7	0
12 - 23	7	9	0
13	7	6	1
14	9	11	1
.15	7	5	1
21-a	8	4	2
21-b	8	4	0
22	8	9	2
23-a	7	5	0
23-b	7	10	1
23-b 24	10	17	0
25	8	0	0
31'	9	3	0
32	4	7	4
.33	6	9	2
34	8	3	0
35	7	4	2

	TP	FP	FN .
Ø	7,67	6,72	0,89
STABW	1,37	3,86	1,13

C			
	TP	FP	FN
	8	7	1
11-b	8	4	1,
12 13	7	6	1
13	8	6	0
14	6	6	2
.i 15 141	4	9	5
21-a	7	3	0
21-b 22	8	4	0
<i>2</i> 2,	4	6	3
23-a	6	4	3
23-b	8	5	1
24	8	10	4
. 25	5	1	3
31	7	2	1
32	8	3	1
· 33	2	3	7
. 34	7	8	1
35	6	3	11

1. 18 18 1	, JB	FP	FN
Ø	6,5	5	1,94
	1 76	2.45	1.89